

# El Paso Pipeline Maintenance Summary

This document lists major maintenance and construction shutdowns that are being planned on the EPNG pipeline system for the next 12 to 15 months. The purpose of this posting is to make customers aware of **proposed outages** that will affect throughput on the various systems of the pipeline. Dates may change based on changing business conditions or to coordinate with outages on interconnecting pipelines. **Comments regarding alternate dates are welcome.**

**This document is not intended to be an official notice. When shutdowns are finalized, they will be posted as Informational Postings, found on the EPNG Pipeline Company Home Page. Refer to those notices for current shutdowns.**

This Shutdown Schedule will normally be updated weekly or by special edition if warranted. Please refer to the revision date.

## El Paso Natural Gas Co. Shutdown Schedule

**All dates are tentative and subject to change. See EBB Maintenance notices for finalized dates and impacts.**



Revised: 5/23/2024

Questions? Call John Althoff 719-667-7750

**EPNG will post an update for the impact to the system as soon as possible.TBD (To Be Determined )**

| Start Date | End Date   | Location     | Unit | Maintenance Activity          | Reduction in MMcf/d | Oregion |
|------------|------------|--------------|------|-------------------------------|---------------------|---------|
| 11/7/2013  | 12/31/2024 | WINDOW ROCK  | 3A   | Window Rock 3A repair pending | 35                  | NM      |
| 7/21/2015  | 12/31/2024 | WILLIAMS     | 1204 | Williams 4B repair pending    | 35                  | NM      |
| 12/1/2015  | 12/31/2024 | LEUPP        | 1A   | Leupp 1A repair pending       | 25                  | NM      |
| 8/4/2016   | 12/31/2024 | MONUMENT STA | 1B   | Monument 1B repair pending    | 20                  | SM      |
| 9/8/2017   | 12/31/2024 | LEUPP        | 9A   | Leupp 9A repair pending       | 25                  | NM      |
| 1/1/2018   | 12/31/2024 | CASA GRANDE  | 1A   | Casa Grande 1A repair pending | 42                  | SM      |
| 11/6/2018  | 12/31/2024 | WINDOW ROCK  | 1B   | Window Rock 1B repair pending | 35                  | NM      |

|            |            |               |       |   |     |     |
|------------|------------|---------------|-------|---|-----|-----|
| 12/2/2018  | 12/31/2024 | DIMMITT STA   | 1A    | Dimmitt 1A repair pending   | 40  | AN  |
| 5/27/2021  | 12/31/2025 | PLAINS STA    | 15A   | Plains 15A repair   | 50  | SM  |
| 5/28/2021  | 12/31/2024 | PLAINS STA    | 8A    | Plains 8A repair  | 35  | SM  |
| 7/19/2021  | 12/31/2024 | AFTON STA     | 3A    | Afton 3A repair pending   | 65  | SM  |
| 6/14/2022  | 12/31/2024 | FLAGSTAFF     | 2A    | Flagstaff 2A repair   | 115 | NM  |
| 7/19/2022  | 7/1/2024   | KEYSTONE      | 9A    | Keystone 9A repair  | 35  | PR  |
| 11/30/2022 | 12/31/2024 | FLAGSTAFF     | 1A    | Flagstaff 1A repair   | 115 | NM  |
| 6/27/2023  | 12/31/2024 | LEUPP         | 2A    | Leupp 2A repair pending   | 0   | NM  |
| 9/14/2023  | 7/19/2024  | EHRENBERG     | 1100  | Line 1100 pipeline repair - Wenden to Ehrenberg - MLV 80.5 to MLV 88  | 361 | SM  |
| 10/30/2023 | 12/31/2024 | LEUPP         | 3A    | Leupp 3A repair pending   | 50  | NM  |
| 1/1/2024   | 6/30/2024  | PHOENIX       | 1007  | Line 1007 direct assessment - MLV 22.5 - (Informational Only)   | 0   | PHX |
| 1/1/2024   | 6/30/2024  | PHOENIX       | 1007  | Line 1007 direct assessment - MLV 16.75 to MLV 26.75 - (Informational Only)   | 0   | PHX |
| 1/15/2024  | 8/15/2024  | TUCSON        | 1008  | Line 1008 pipeline remediation MLV 0.5 to MLV 4 (Informational Only)  | 0   | SM  |
| 2/5/2024   | 9/15/2024  | PHOENIX       | 1007  | Line 1007 direct assessment - M.P. 107 to I-10 - (Informational Only)   | 0   | PHX |
| 2/21/2024  | 6/30/2024  | PHOENIX       | 2000  | Line 2000 pipeline repair Casa Grande C to Wenden   | 497 | PHX |
| 3/5/2024   | 5/24/2024  | WINDOW ROCK   | 4B    | Window Rock 4B inspection   | 32  | NM  |
| 3/25/2024  | 6/14/2024  | GUADALUPE STA | 1A    | Guadalupe Station maintenance   | 290 | SM  |
| 3/26/2024  | 5/31/2024  | LORDSBURG STA | 1A    | Lordsburg A Station maintenance   | 150 | SM  |
| 4/1/2024   | 7/31/2024  | KEYSTONE      | 9A    | Keystone 9A repair  | 35  | PR  |
| 4/29/2024  | 12/31/2024 | DIMMITT STA   | 3A    | Dimmitt 3A maintenance  | 50  | AN  |
| 5/6/2024   | 7/14/2024  | TOPOCK-MOJAVE | 1200  | Line 1200 Hydrotest Seligman to Hackberry   | 150 | NM  |
| 5/6/2024   | 7/14/2024  | TOPOCK-MOJAVE | 1200  | Line 1200 Hydrotest Seligman to Hackberry   | 150 | NM  |
| 5/6/2024   | 7/14/2024  | TOPOCK-MOJAVE | 1200  | Line 1200 Hydrotest Seligman to Hackberry   | 150 | NM  |
| 5/8/2024   | 10/25/2024 | PLAINS STA    | 3A    | Plains 3A repair  | 50  | SM  |
| 5/8/2024   | 5/24/2024  | CAPROCK       | 1A    | Caprock 1A repair   | 75  | XO  |
| 5/13/2024  | 5/24/2024  | PLAINS PL     | 30148 | Line 3031/30148 pipeline remediation - Hobbs Power Plant Delivery - Lower Delivery Pressure during this maintenance | 0   | SM  |
| 5/16/2024  | 5/24/2024  | PLAINS STA    | 9A    | Plains 9A repair  | 50  | SM  |
| 5/20/2024  | 5/24/2024  | FLAG-WEST-PL  | 1204  | Line 1204 pipeline remediation Williams to Seligman   | 175 | NM  |
| 5/20/2024  | 5/24/2024  | HACKBERRY STA | 1204  | Hackberry 2A inspection   | 200 | NM  |

|           |           |                   |           |  |     |     |
|-----------|-----------|-------------------|-----------|--|-----|-----|
| 5/21/2024 | 5/23/2024 | SCHAFER           | STA       | Schafer Station DOT/ESD Tests  | 50  | AN  |
| 5/21/2024 | 6/5/2024  | TUCSON            | 1007      | Line 1007 hydrotest - MLV 12.75 to MLV 13.25 - (Informational Only)  | 0   | SM  |
| 5/21/2024 | 6/6/2024  | TUCSON            | 1007      | Line 1007 hydrotest - MLV 20 to MLV 21.25 - (Informational Only)   | 0   | SM  |
| 5/21/2024 | 6/19/2024 | TUCSON            | 1007      | Line 1007 hydrotest - MLV 19 to MLV 20 - (Informational Only)  | 0   | SM  |
| 5/21/2024 | 5/26/2024 | GALLUP-SAN JUAN X | 1300      | Line 1300 pipeline replacement MLV 33 to MLV 34  | 613 | XO  |
| 5/21/2024 | 6/18/2024 | GALLUP-SAN JUAN X | 1300      | Line 1300 pipeline remediation Bluewater to Valve City   | 361 | XO  |
| 5/21/2024 | 6/30/2024 | AMARILLO STA      | STA       | Amarillo Station repair  | 85  | AN  |
| 5/24/2024 | 5/24/2024 | ODESSA PL         | L3140     | WTG Jameson Receipt (ISUNJAME) - Flow Required During Line 3140 Tool Runs  | 20  | PR  |
| 5/23/2024 | 5/23/2024 | CASA GRANDE       | STA       | Casa Grande Station DOT/ESD Tests  | 210 | SM  |
| 5/23/2024 | 5/23/2024 | HUECO STA         | HUECO     | Hueco 3A maintenance   | 50  | SM  |
| 5/24/2024 | 5/24/2024 | CASA GRANDE       | 1A        | Casa Grande 1A shutdown checks   | 42  | SM  |
| 5/24/2024 | 5/24/2024 | CASA GRANDE       | 1B        | Casa Grande 1B shut down checks  | 104 | SM  |
| 5/24/2024 | 5/24/2024 | CASA GRANDE       | 2A        | Casa Grande Unit 2A shutdown checks  | 42  | SM  |
| 5/28/2024 | 5/29/2024 | TOM MIX STA       | 2A        | Tom Mix 2A inspection  | 43  | SM  |
| 5/28/2024 | 5/28/2024 | ODESSA PL         | 1600      | 49073 - Blake Draw Receipt - BRAZOSDG/EPNG (IBLAKEDR) BLAKE DRAW - Meter Tube Cleaning - 70-75 Mmcf/d Maximum Flow Rate During Meter Tube Cleaning | 100 | PR  |
| 5/28/2024 | 5/30/2024 | CORNUDAS STA      | B         | Cornudas B Station DOT/ESD Tests   | 119 | SM  |
| 5/29/2024 | 5/30/2024 | DRAGOON STA       | 1A        | Dragoon Station maintenance  | 171 | SM  |
| 6/3/2024  | 6/3/2024  | DEMING PL         | METER STA | 314549 - Lordsburg Power Plant Delivery - CTYLDBRG (DLORDAFT) LORDSBURG - Meter Tube Cleaning - (6 Hour Outage)                                    | 1   | SM  |
| 6/3/2024  | 6/16/2024 | FLAG-WEST-PL      | 1201      | Line 1201 pipeline remediation Flagstaff to Seligman   | 150 | NM  |
| 6/3/2024  | 6/16/2024 | FLAG-WEST-PL      | 1201      | Line 1201 pipeline remediation Flagstaff to Seligman   | 150 | NM  |
| 6/3/2024  | 6/16/2024 | FLAG-WEST-PL      | 1201      | Line 1201 pipeline remediation Flagstaff to Seligman   | 150 | NM  |
| 6/3/2024  | 7/14/2024 | PHOENIX           | 1007      | Line 1007 direct assessment - MLV 26.75 to MLV 27 - (Informational Only)   | 0   | PHX |

|           |           |              |           |  |     |    |
|-----------|-----------|--------------|-----------|--|-----|----|
| 6/3/2024  | 6/9/2024  | ODESSA PL    | L3133     | Line 3133 pipeline remediation MLV 7.50 to MLV 7.875 - Informational Only - No current capacity reduction to SWPKGOLDS               | 0   | PR |
| 6/3/2024  | 6/3/2024  | DEMING PL    | METER STA | 314563 - Pyramid Generating Delivery - TRISTATE/EPNG (IPYRAMID) PYRAMID PP - Meter Tube Cleaning - (6 Hour Outage)                   | 13  | SM |
| 6/4/2024  | 6/4/2024  | LINCOLN      | STA       | Lincoln 1A inspection  | 168 | XO |
| 6/4/2024  | 6/6/2024  | LEUPP        | 10A       | Leupp 10A inspection   | 50  | NM |
| 6/4/2024  | 6/6/2024  | LEUPP        | 7A        | Leupp 7A inspection  | 50  | NM |
| 6/4/2024  | 6/4/2024  | EUNICE C     | 3C        | Eunice 3C mechanical inspection no flow at ITEXNEUN (377034) during this maintenance only. Alternate scheduling location IWAREUNI    | 76  | PR |
| 6/4/2024  | 6/6/2024  | LINCOLN      | STA       | Lincoln Station DOT/ESD Tests  | 158 | XO |
| 6/4/2024  | 6/6/2024  | FLORIDA STA  | 2A        | Florida 2A inspection  | 75  | SM |
| 6/4/2024  | 6/7/2024  | DUMAS STA    | 1A        | Dumas 1A maintenance   | 75  | AN |
| 6/4/2024  | 6/7/2024  | DUMAS STA    | 2A        | Dumas 2A maintenance   | 75  | AN |
| 6/10/2024 | 6/10/2024 | GALLUP-N ML  | 1200      | Line 1200 cleaning tool Window Rock to Dilkon  | 78  | XO |
| 6/10/2024 | 6/24/2024 | TUCSON       | 1007      | Line 1007 pipeline remediation - MLV 15.25 to MLV 16.75 - (Informational Only)   | 0   | SM |
| 6/10/2024 | 6/14/2024 | PUCKETT      | STA       | Puckett Station DOT/ESD Tests  | 135 | PR |
| 6/10/2024 | 6/14/2024 | PUCKETT      | STA       | Puckett Station DOT/ESD Tests  | 135 | PR |
| 6/10/2024 | 6/16/2024 | ODESSA PL    | LINE 3133 | Line 3133 pipeline remediation MLV 8 to MLV 8.125 - Informational Only - No current capacity reduction to SWPKGOLDS                  | 0   | PR |
| 6/10/2024 | 6/12/2024 | KEYSTONE     | 9A        | Keystone 9A inspection   | 37  | PR |
| 6/11/2024 | 6/11/2024 | GALLUP-N ML  | 1200      | Line 1200 smart tool Window Rock to Dilkon   | 78  | XO |
| 6/11/2024 | 6/12/2024 | WILLIAMS     | 1204      | Williams 5B inspection   | 50  | NM |
| 6/11/2024 | 6/28/2024 | TUCSON       | 1007      | Line 1007 hydrotest - MLV 8 to MLV 9.5 - (Informational Only)  | 0   | SM |
| 6/11/2024 | 6/11/2024 | EL PASO      | METER STA | 300842 - Rio Grande #9 Delivery - EP ELEC/EPNG (DEPECAFT) RIO GRANDE - Meter Tube Cleaning - No capacity impact (Informational Only) | 0   | SM |
| 6/11/2024 | 6/11/2024 | PLAINS PL    | 3051      | Line 3051 cleaning tool Monument to Lea County   | 15  | PR |
| 6/11/2024 | 6/13/2024 | AFTON STA    | 1A        | Afton 1A maintenance   | 125 | SM |
| 6/12/2024 | 6/12/2024 | EL PASO      | METER STA | 300843 - Newman Power Plant - EP ELEC/EPNG (DEPECELP) NEWMAN PP E - Meter Tube and Valve Replacement (12 Hour Outage)                | 199 | SM |
| 6/12/2024 | 6/12/2024 | PLAINS PL    | 3051      | Line 3051 smart tool Monument to Lea County  | 15  | PR |
| 6/12/2024 | 6/13/2024 | GALLUP-N ML  | 1200      | Line 1200 smart tool Window Rock to Dilkon   | 55  | XO |
| 6/13/2024 | 6/14/2024 | WILLIAMS     | 1204      | Williams 2B inspection   | 110 | NM |
| 6/14/2024 | 6/15/2024 | GALLUP-N ML  | 1200      | Line 1200 smart tool Window Rock to Dilkon   | 78  | XO |
| 6/17/2024 | 6/20/2024 | CORNUDAS STA | 1B        | Cornudas B Station inspection  | 175 | SM |

|           |           |                 |             |   |     |     |
|-----------|-----------|-----------------|-------------|---|-----|-----|
| 6/17/2024 | 6/23/2024 | FLAG-WEST-PL    | 1200        | Line 1200 pipeline remediation Flagstaff to MLV 31  | 150 | NM  |
| 6/17/2024 | 6/30/2024 | PHOENIX         | 1007        | Line 1007 direct assessment - MLV 26.5 to MLV 26.625 - (Informational Only)   | 0   | PHX |
| 6/17/2024 | 6/28/2024 | FLORIDA STA     | 1A & 2AA    | Florida 1A and 2A maintenance   | 70  | SM  |
| 6/17/2024 | 6/19/2024 | KEYSTONE        | 7A          | Keystone 7A inspection  | 40  | PR  |
| 6/17/2024 | 6/18/2024 | PHOENIX         | 1203        | Line 1203 smart tool North Phoenix to Pima Chandler   | 62  | PHX |
| 6/18/2024 | 6/21/2024 | LEUPP           | 5B          | Leupp 5B maintenance  | 50  | NM  |
| 6/18/2024 | 6/21/2024 | LEUPP           | 4B          | Leupp 4B inspection   | 50  | NM  |
| 6/18/2024 | 6/20/2024 | BONDAD          | 2A          | Bondad 2A inspection  | 233 | SJ  |
| 6/19/2024 | 6/21/2024 | KEYSTONE        | 9A          | Keystone 9A inspection  | 37  | PR  |
| 6/24/2024 | 6/27/2024 | CORNUDAS STA    | 3A          | Cornudas 3A inspection  | 60  | SM  |
| 6/24/2024 | 8/23/2024 | TUCSON          | 1008 / 1015 | Line 1008/1015 pipeline remediation - MLV 14.5 to MLV 16.5 - (Informational Only)   | 0   | SM  |
| 6/24/2024 | 6/28/2024 | SCHAFER         | 1A          | Schafer 1A inspection   | 50  | AN  |
| 6/24/2024 | 6/28/2024 | SCHAFER         | 2A          | Schafer 2A inspection   | 50  | AN  |
| 6/25/2024 | 6/28/2024 | SAN SIMON STA   | 1A          | San Simon 1A inspection   | 75  | SM  |
| 6/25/2024 | 6/27/2024 | GALLUP-N ML     | 1208        | Line 1208 pipeline maintenance Gallup to Valve City - (Informational Only)  | 0   | XO  |
| 6/25/2024 | 7/5/2024  | TUCSON          | 1007        | Line 1007 hydrotest - MLV 18.5 to MLV 19 - (Informational Only)   | 0   | SM  |
| 6/25/2024 | 6/28/2024 | PECOS RIVER STA | STA         | Pecos River Station DOT/ESD Tests   | 250 | SM  |
| 6/25/2024 | 7/19/2024 | KEYSTONE        | 3B          | Keystone 3B inspection  | 65  | PR  |
| 6/30/2024 | 7/31/2024 | FLAG-WEST-PL    | 1204        | Line 1204 pipeline maintenance MLV 31 to MLV 33.375   | 200 | NM  |
| 6/30/2024 | 7/31/2024 | FLAG-WEST-PL    | 1208        | Line 1208 pipeline maintenance MLV 31.25 to MLV 33  | 150 | NM  |
| 7/8/2024  | 7/11/2024 | SAN SIMON STA   | 1A          | San Simon 1A inspection   | 50  | SM  |
| 7/8/2024  | 8/26/2024 | AMARILLO PL     | 2125        | GCNM Farwell Takeoff Delivery - (DGCNMFAR) - No flow during this maintenance<br>Farm Taps and LDC's no flow during this maintenance | 41  | AN  |
| 7/8/2024  | 7/11/2024 | HUECO STA       | 2A          | Hueco 3A inspection   | 75  | SM  |
| 7/8/2024  | 7/26/2024 | EL PASO         | 2054        | Line 2054 pipeline remediation  | 100 | SM  |
| 7/9/2024  | 7/12/2024 | SAN SIMON STA   | 3A          | San Simon 3A inspection   | 20  | SM  |
| 7/9/2024  | 7/11/2024 | ORACLE STA      | STA         | Oracle Station inspection   | 94  | SM  |
| 7/9/2024  | 7/9/2024  | TUCSON          | 2184        | Line 2184 cleaning tool Willcox to Douglas  | 71  | SM  |
| 7/9/2024  | 7/9/2024  | FLAGSTAFF - PL  | 1204        | Line 1204 smart tool Navajo to Leupp (Dilkon A Station Unavailable)   | 150 | NM  |

|           |            |                   |             |  |     |    |
|-----------|------------|-------------------|-------------|--|-----|----|
| 7/9/2024  | 7/11/2024  | GRESHAM           | STA         | Gresham Station DOT/ESD Tests                                      | 175 | SM |
| 7/9/2024  | 7/11/2024  | RED MOUNTAIN      | STA         | Red Mountain Station inspection                                    | 125 | SM |
| 7/10/2024 | 7/10/2024  | FLAGSTAFF - PL    | 1204        | Line 1204 smart tool Navajo to Leupp                               | 219 | NM |
| 7/10/2024 | 7/11/2024  | RED MOUNTAIN      | STA         | Red Mountain Station DOT/ESD Tests                                 | 165 | SM |
| 7/11/2024 | 7/11/2024  | TUCSON            | 2184        | Line 2184 smart tool Willcox to Douglas                            | 71  | SM |
| 7/11/2024 | 7/11/2024  | FLAGSTAFF - PL    | 1204        | Line 1204 smart tool Navajo to Leupp                               | 164 | NM |
| 7/13/2024 | 7/13/2024  | FLAGSTAFF - PL    | 1204        | Line 1204 smart tool Navajo to Leupp                               | 117 | NM |
| 7/15/2024 | 8/9/2024   | DILKON            | 1A          | Dilkon 1A maintenance  | 150 | NM |
| 7/15/2024 | 7/18/2024  | HUECO STA         | 2A          | Hueco 2A inspection  | 75  | SM |
| 7/16/2024 | 7/19/2024  | AFTON STA         | STA         | Afton Station DOT/ESD Tests  | 100 | SM |
| 7/16/2024 | 7/16/2024  | TUCSON            | 2143        | Line 2143 cleaning tool MLV 0.75 to MLV 2.25                       | 20  | SM |
| 7/16/2024 | 7/16/2024  | GALLUP-SAN JUAN X | 1300        | Line 1300 cleaning tool Belen to Laguna                            | 164 | XO |
| 7/16/2024 | 7/17/2024  | DUMAS STA         | STA         | Dumas Station DOT/ESD Tests  | 50  | AN |
| 7/16/2024 | 7/25/2024  | TUCSON            | 1007        | Line 1007 hydrotest MLV 14.125 to MLV 14.25 - (Informational Only) | 0   | SM |
| 7/16/2024 | 7/26/2024  | TUCSON            | 1007        | Line 1007 hydrotest - MLV 18 to MLV 18.5 - (Informational Only)    | 0   | SM |
| 7/17/2024 | 7/17/2024  | GALLUP-SAN JUAN X | 1300        | Line 1300 cleaning tool Belen to Laguna                            | 164 | XO |
| 7/18/2024 | 7/18/2024  | TUCSON            | 2143        | Line 2143 smart tool MLV 0.75 to MLV 2.25                          | 20  | SM |
| 7/18/2024 | 8/29/2024  | GALLUP-SAN JUAN X | 1301        | Line 1301 special permit MLV 38.75 to MLV 39                       | 88  | XO |
| 7/22/2024 | 9/15/2024  | EL PASO           | 1100        | Line 1100 pipeline repair Hueco to El Paso                         | 300 | SM |
| 7/22/2024 | 9/29/2024  | TOPOCK-MOJAVE     | 1201        | Line 1201 Hydrotest Seligman to Hackberry                          | 150 | NM |
| 7/22/2024 | 9/29/2024  | TOPOCK-MOJAVE     | 1201        | Line 1201 Hydrotest Seligman to Hackberry                          | 150 | NM |
| 7/23/2024 | 7/23/2024  | TUCSON            | 1008 / 1015 | Line 1008/1015 cleaning tool MLV 14.5 to Mission Road              | 20  | SM |
| 7/23/2024 | 7/25/2024  | HUECO STA         | 1A          | Hueco 1A inspection  | 75  | SM |
| 7/23/2024 | 7/26/2024  | BLUEWATER         | STA         | Blue Water Station DOT/ESD Tests                                   | 220 | XO |
| 7/24/2024 | 7/24/2024  | TUCSON            | 1008 / 1015 | Line 1008/1015 smart tool MLV 14.5 to Mission Road                 | 20  | SM |
| 7/29/2024 | 9/6/2024   | SAN JUAN PL       | 1201        | Line 1201 Hydrotest MLV 0 to MLV 1                                 | 150 | SJ |
| 7/29/2024 | 10/30/2024 | PECOS RIVER STA   | 3A          | Pecos River 3A maintenance   | 100 | SM |
| 7/31/2024 | 7/31/2024  | EL PASO           | 1103        | Line 1103 smart tool Afton to Deming                               | 450 | SM |
| 8/1/2024  | 9/30/2024  | PECOS RIVER STA   | 1A          | Pecos River 1A maintenance   | 100 | SM |

|           |            |                   |        |   |     |     |
|-----------|------------|-------------------|--------|---|-----|-----|
| 8/5/2024  | 8/5/2024   | SAN SIMON STA     | STA    | San Simon Station maintenance   | 139 | SM  |
| 8/5/2024  | 8/18/2024  | AMARILLO PL       | 1114   | Line 1114 pipeline maintenance Getty Schafer to Dumas   | 75  | AN  |
| 8/5/2024  | 8/25/2024  | TOPOCK-MOJAVE     | 2121   | Line 2121 External Corrosion Dig Assesment - SWG Bullhead City Gate - Customer Affected   | 0   | NM  |
| 8/6/2024  | 8/6/2024   | GALLUP-N ML       | 1201   | Line 1201 cleaning tool Window Rock to Navajo   | 55  | XO  |
| 8/6/2024  | 8/8/2024   | LEUPP             | 8A     | Leupp 8A inspection   | 10  | NM  |
| 8/6/2024  | 8/6/2024   | GALLUP-N ML       | 1201   | Line 1201 smart tool Valve City to Navajo   | 165 | XO  |
| 8/9/2024  | 8/9/2024   | GALLUP-N ML       | 1201   | Line 1201 smart tool Window Rock to Navajo  | 78  | XO  |
| 8/9/2024  | 8/9/2024   | GALLUP-N ML       | 1201   | Line 1201 smart tool Valve City to Navajo   | 165 | XO  |
| 8/12/2024 | 8/14/2024  | LEUPP             | 1B     | Leupp 1B inspection   | 50  | NM  |
| 8/12/2024 | 8/31/2024  | FLAG-WEST-PL      | 1204   | Line 1204 pipeline maintenance MLV 33.25 to MLV 33.625  | 200 | NM  |
| 8/13/2024 | 8/18/2024  | WENDEN STA        | WENDEN | Wenden 1A inspection  | 175 | SM  |
| 8/13/2024 | 8/24/2024  | TUCSON            | 1007   | Line 1007 hydrotest - MLV 14 to MLV 14.125 - (Informational Only)   | 0   | SM  |
| 8/13/2024 | 8/15/2024  | BELEN             | 2A     | Belen 2A maintenance  | 70  | XO  |
| 8/20/2024 | 8/20/2024  | PHOENIX           | 1110   | Line 1110 cleaning tool Wenden to MLV 86  | 250 | PHX |
| 8/20/2024 | 8/22/2024  | WINDOW ROCK       | 2B     | Window Rock 2B inspection   | 32  | NM  |
| 8/20/2024 | 8/22/2024  | LAGUNA            | STA    | Laguna Station DOT/ESD Tests  | 97  | XO  |
| 8/20/2024 | 8/31/2024  | TUCSON            | 1007   | Line 1007 hydrotest - MLV 17 to MLV 18 - (Informational Only)   | 0   | SM  |
| 8/21/2024 | 8/21/2024  | PHOENIX           | 1110   | Line 1110 smart tool Wenden to MLV 86   | 250 | PHX |
| 8/27/2024 | 8/27/2024  | EL PASO           | 1600   | Line 1600 cleaning tool Cornudas B to El Paso C   | 300 | SM  |
| 8/27/2024 | 8/29/2024  | WINDOW ROCK       | 6B     | Window Rock 6B inspection   | 31  | NM  |
| 8/28/2024 | 8/30/2024  | MOJAVE STA        | 1900   | Mojave 3A inspection  | 117 | MOJ |
| 8/28/2024 | 8/28/2024  | EL PASO           | 1600   | Line 1600 smart tool Cornudas B to El Paso C  | 400 | SM  |
| 8/29/2024 | 8/29/2024  | EL PASO           | 1600   | Line 1600 smart tool Cornudas B to El Paso C  | 300 | SM  |
| 8/30/2024 | 8/30/2024  | EL PASO           | 1600   | Line 1600 smart tool Cornudas B to El Paso C  | 300 | SM  |
| 9/2/2024  | 9/3/2024   | LEUPP             | 6A     | Leupp 6A inspection   | 50  | NM  |
| 9/2/2024  | 9/3/2024   | CIMARRON          | STA    | Cimarron station maintenance  | 50  | SM  |
| 9/2/2024  | 12/2/2024  | ODESSA PL         | L3146  | Line 1105/3146 pipeline maintenance   | 97  | PR  |
| 9/3/2024  | 9/5/2024   | LEUPP             | 4B     | Leupp 4B maintenance  | 50  | NM  |
| 9/3/2024  | 9/3/2024   | PHOENIX           | 2027   | Line 2027 cleaning tool (Indian Service Power Plant)  | 2   | PHX |
| 9/3/2024  | 9/27/2024  | ODESSA PL         | 3101   | Fuel to Phillips Crane Delivery (DCP) - 335444 DCP OPER/EPNG (DPHCRAFL) FUEL TO PH - Customer to zero Dth/d during Line 3101 Hydrotest - Request from EPNG to DCP to schedule during customer outage. | 5   | PR  |
| 9/3/2024  | 9/3/2024   | EL PASO D         | 1D     | El Paso 1D inspection   | 175 | SM  |
| 9/4/2024  | 10/30/2024 | GALLUP-SAN JUAN X | 1300   | Line 1300 special permit MLV 38 to MLV 39   | 88  | XO  |

|           |            |                   |                  |  |     |     |
|-----------|------------|-------------------|------------------|--|-----|-----|
| 9/5/2024  | 9/5/2024   | PHOENIX           | 2027             | Line 2027 smart tool (Indian Service Power Plant)                | 2   | PHX |
| 9/9/2024  | 10/5/2024  | PHOENIX           | 1203             | Line 1203 pipeline maintenance MLV 5                             | 130 | PHX |
| 9/9/2024  | 10/5/2024  | PHOENIX           | 1203             | Line 1203 pipeline maintenance MLV 4 to MLV 6.5                  | 130 | PHX |
| 9/9/2024  | 10/11/2024 | TUCSON            | 1100             | Line 1100 pipeline repair Benson to Vail                         | 200 | SM  |
| 9/9/2024  | 10/11/2024 | TUCSON            | 1103             | Line 1103 pipeline repair Benson to Vail                         | 300 | SM  |
| 9/9/2024  | 11/3/2024  | GALLUP-SAN JUAN X | 1300/1301        | Line 1300/1301 Hydrotests  | 100 | XO  |
| 9/10/2024 | 9/12/2024  | LEUPP             | 11A              | Leupp 11A inspection   | 50  | NM  |
| 9/10/2024 | 9/10/2024  | PHOENIX           | 1100             | Line 1100 cleaning tool Wenden to Ehrenberg                      | 300 | PHX |
| 9/10/2024 | 9/12/2024  | WINDOW ROCK       | 4A               | Window Rock 4A inspection  | 32  | NM  |
| 9/10/2024 | 9/14/2024  | TUCSON            | 1007             | Line 1007 hydrotest - MLV 13.75 to MLV 14 - (Informational Only) | 0   | SM  |
| 9/10/2024 | 9/13/2024  | CORNUDAS A STA    | STA              | Cornudas A Station DOT/ESD Tests                                 | 272 | SM  |
| 9/10/2024 | 9/13/2024  | KEYSTONE          | STA              | Keystone Station DOT/ESD Tests                                   | 591 | PR  |
| 9/12/2024 | 9/12/2024  | PHOENIX           | 1100             | Line 1100 smart tool Casa Grande to Wenden                       | 300 | PHX |
| 9/16/2024 | 9/20/2024  | VAIL STA          | VAIL             | Vail 2A maintenance  | 50  | SM  |
| 9/16/2024 | 10/27/2024 | EL PASO           | 1103             | Line 1103 pipeline repair Hueco to El Paso                       | 400 | SM  |
| 9/16/2024 | 11/8/2024  | LORDSBURG STA     | 1A               | Lordsburg 1A maintenance   | 50  | SM  |
| 9/17/2024 | 9/17/2024  | SAN JUAN PL       | 1212             | Line 1212 cleaning tool MLV 1 to MLV 3.25                        | 175 | SJ  |
| 9/17/2024 | 9/17/2024  | CAPROCK           | CAPROCK          | Caprock 1A inspection  | 75  | XO  |
| 9/17/2024 | 9/24/2024  | CAPROCK           | CAPROCK          | Caprock 1A maintenance   | 75  | XO  |
| 9/17/2024 | 9/17/2024  | SAN JUAN PL       | 1219             | Line 1219 cleaning tool MLV 3.75 to M.P. 30                      | 150 | SJ  |
| 9/17/2024 | 9/20/2024  | KEYSTONE          | STA              | Keystone Station DOT/ESD Tests                                   | 591 | PR  |
| 9/19/2024 | 9/19/2024  | SAN JUAN PL       | 1212             | Line 1212 smart tool MLV 1 to MLV 3.25                           | 150 | SJ  |
| 9/19/2024 | 9/19/2024  | CAPROCK           | CAPROCK          | Caprock 2A inspection  | 75  | XO  |
| 9/20/2024 | 9/20/2024  | SAN JUAN PL       | 1219             | Line 1219 smart tool MLV 3.75 to MP 30                           | 150 | SJ  |
| 9/20/2024 | 9/27/2024  | WASHINGTON RANCH  | STA              | Washington Ranch Fall BHP Survey - No injection or withdrawal    | 250 | SM  |
| 9/24/2024 | 9/24/2024  | SAN JUAN PL       | 1218             | Line 1218 cleaning tool Bondad to MLV 1                          | 150 | SJ  |
| 9/24/2024 | 9/24/2024  | FLAGSTAFF - PL    | 1201             | Line 1201 cleaning tool Navajo to Dilkon                         | 168 | NM  |
| 9/24/2024 | 10/31/2024 | SAN JUAN PL       | 1200             | Line 1200 special permit MLV 0 to MLV 1                          | 150 | SJ  |
| 9/25/2024 | 9/25/2024  | SAN JUAN PL       | 1218             | Line 1218 smart tool Bondad to MLV 1                             | 150 | SJ  |
| 9/25/2024 | 9/25/2024  | FLAGSTAFF - PL    | 1201             | Line 1201 smart tool Navajo to Dilkon                            | 168 | NM  |
| 9/25/2024 | 9/26/2024  | ROSWELL           | STA              | Roswell Station DOT/ESD Tests                                    | 188 | XO  |
| 10/1/2024 | 10/3/2024  | WINDOW ROCK       | 2A               | Window Rock 2A inspection  | 32  | NM  |
| 10/1/2024 | 10/3/2024  | WILLIAMS          | 1200, 1201, 1208 | Williams 1C inspection   | 225 | NM  |



|            |            |                 |           |   |     |     |
|------------|------------|-----------------|-----------|---|-----|-----|
| 10/1/2024  | 10/31/2024 | TOPOCK-MOJAVE   | 2121      | Line 2121 Hydrotest - SWG Bullhead City Gate Delivery, SWG Sam Joy Delivery and SWG Tierra Verde Delivery - Customers to zero Dth/d during Line 2121 Hydrotest - (DSWG MOH) | 9   | NM  |
| 10/1/2024  | 10/1/2024  | ODESSA PL       | 1600      | Line 1600 smart tool Waha to Gresham  | 400 | PR  |
| 10/1/2024  | 10/11/2024 | PHOENIX         | 1100      | Line 1100 hydrotest Casa Grande to Gila   | 300 | PHX |
| 10/1/2024  | 10/17/2024 | EHRENBERG       | 2000      | Line 2000 hydrotest Wenden to Ehrenberg   | 350 | SM  |
| 10/1/2024  | 1/1/2025   | TUCSON          | 1103      | Line 1103 pipeline repair Benson to Vail  | 225 | SM  |
| 10/1/2024  | 11/22/2024 | CORNUDAS STA    | CORNUDAS  | Cornudas 2A maintenance   | 75  | SM  |
| 10/3/2024  | 10/3/2024  | HACKBERRY STA   | 1204,1200 | Hackberry Station inspection  | 250 | NM  |
| 10/4/2024  | 10/4/2024  | DUTCH FLATS STA | 1104      | Dutch Flats Station inspection  | 128 | HX  |
| 10/5/2024  | 10/11/2024 | SAN JUAN PL     | 1202      | Line 1202 pipeline remediation Blanco to White Rock   | 300 | SJ  |
| 10/7/2024  | 10/10/2024 | TOM MIX STA     | 2000      | Tom Mix Station maintenance   | 146 | SM  |
| 10/7/2024  | 10/11/2024 | SAN SIMON STA   | 2A        | San Simon 2A inspection   | 45  | SM  |
| 10/7/2024  | 12/15/2024 | TOPOCK-MOJAVE   | 1204      | Line 1204 Hydrotest Seligman to Hackberry   | 250 | NM  |
| 10/7/2024  | 12/15/2024 | TOPOCK-MOJAVE   | 1208      | Line 1208 Hydrotest Seligman to Hackberry   | 150 | NM  |
| 10/8/2024  | 10/8/2024  | PHOENIX         | 2171      | Line 2171 cleaning tool - MLV 1 to MLV 2 - (Mesquite Power Plant)   | 80  | PHX |
| 10/8/2024  | 10/8/2024  | PHOENIX         | 1124      | Line 1124 cleaning tool Casa Grande to South Mountain   | 163 | PHX |
| 10/8/2024  | 10/10/2024 | WINDOW ROCK     | 5B        | Window Rock 5B inspection   | 32  | NM  |
| 10/8/2024  | 10/8/2024  | DUTCH FLATS STA | 1104      | Dutch Flats 1A shut down checks   | 50  | HX  |
| 10/8/2024  | 10/8/2024  | EL PASO D       | 3D        | El Paso 3D inspection   | 200 | SM  |
| 10/8/2024  | 10/10/2024 | FLORIDA STA     | C         | Florida 1C inspection   | 125 | SM  |
| 10/9/2024  | 10/9/2024  | DUTCH FLATS STA | 1104      | Dutch Flats 2A shut down checks   | 50  | HX  |
| 10/9/2024  | 10/9/2024  | LORDSBURG STA   | 1C        | Lordsburg 1C maintenance  | 125 | SM  |
| 10/10/2024 | 10/10/2024 | PHOENIX         | 2171      | Line 2171 smart tool - MLV 1 to MLV 2 - (Mesquite Power Plant)  | 80  | PHX |
| 10/10/2024 | 10/10/2024 | PHOENIX         | 1124      | Line 1124 smart tool Casa Grande to South Mountain  | 163 | PHX |
| 10/10/2024 | 10/10/2024 | DUTCH FLATS STA | 1104      | Dutch Flats Station DOT/ESD Tests   | 128 | HX  |
| 10/11/2024 | 10/11/2024 | ORACLE STA      | 1A        | Oracle Station inspection   | 200 | SM  |
| 10/14/2024 | 10/18/2024 | KEYSTONE        | 2B        | Keystone 2B inspection  | 65  | PR  |
| 10/15/2024 | 10/18/2024 | HUECO STA       | STA       | Hueco Station DOT/ESD Tests   | 157 | SM  |

|            |            |               |      |  |     |    |
|------------|------------|---------------|------|--|-----|----|
| 10/15/2024 | 10/18/2024 | WINK          | STA  | Wink Station DOT/ESD Tests   | 135 | SM |
| 10/17/2024 | 10/17/2024 | EL PASO D     | 4D   | El Paso 4D inspection  | 150 | SM |
| 10/21/2024 | 2/9/2025   | TOPOCK-MOJAVE | 1200 | Line 1200 pipeline remediation Hackberry to Franconia  | 150 | NM |
| 10/22/2024 | 10/25/2024 | PLAINS STA    | STA  | Plains Station DOT/ESD Tests - Deliveries cannot be made to INN30PLA, IW40-043, or IMUSTANG; during this outage, no gas can be received at INN26PLA.           | 762 | AN |
| 10/23/2024 | 10/23/2024 | EUNICE B      | 1B   | Eunice 1B maintenance  | 391 | SM |
| 10/24/2024 | 10/24/2024 | EUNICE B      | 1B   | Eunice 1B maintenance  | 140 | SM |
| 11/4/2024  | 11/7/2024  | WILLCOX STA   | 2A   | Willcox 2A inspection  | 109 | SM |
| 11/4/2024  | 11/4/2024  | DEMING PL     | 1103 | Line 1103 cleaning tool Deming to San Simon  | 300 | SM |
| 11/5/2024  | 11/5/2024  | BONDAD        | 1A   | Bondad 1A inspection   | 175 | SJ |
| 11/5/2024  | 11/5/2024  | DEMING PL     | 1103 | Line 1103 smart tool Deming to San Simon   | 300 | SM |
| 11/6/2024  | 11/27/2024 | SAN JUAN PL   | 1200 | Line 1200 special permit MLV 0 to MLV 1  | 150 | SJ |
| 11/6/2024  | 11/6/2024  | BONDAD        | 1B   | Bondad 1B inspection   | 200 | SJ |
| 11/7/2024  | 11/7/2024  | DEMING PL     | 1103 | Line 1103 smart tool Deming to San Simon   | 300 | SM |
| 11/8/2024  | 11/8/2024  | DEMING PL     | 1103 | Line 1103 smart tool Deming to San Simon   | 512 | SM |
| 11/9/2024  | 11/9/2024  | DEMING PL     | 1103 | Line 1103 smart tool Deming to San Simon   | 512 | SM |
| 11/12/2024 | 11/19/2024 | WINDOW ROCK   | 5A   | Window Rock 5A inspection  | 32  | NM |
| 12/2/2024  | 12/8/2024  | FLAG-WEST-PL  | 1201 | Line 1201 pipeline remediation Seligman to Hackberry   | 150 | NM |
| 12/3/2024  | 12/17/2024 | WINDOW ROCK   | 3B   | Window Rock 3B inspection  | 32  | NM |
| 12/10/2024 | 12/10/2024 | TOM MIX STA   | 1A   | Tom Mix 1A inspection  | 43  | SM |
| 12/16/2024 | 1/2/2025   | LEUPP         | 5B   | Leupp 5B inspection  | 50  | NM |
| 12/17/2024 | 12/19/2024 | LEUPP         | 4B   | Leupp 4B inspection  | 50  | NM |
| 1/1/2025   | 2/1/2025   | DEMING PL     | 2174 | Line 2174 Hydrotest MLV 0 to MLV 1 - Lordsburg Power Plant Delivery and Lordsburg City Gate to zero Dth/d during Line 2174 Hydrotest - (ILRDSBRG and DLORDAFT) | 57  | SM |