



<https://extranet.kindermorgan.com/vpn/index.html>



# Remove/Register a Device in SecurID



- Open a new session in your preferred internet browser.
- Navigate to:  
<https://extranet.kindermorgan.com/vpn/index.html>
- Log into the Kinder Morgan Extranet by clicking *SecurID Registration*, then enter your DART User ID and Password.
- Open *SecurID Registration* by Double-Clicking.



DART Access: <https://pipeline.kindermorgan.com/> > DART MFA Login

Enter your DART User ID with the extension **@ext.kindermorgan.com** click *next*.



Sign in

UserID@ext.kindermorgan.com

---

[Can't access your account?](#)

Next

Enter your DART Password click *Sign in*.



← UserID@ext.kindermorgan.com

Enter password

Password


---

[Forgot my password](#)

Sign in

Once logged into SecurID, hover over your registered device and click the trash can icon to delete the device.

5-10 minutes after the device is deleted, you can follow the instructions for [registration](#).




## Click *Register an authenticator*



Good afternoon First Name.

My registered authenticators (0)

Register a mobile device, hardware authenticator, or FIDO Security Key so you can authenticate to access protected applications.



Copyright © 2015-2022 RSA Security LLC. All Rights Reserved.

## Click the *SecurID App* icon





[← Back](#) Register an authenticator

To access your applications, you need to register an authenticator

[See how it works](#)

Choose an authenticator to register.



Copyright © 2015-2022 RSA Security LLC. All Rights Reserved.

If the application is installed on the mobile device, click the *next* button and open the *SecurID* app on your mobile device.

If you have not installed the app, go to [installation instructions](#).

1 Install SecurID Authenticator

2 Register Authenticator

On your iOS, Android, or MacOS device, go to the [App Store](#) or [Google Play](#).  
install.step.securid.gotostore.desktop

Search for the SecurID Authenticator


Install the App

Cancel Next

Open the *SecurID* app on your mobile device.



Press the *Get Started* button to begin the credential import process.






## Apple


Allow access to the Camera to scan the QR Code displayed in the SecurID Browser.

You can change this setting in your device settings after completing the registration process.

If you do not want to allow access to the camera, press *Don't Allow*. You will need to enter the information manually.



## Android



Hold your mobile device up to the screen displaying the QR Code.

**DO NOT SCAN THE QR CODE FROM THIS DOCUMENT!**

Center the QR Code in the camera viewing window while slowly moving the device backwards until the QR Code is read.

1 Install SecurID Authenticator

2 Register Authenticator

Scan QR

Enter Details

Open the app and enter:

Registration Code: 123456789


Email Address:  
UserID@ext.kindermorgan.com

Organization ID: kindermorgan

Information on this page will expire in: 01:41


When the credential information is imported successfully, a pop-up will be shown. Press *OK* to continue.

Leave the device and application open to test the authentication token process.



After the mobile device has successfully imported the credential information, the browser screen will change to the one displayed on the right.

Use the *Test Now* button to ensure the device registration was successful.



The browser window will update to show a screen like below.

Confirm the test by pressing the green check mark on your mobile device.

