

SNG - Outage Impact Report Seven Day Forecast (updated 06/19/25)									-Restrictions to Primary In-Path transportation services may be necessary. -Restrictions to In-Path transportation services may be necessary. -Restrictions to Interruptible and Out of Path transportation services may be necessary. -No anticipated impact to transportation services.
Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Monday (6/23)	Tuesday (6/24)	Wednesday (6/25)	Thursday (6/26)	Friday (6/27)	Saturday (6/28)	Sunday (6/29)	Primary Outage(s) that may Impact Throughput
		Est. Operational Capacity (Operational Impact) - Thousand Dth							
Onward (segment 30)	203	203	203	203	203	203	203	203	
Duncanville Lateral (segment 90)	36	36	36	36	36	36	36	36	
Dearmanville (segment 150)	346	346	346	346	346	346	346	346	
ZONE 2/3 N BOUNDARY (segment 160)	111	96 (15)	96 (15)	96 (15)	96 (15)	111	111	111	North Main loop line east of Dearmanville: Scheduled Pipeline Maintenance(remediation) Proj-SNG-20609 (6/16/2025 - 6/26/2025)
White Castle (segment 340)	772	772	772	772	772	772	772	772	
Sesh (segment 380)	506	506	506	506	506	506	506	506	
Gwinville (segment 400)	234	234	234	234	234	234	234	234	
Bay Springs (segment 420)	1,675	1,675	1,675	1,675	1,675	1,675	1,675	1595 (80)	Bay Springs Compressor Station: Scheduled Unit Maintenance Proj-52161 (6/29/2025 - 10/31/2028)
Enterprise (segment 430)	2,306	2051 (255)	2051 (255)	2051 (255)	2051 (255)	2051 (255)	2051 (255)	2051 (255)	Enterprise Compressor Station: Unscheduled Unit Maintenance Proj-522211 (6/29/2025 - 7/27/2025) Enterprise Compressor Station: Unscheduled Unit Maintenance Proj-522211 (6/5/2025 - 7/27/2025) Enterprise Compressor Station: Unscheduled Unit Maintenance Proj-522213 (6/11/2025 - 6/29/2025)
Selma (segment 460)	2,293	2128 (165)	2128 (165)	2128 (165)	2128 (165)	2128 (165)	2128 (165)	2128 (165)	Selma Compressor Station: Scheduled Unit Maintenance Proj-52451 (5/8/2025 - 7/13/2025)
Ellerslie (segment 490)	1,547	1,547	1,547	1,547	1,547	1,547	1,547	1,547	
South Atlanta (segment 510)	522	522	522	522	522	522	522	522	
Thomaston East (segment 530)	849	849	849	849	849	849	849	849	
East/South Wrens (segment 560)	680	585 (95)	585 (95)	585 (95)	585 (95)	585 (95)	585 (95)	585 (95)	Wrens Compressor Station: Unscheduled Station Maintenance Proj-52884 (6/19/2025 - 6/29/2025)
South Georgia (segment 650)	127	127	127	127	127	127	127	127	
Albany (segment 660)	77	62 (15)	62 (15)	62 (15)	62 (15)	62 (15)	62 (15)	62 (15)	Albany Compressor Station: Unscheduled Unit Maintenance Proj-58173 (6/13/2025 - 6/29/2025)
This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses. Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report. The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.									

SNG - Outage Impact Report July 2025 (updated 06/19/25)							-Restrictions to Primary In-Path transportation services may be necessary. -Restrictions to In-Path transportation services may be necessary. -Restrictions to Interruptible and Out of Path transportation services may be necessary. -No anticipated impact to transportation services.
Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Week 1 (6/30 - 7/6)	Week 2 (7/7 - 7/13)	Week 3 (7/14 - 7/20)	Week 4 (7/21 - 7/27)	Week 5 (7/28 - 8/3)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth					
Onward (segment 30)	203	203	203	203	178 (25)	178 (25)	North Main 2nd loop line west of Onward: Scheduled Pipeline Maintenance(PT), Proj-SNG-15323 (7/22/2025 - 8/15/2025)
Duncanville Lateral (segment 90)	36	36	36	36	36	36	
Dearmanville (segment 150)	346	346	346	346	346	346	
White Castle (segment 340)	772	772	772	772	772	772	
Sesh (segment 380)	500	500	500	500	500	500	
Gwinville Pool (segment 390)	1,607	1,607	1377 (230)	1377 (230)	1377 (230)	1,607	Franklinton Gwinville 2nd Loop Line south of Gwinville: Scheduled Pipeline Maintenance, Proj-SNG-36213 (7/9/2025 - 7/24/2025)
Gwinville (segment 400)	234	234	234	234	234	234	
Bay Springs (segment 420)	1,675	1595 (80)	1595 (80)	1595 (80)	1595 (80)	1595 (80)	Bay Springs Compressor Station: Scheduled Unit Maintenance, Proj-52161 (6/29/2025 - 10/31/2028)
Enterprise (segment 430)	2,306	2111 (195)	2111 (195)	2111 (195)	2111 (195)	2,306	Enterprise Compressor Station: Unscheduled Unit Maintenance, Proj-522211 (6/29/2025 - 7/27/2025) Enterprise Compressor Station: Unscheduled Unit Maintenance, Proj-522211 (6/5/2025 - 7/27/2025)
Selma (segment 460)	2,293	2128 (165)	2128 (165)	2,293	2,293	2,293	Selma Compressor Station: Scheduled Unit Maintenance , Proj-52451 (5/8/2025 - 7/13/2025)
Ellerslie (segment 490)	1,547	1,547	1,547	1,547	1,547	1,547	
South Atlanta (segment 510)	522	522	522	522	522	522	
Thomaston East (segment 530)	849	849	849	849	849	849	
Wrens to Aiken (Segment 570)	444	444	444	269 (175)	269 (175)	269 (175)	South Main loop AUX line east of Wrens: Scheduled Pipeline Maintenance, Proj-SNG-37905 (7/14/2025 - 8/14/2025)
South Georgia (segment 650)	127	127	127	127	127	127	
This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses. Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report. The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.							

SNG - Outage Impact Report August 2025 (updated 06/19/25)						-Restrictions to Primary In-Path transportation services may be necessary. -Restrictions to In-Path transportation services may be necessary. -Restrictions to Interruptible and Out of Path transportation services may be necessary. -No anticipated impact to transportation services.
Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Week 1 (8/4 - 8/10)	Week 2 (8/11 - 8/17)	Week 3 (8/18 - 8/24)	Week 4 (8/25 - 8/31)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth				
Onward (segment 30)	203	178 (25)	178 (25)	203	203	North Main 2nd loop line west of Onward: Scheduled Pipeline Maintenance(PT), Proj-SNG-15323 (7/22/2025 - 8/15/2025)
Duncanville Lateral (segment 90)	36	36	36	36	36	
Dearmanville (segment 150)	346	346	346	346	346	
White Castle (segment 340)	772	772	772	772	772	
Sesh (segment 380)	500	500	500	500	500	
Gwinville (segment 400)	234	234	234	234	234	
Bay Springs (segment 420)	1,675	1595 (80)	1595 (80)	1595 (80)	1595 (80)	Bay Springs Compressor Station: Scheduled Unit Maintenance, Proj-52161 (6/29/2025 - 10/31/2028)
Enterprise (segment 430)	2,306	2,306	2,306	2,306	2,306	
Gallion (Segment 440)	2,300	2195 (105)	2195 (105)	2195 (105)	2,300	South Main 2nd Loop Line east of Gallion: Scheduled Pipeline Maintenance, Proj-SNG-8793 (8/8/2025 - 8/22/2025)
Selma (segment 460)	2,293	2,293	2,293	2158 (135)	2158 (135)	South Main 2nd Loop Line east of Selma: Scheduled Pipeline Maintenance, Proj-SNG-8793 (8/22/2025 - 9/5/2025)
Ellerslie (segment 490)	1,547	1,547	1,547	1,547	1,547	
South Atlanta (segment 510)	522	522	522	522	522	
Thomaston East (segment 530)	849	849	849	849	849	
Wrens to Aiken (Segment 570)	444	269 (175)	269 (175)	444	444	South Main loop AUX line east of Wrens: Scheduled Pipeline Maintenance, Proj-SNG-37905 (7/14/2025 - 8/14/2025)
South Georgia (segment 650)	127	127	127	127	127	
This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses. Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report. The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.						

SNG - Outage Impact Report September 2025 (updated 06/19/25)						-Restrictions to Primary In-Path transportation services may be necessary. -Restrictions to In-Path transportation services may be necessary. -Restrictions to Interruptible and Out of Path transportation services may be necessary. -No anticipated impact to transportation services.
Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Week 1 (9/1 - 9/7)	Week 2 (9/8 - 9/14)	Week 3 (9/15 - 9/21)	Week 4 (9/22 - 9/28)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth				
Onward (segment 30)	203	203	203	203	203	
Duncanville Lateral (segment 90)	36	36	36	36	36	
Dearmanville (segment 150)	346	346	346	346	346	
White Castle (segment 340)	772	772	772	772	772	
LA West Leg (segment 350)	695	695	695	675 (20)	675 (20)	Duck Lake Franklinton Line north of White Castle: Pipeline Maintenance, Proj-SNG-2933 (9/15/2025 - 9/30/2025)
Sesh (segment 380)	500	500	500	500	500	
Gwinville (segment 400)	234	234	234	234	234	
Bay Springs (segment 420)	1,675	1595 (80)	1595 (80)	1595 (80)	1595 (80)	Bay Springs Compressor Station: Scheduled Unit Maintenance, Proj-52161 (6/29/2025 - 10/31/2028)
Enterprise (segment 430)	2,306	2,306	2,306	2,306	2,306	
Selma (segment 460)	2,293	2158 (135)	2,293	2,293	2,293	South Main 2nd Loop Line east of Selma: Scheduled Pipeline Maintenance, Proj-SNG-8793 (8/22/2025 - 9/5/2025)
Elmore (segment 460)	2,010	2,010	2,010	1755 (255)	1755 (255)	Elmore Compressor Station: Scheduled Unit Maintenance, Proj-525112 (9/15/2025 - 9/26/2025)
Ellerslie (segment 490)	1,547	1,547	1,547	1,547	1,547	
South Atlanta (segment 510)	522	522	522	522	522	
Thomaston East (segment 530)	849	849	849	849	849	
South Georgia (segment 650)	127	127	127	127	127	
This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses. Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report. The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.						

