

SNG - Outage Impact Report Seven Day Forecast (updated 04/16/26)									-Restrictions to Primary In-Path transportation services may be necessary.
									-Restrictions to In-Path transportation services may be necessary.
									-Restrictions to Interruptible and Out of Path transportation services may be necessary.
									-No anticipated impact to transportation services.
Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Monday (4/20)	Tuesday (4/21)	Wednesday (4/22)	Thursday (4/23)	Friday (4/24)	Saturday (4/25)	Sunday (4/26)	Primary Outage(s) that may Impact Throughput
Est. Operational Capacity (Operational Impact) - Thousand Dth									
Onward (segment 30)	203	203	203	203	203	203	203	203	
Duncanville Lateral (segment 90)	36	36	36	36	36	36	36	36	
Bessemer Calera (segment 120)	100	82 (18)	82 (18)	82 (18)	82 (18)	82 (18)	82 (18)	82 (18)	Bessemer Calera Line north of Helena Regulator: Scheduled Pipeline Maintenance Proj-SNG-38163(PT) (4/1/2026 - 5/18/2026)
Dearmanville (segment 150)	346	201 (145)	201 (145)	201 (145)	201 (145)	346	346	346	Dearmanville Compressor Station: Scheduled Pipeline Maintenance(PT) Proj-SNG-15344(HS) (3/30/2026 - 4/23/2026)
White Castle (segment 340)	760	760	760	760	760	760	760	760	
Sesh (segment 380)	507	507	507	507	507	507	507	507	
Gwinville (segment 400)	234	200 (34)	200 (34)	200 (34)	200 (34)	200 (34)	200 (34)	200 (34)	Gwinville Compressor Station: Scheduled Unit Maintenance Proj-52112 (4/20/2026 - 5/3/2026)
Bay Springs (segment 420)	1,677	1597 (80)	1597 (80)	1597 (80)	1597 (80)	1597 (80)	1597 (80)	1597 (80)	Bay Springs Compressor Station: Scheduled Unit Maintenance Proj-52161 (7/8/2025 - 10/31/2026)
Enterprise (segment 430)	2,306	2131 (175)	2131 (175)	2131 (175)	2131 (175)	2131 (175)	2131 (175)	2131 (175)	Enterprise Compressor Station: Scheduled Unit Maintenance Proj-522212 (3/16/2026 - 5/15/2026) Enterprise Compressor Station: Scheduled Unit Maintenance Proj-5222-16 (4/20/2026 - 4/29/2026) South Main 2nd loop line east of Enterprise: Scheduled Pipeline Maintenance Proj-SNG-8792 (4/24/2026 - 5/3/2026)
York (segment 440)	2,305	2,305	2,305	2,305	2,305	2010 (295)	2,305	2,305	York Compressor Station: Scheduled Unit Maintenance Proj-52303 (4/24/2026)
Gallion (Segment 440)	2,300	2,300	2,300	2,300	1965 (335)	2,300	2,300	2,300	Gallion Compressor Station: Scheduled Unit Maintenance Proj-523610 (4/23/2026)
Selma (segment 460)	2,293	2128 (165)	2128 (165)	1973 (320)	2128 (165)	2128 (165)	2128 (165)	2128 (165)	Selma Compressor Station: Scheduled Unit Maintenance Proj-52453 (4/22/2026) Selma Compressor Station: Unscheduled Unit Maintenance Proj-52301 (12/22/2025 - 5/31/2026)
Elmore (segment 460)	2,010	2,010	1755 (255)	2,010	2,010	2,010	2,010	2,010	Elmore Compressor Station: Scheduled Unit Maintenance Proj-525112 (4/21/2026)
Auburn (segment 460)	1,953	1693 (260)	1,953	1,953	1,953	1,953	1,953	1,953	Auburn Compressor Station: Scheduled Unit Maintenance Proj-52593 (4/20/2026)
Ellerslie (segment 490)	1,547	1,547	1,547	1,547	1,547	1,547	1,547	1,547	
South Atlanta (segment 510)	522	522	522	522	522	522	522	522	
Thomaston East (segment 530)	849	849	849	849	849	849	849	849	
Ocmulgee (segment 530)	804	659 (145)	659 (145)	659 (145)	659 (145)	659 (145)	659 (145)	659 (145)	Ocmulgee Compressor Station: Scheduled Unit Maintenance Proj-52775 (4/6/2026 - 5/24/2026)
Hall Gate (segment 560)	705	635 (70)	635 (70)	635 (70)	635 (70)	635 (70)	635 (70)	635 (70)	Hall Gate Compressor Station: Scheduled Unit Maintenance Proj-52833 (4/20/2026 - 5/24/2026)
East/South Wrens (segment 560)	680	600 (80)	590 (90)	590 (90)	590 (90)	590 (90)	680	680	Wrens Compressor Station: Scheduled Unit Maintenance Proj-52881-2-3 (4/20/2026 - 4/21/2026) Wrens Compressor Station: Scheduled Unit Maintenance Proj-52884 (4/21/2026 - 4/22/2026) Wrens Compressor Station: Scheduled Unit Maintenance Proj-52885 (4/23/2026 - 4/24/2026)
South Georgia (segment 650)	127	127	127	127	127	127	127	127	

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses. Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report. The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

SNG - Outage Impact Report April 2026 (updated 04/16/26)							-Restrictions to Primary In-Path transportation services may be necessary.
							-Restrictions to In-Path transportation services may be necessary.
							-Restrictions to Interruptible and Out of Path transportation services may be necessary.
							-No anticipated impact to transportation services.
Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Week 1	Week 2	Week 3	Week 4	Week 5	Primary Outage(s)
		(3/30 - 4/5)	(4/6 - 4/12)	(4/13 - 4/19)	(4/20 - 4/26)	(4/27 - 5/3)	
Est. Operational Capacity (Operational Impact) - Thousand Dth							
Onward (segment 30)	203					203	
Duncanville Lateral (segment 90)	36					36	
Bessemer Calera (segment 120)	100					82 (18)	Bessemer Calera Line north of Helena Regulator: Scheduled Pipeline Maintenance, Proj-SNG-38163(PT) (4/11/2026 - 5/18/2026)
Deamanville (segment 150)	346					346	
White Castle (segment 340)	760					760	
Sesh (segment 380)	507					507	
Gwinville (segment 400)	234					200 (34)	Gwinville Compressor Station: Scheduled Unit Maintenance, Proj-52112 (4/20/2026 - 5/3/2026)
Bay Springs (segment 420)	1,677					1597 (80)	Bay Springs Compressor Station: Scheduled Unit Maintenance, Proj-52161 (7/8/2025 - 10/31/2026)
Enterprise (segment 430)	2,306					2131 (175)	Enterprise Compressor Station: Scheduled Unit Maintenance, Proj-522212 (3/16/2026 - 5/15/2026) Enterprise Compressor Station: Scheduled Unit Maintenance, Proj-5222-16 (4/20/2026 - 4/29/2026) South Main 2nd loop line east of Enterprise: Scheduled Pipeline Maintenance, Proj-SNG-8792 (4/24/2026 - 5/3/2026)
Gallion (Segment 440)	2,300					2145 (155)	Gallion Compressor Station: Scheduled Unit Maintenance, Proj-52369 (4/27/2026 - 5/10/2026) South Main loop line east of Gallion: Scheduled Pipeline Maintenance(remediation), Proj-SNG-22002 (4/27/2026 - 5/1/2026)
Selma (segment 460)	2,293					2128 (165)	Selma Compressor Station: Unscheduled Unit Maintenance, Proj-52301 (12/22/2025 - 5/31/2026)
Ellerslie (segment 490)	1,547					1,547	
Thomaston West (segment 490)	1,535					1520 (15)	Thomaston Compressor Station: Scheduled Unit Maintenance, Proj-5272-5 (4/27/2026 - 5/11/2026)
South Atlanta (segment 510)	522					522	
Thomaston East (segment 530)	849					849	
Ocmulgee (segment 530)	804					659 (145)	Ocmulgee Compressor Station: Scheduled Unit Maintenance, Proj-52775 (4/6/2026 - 5/24/2026)
Hall Gate (segment 560)	705					635 (70)	Hall Gate Compressor Station: Scheduled Unit Maintenance, Proj-52833 (4/20/2026 - 5/24/2026)
South Georgia (segment 650)	127					127	

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.
Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report.
The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

SNG - Outage Impact Report May 2026 (updated 04/16/26)						-Restrictions to Primary In-Path transportation services may be necessary.
						-Restrictions to In-Path transportation services may be necessary.
						-Restrictions to Interruptible and Out of Path transportation services may be necessary.
						-No anticipated impact to transportation services.
Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Week 1	Week 2	Week 3	Week 4	Primary Outage(s)
		(5/4 - 5/10)	(5/11 - 5/17)	(5/18 - 5/24)	(5/25 - 5/31)	
Est. Operational Capacity (Operational Impact) - Thousand Dth						
Onward (segment 30)	203	203	203	203	203	
Duncanville Lateral (segment 90)	36	36	36	36	36	
Bessemer Calera (segment 120)	100	82 (18)	82 (18)	82 (18)	100	Bessemer Calera Line north of Helena Regulator: Scheduled Pipeline Maintenance, Proj-SNG-38163(PT) (4/1/2026 - 5/18/2026)
Helena Regulator (segment 120)	21	21	21	21	18 (3)	Bessemer Calera Line south of Helena Regulator: Scheduled Pipeline Maintenance, Proj-SNG-38163(PT) (M) (5/25/2026 - 7/4/2026)
Dearmanville (segment 150)	346	346	346	346	346	
White Castle (segment 340)	760	760	760	760	760	
Sesh (segment 380)	500	407 (93)	451 (49)	448 (52)	500	SESH: Scheduled Maintenance (M) (5/11/2026) SESH: Scheduled Maintenance (M) (5/12/2026) SESH: Scheduled Maintenance (M) (5/17/2026) SESH: Scheduled Maintenance (M) (5/18/2026 - 5/22/2026) SESH: Scheduled Maintenance (M) (5/23/2026) SESH: Scheduled Maintenance (M) (5/4/2026) SESH: Scheduled Maintenance (M) (5/5/2026) SESH: Scheduled Maintenance (M) (5/6/2026)
Gwinville (segment 400)	234	234	234	234	234	
Bay Springs (segment 420)	1,675	1595 (80)	1595 (80)	1595 (80)	1595 (80)	Bay Springs Compressor Station: Scheduled Unit Maintenance, Proj-52161 (7/8/2025 - 10/31/2026)
Enterprise (segment 430)	2,306	2236 (70)	2236 (70)	2126 (180)	2126 (180)	Enterprise Compressor Station: Scheduled Unit Maintenance, Proj-522212 (3/16/2026 - 5/15/2026) Enterprise Compressor Station: Scheduled Unit Maintenance, Proj-522215 (5/18/2026 - 6/21/2026)
York (segment 440)	2,305	2,305	2,305	2080 (225)	2235 (70)	South Main 2nd loop line east of York: Scheduled Pipeline Maintenance, Proj-SNG-38214 (5/25/2026 - 5/31/2026) York Compressor Station: Scheduled Unit Maintenance, Proj-52303 (5/21/2026 - 5/23/2026)
Gallion (Segment 440)	2,300	2210 (90)	2210 (90)	2255 (45)	2,300	Gallion Compressor Station: Scheduled Unit Maintenance, Proj-52368 (5/11/2026 - 5/21/2026) Gallion Compressor Station: Scheduled Unit Maintenance, Proj-52369 (4/27/2026 - 5/10/2026) South Main line east of Gallion: Scheduled Pipeline Maintenance(remediation), Proj-SNG-19219(1) (5/4/2026 - 5/6/2026) South Main line west of Selma: Scheduled Pipeline Maintenance(remediation), Proj-SNG-19219(2) (5/7/2026 - 5/12/2026)
Selma (segment 460)	2,293	2128 (165)	2128 (165)	2003 (290)	2128 (165)	Selma Compressor Station: Scheduled Unit Maintenance, Proj-52453 (5/18/2026 - 5/20/2026) Selma Compressor Station: Unscheduled Unit Maintenance, Proj-52301 (12/22/2025 - 5/31/2026)
Elmore (segment 460)	2,010	1915 (95)	1755 (255)	2,010	2,010	Elmore Compressor Station: Scheduled Unit Maintenance, Proj-525112 (5/14/2026 - 5/16/2026) Elmore Compressor Station: Scheduled Unit Maintenance, Proj-5251B (5/4/2026 - 5/8/2026)
Auburn (segment 460)	1,953	1,953	1698 (255)	1738 (215)	1848 (105)	Auburn Compressor Station: Scheduled Unit Maintenance, Proj-52593 (5/11/2026 - 5/13/2026) South Main loop line east of Auburn: Scheduled Pipeline Maintenance(remediation), Proj-SNG-20457(1) (5/18/2026 - 5/22/2026) South Main loop line east of Auburn: Scheduled Pipeline Maintenance(remediation), Proj-SNG-20457(2) (3/23/2026 - 3/29/2026)
Ellerslie (segment 490)	1,547	1,547	1,547	1402 (145)	1,547	Ellerslie Compressor Station: Scheduled Unit Maintenance , Proj-52678-9 (5/18/2026 - 5/21/2026)
Thomaston West (segment 490)	1,535	1520 (15)	1520 (15)	1520 (15)	1520 (15)	Thomaston Compressor Station: Scheduled Unit Maintenance, Proj-5272-5 (4/27/2026 - 5/11/2026) Thomaston Compressor Station: Scheduled Unit Maintenance, Proj-52722 (5/11/2026 - 6/4/2026)
South Atlanta (segment 510)	522	522	522	522	522	
Thomaston East (segment 530)	849	849	849	849	849	
Ocmulgee (segment 530)	804	659 (145)	659 (145)	659 (145)	804	Ocmulgee Compressor Station: Scheduled Unit Maintenance, Proj-52775 (4/6/2026 - 5/24/2026)
Hall Gate (segment 560)	705	635 (70)	635 (70)	635 (70)	705	Hall Gate Compressor Station: Scheduled Unit Maintenance, Proj-52833 (4/20/2026 - 5/24/2026)
South Georgia (segment 650)	127	127	127	127	127	

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.
Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report.
The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

SNG - Outage Impact Report
June 2026 (updated 04/16/26)

-Restrictions to Primary In-Path transportation services may be necessary.
 -Restrictions to In-Path transportation services may be necessary.
 -Restrictions to Interruptible and Out of Path transportation services may be necessary.
 -No anticipated impact to transportation services.

Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Week 1	Week 2	Week 3	Week 4	Primary Outage(s)
		(6/1 - 6/7)	(6/8 - 6/14)	(6/15 - 6/21)	(6/22 - 6/28)	
Est. Operational Capacity (Operational Impact) - Thousand Dth						
Onward (segment 30)	203	203	203	203	203	
Duncanville Lateral (segment 90)	36	36	36	36	36	
Helena Regulator (segment 120)	21	18 (3)	18 (3)	18 (3)	18 (3)	Bessemer Calera Line south of Helena Regulator: Scheduled Pipeline Maintenance, Proj-SNG-38163(PT) (M) (5/25/2026 - 7/4/2026)
Dearmanville (segment 150)	346	346	346	346	346	
White Castle (segment 340)	760	760	760	760	760	
Sesh (segment 380)	500	500	500	500	500	
Gwinville (segment 400)	234	234	234	234	234	
Bay Springs (segment 420)	1,675	1595 (80)	1595 (80)	1595 (80)	1595 (80)	Bay Springs Compressor Station: Scheduled Unit Maintenance, Proj-52161 (7/8/2025 - 10/31/2026)
Enterprise (segment 430)	2,306	2126 (180)	2126 (180)	2126 (180)	2,306	Enterprise Compressor Station: Scheduled Unit Maintenance, Proj-522215 (5/18/2026 - 6/21/2026)
Auburn (segment 460)	1,953	1793 (160)	1793 (160)	1,953	1,953	South Main loop line east of Auburn: Scheduled Pipeline Maintenance(remediation), Proj-SNG-22003(1) (6/1/2026 - 6/9/2026) South Main loop line east of Auburn: Scheduled Pipeline Maintenance(remediation), Proj-SNG-22003(2) (6/10/2026 - 6/14/2026)
Ellerslie (segment 490)	1,547	1,547	1,547	1,547	1,547	
Thomaston West (segment 490)	1,535	1520 (15)	1,535	1,535	1,535	Thomaston Compressor Station: Scheduled Unit Maintenance, Proj-52722 (5/11/2026 - 6/4/2026)
South Atlanta (segment 510)	522	522	522	522	522	
Thomaston East (segment 530)	849	849	849	849	849	
South Georgia (segment 650)	127	127	127	127	127	

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.
 Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report.
 The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

SNG - Outage Impact Report July 2026 (updated 04/16/26)							-Restrictions to Primary In-Path transportation services may be necessary.
							-Restrictions to In-Path transportation services may be necessary.
							-Restrictions to Interruptible and Out of Path transportation services may be necessary.
							-No anticipated impact to transportation services.
Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Week 1 (6/29 - 7/5)	Week 2 (7/6 - 7/12)	Week 3 (7/13 - 7/19)	Week 4 (7/20 - 7/26)	Week 5 (7/27 - 8/2)	Primary Outage(s)
Est. Operational Capacity (Operational Impact) - Thousand Dth							
Onward (segment 30)	203	203	203	203	203	203	
Duncanville Lateral (segment 90)	36	36	36	36	36	36	
Helena Regulator (segment 120)	21	18 (3)	18 (3)	18 (3)	18 (3)	18 (3)	Bessemer Calera Line south of Helena Regulator: Scheduled Pipeline Maintenance, Proj-SNG-38163(PT) (M) (5/25/2026 - 7/4/2026) Bessemer Calera loop line south of Helena Regulator: Scheduled Pipeline Maintenance, Proj-SNG-38163(PT) (M) (7/10/2026 - 8/24/2026)
Tarrant (segment 130)	563	563	543 (20)	543 (20)	543 (20)	543 (20)	Tarrant Compressor Station: Scheduled Unit Maintenance(panel), Proj-41527-8-9-10-11 (7/6/2026 - 9/13/2026)
Dearmanville (segment 150)	346	346	346	346	346	346	
White Castle (segment 340)	760	760	760	760	760	760	
Sesh (segment 380)	500	500	500	500	500	500	
Gwinville (segment 400)	234	234	234	234	234	234	
Bay Springs (segment 420)	1,675	1595 (80)	1595 (80)	1595 (80)	1595 (80)	1595 (80)	Bay Springs Compressor Station: Scheduled Unit Maintenance, Proj-52161 (7/8/2025 - 10/31/2026)
Enterprise (segment 430)	2,306	2,306	2,306	2,306	2,306	2,306	
Ellerslie (segment 490)	1,547	1,547	1,547	1,547	1,547	1,547	
South Atlanta (segment 510)	522	522	522	522	522	522	
Thomaston East (segment 530)	849	849	849	849	849	849	
South Georgia (segment 650)	127	127	127	127	127	127	

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.
Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report.
The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.