

SNG - Outage Impact Report Seven Day Forecast (updated 10/15/26)									-Restrictions to Primary In-Path transportation services may be necessary. -Restrictions to In-Path transportation services may be necessary. -Restrictions to Interruptible and Out of Path transportation services may be necessary. -No anticipated impact to transportation services.
Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Monday (10/19)	Tuesday (10/20)	Wednesday (10/21)	Thursday (10/22)	Friday (10/23)	Saturday (10/24)	Sunday (10/25)	Primary Outage(s) that may Impact Throughput
		Est. Operational Capacity (Operational Impact) - Thousand Dth							
Onward (segment 30)	203	203	203	203	203	203	203	203	
Duncanville Lateral (segment 90)	36	36	36	36	36	36	36	36	
Tarrant (segment 130)	563	518 (45)	518 (45)	538 (25)	538 (25)	538 (25)	538 (25)	538 (25)	Tarrant Compressor Station: Scheduled Unit Maintenance(panel) Proj-4152-11-13 (9/16/2026 - 10/20/2026) Tarrant Compressor Station: Scheduled Unit Maintenance(panel) Proj-4152-12 (10/10/2026 - 10/30/2026) Tarrant Compressor Station: Scheduled Unit Maintenance(panel) Proj-4152-9 (10/20/2026 - 10/31/2026)
Dearmanville (segment 150)	346	326 (20)	326 (20)	326 (20)	326 (20)	326 (20)	326 (20)	326 (20)	Bell Mills Compressor Station: Scheduled Unit Maintenance Proj-4500-02 (10/19/2026 - 10/29/2026)
White Castle (segment 340)	760	690 (70)	690 (70)	690 (70)	690 (70)	690 (70)	690 (70)	690 (70)	Shadyside Compressor Station: Scheduled Unit Maintenance Proj-5000-5 (10/19/2026 - 10/30/2026) White Castle Compressor Station: Scheduled Unit Maintenance Proj-5010-8 (10/16/2026 - 10/30/2026)
Sesh (segment 380)	507	507	477 (30)	460 (47)	460 (47)	482 (25)	507	507	SESH: Scheduled Station Maintenance (M) (10/20/2026) SESH: Scheduled Station Maintenance (M) (10/21/2026 - 10/22/2026) SESH: Scheduled Station Maintenance (M) (10/23/2026)
Gwinville (segment 400)	234	203 (31)	203 (31)	203 (31)	203 (31)	203 (31)	203 (31)	203 (31)	Gwinville Compressor Station: Unscheduled Unit Outage Proj-5211-3 (10/13/2026 - 10/25/2026)
Bay Springs (segment 420)	1,675	1595 (80)	1595 (80)	1595 (80)	1595 (80)	1595 (80)	1595 (80)	1595 (80)	Bay Springs Compressor Station: Scheduled Unit Maintenance Proj-52161 (7/8/2025 - 10/31/2026)
Enterprise (segment 430)	2,306	2126 (180)	2126 (180)	2126 (180)	2126 (180)	2126 (180)	2126 (180)	2126 (180)	Enterprise Compressor Station: Scheduled Unit Maintenance Proj-5222-15 (8/3/2026 - 10/31/2026) South Main line east of Enterprise: Unscheduled Pipeline Maintenance - CAO (5/30/2026 - 10/31/2026)
York 'ZONE 1/2 BOUNDARY' (segment 440)	2,305	2215 (90)	2215 (90)	2215 (90)	2215 (90)	2215 (90)	2215 (90)	2215 (90)	York Compressor Station: Scheduled Unit Maintenance Proj-5230-1 (10/5/2026 - 10/31/2026)
Gallion (Segment 440)	2,300	2030 (270)	2030 (270)	2030 (270)	2,300	2,300	2,300	2,300	Gallion Compressor Station: Scheduled Unit Maintenance Proj-5236-10 (9/21/2026 - 10/21/2026)
Ellerslie (segment 490)	1,547	1,547	1,547	1,547	1,547	1,547	1,547	1,547	
Thomaston West (segment 490)	1,535	1520 (15)	1520 (15)	1520 (15)	1520 (15)	1520 (15)	1520 (15)	1520 (15)	Thomaston Compressor Station: Scheduled Unit Maintenance Proj-5272-1 (10/19/2026 - 10/25/2026)
South Atlanta (segment 510)	522	522	522	522	522	522	522	522	
Thomaston East (segment 530)	849	849	849	849	849	849	849	849	
Ocmulgee (segment 530)	804	759 (45)	759 (45)	759 (45)	759 (45)	759 (45)	759 (45)	759 (45)	Ocmulgee Compressor Station: Unscheduled Unit Outage Proj-5277-4 (10/15/2026 - 10/31/2026)
East/South Wrens (segment 560)	680	680	680	680	585 (95)	585 (95)	680	680	Wrens Compressor Station: Scheduled Unit Maintenance Proj-5288-5 (10/22/2026 - 10/23/2026)
South Georgia (segment 650)	127	127	127	127	127	127	127	127	
This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses. Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report. The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.									

SNG - Outage Impact Report October 2026 (updated 10/15/26)							-Restrictions to Primary In-Path transportation services may be necessary. -Restrictions to In-Path transportation services may be necessary. -Restrictions to Interruptible and Out of Path transportation services may be necessary. -No anticipated impact to transportation services.
Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Week 1 (9/28 - 10/4)	Week 2 (10/5 - 10/11)	Week 3 (10/12 - 10/18)	Week 4 (10/19 - 10/25)	Week 5 (10/26 - 11/1)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth					
Onward (segment 30)	203					203	
Duncanville Lateral (segment 90)	36					36	
Tarrant (segment 130)	563					538 (25)	Tarrant Compressor Station: Scheduled Unit Maintenance(panel), Proj-4152-12 (10/10/2026 - 10/30/2026) Tarrant Compressor Station: Scheduled Unit Maintenance(panel), Proj-4152-9 (10/20/2026 - 10/31/2026)
Dearmanville (segment 150)	346					326 (20)	Bell Mills Compressor Station: Scheduled Unit Maintenance, Proj-4500-02 (10/19/2026 - 10/29/2026)
White Castle (segment 340)	760					690 (70)	Shadyside Compressor Station: Scheduled Unit Maintenance, Proj-5000-5 (10/19/2026 - 10/30/2026) White Castle Compressor Station: Scheduled Unit Maintenance, Proj-5010-8 (10/16/2026 - 10/30/2026)
LA West Leg (segment 350)	798					733 (65)	Franklinton Compressor Station: Scheduled Unit Maintenance, Proj-512215 (11/1/2026 - 11/15/2026)
Sesh (segment 380)	507					447 (60)	SESH: Scheduled Station Maintenance (M) (10/27/2026) SESH: Scheduled Station Maintenance (M) (10/28/2026) SESH: Scheduled Station Maintenance (M) (10/29/2026)
Gwinville (segment 400)	234					234	
Bay Springs (segment 420)	1,675					1560 (115)	Bay Springs Compressor Station: Scheduled Unit Maintenance, Proj-5216-1 (11/1/2026 - 3/31/2027) Bay Springs Compressor Station: Scheduled Unit Maintenance, Proj-52161 (7/8/2025 - 10/31/2026)
Enterprise (segment 430)	2,306					2051 (255)	Enterprise Compressor Station: Scheduled Unit Maintenance, Proj-5222-15 (11/1/2026 - 11/15/2026) Enterprise Compressor Station: Scheduled Unit Maintenance, Proj-5222-15 (8/3/2026 - 10/31/2026) South Main line east of Enterprise: Unscheduled Pipeline Maintenance - CAO (11/1/2026 - 3/31/2027) South Main line east of Enterprise: Unscheduled Pipeline Maintenance - CAO (5/30/2026 - 10/31/2026)
York 'ZONE 1/2 BOUNDARY' (segment 440)	2,305					2050 (255)	York Compressor Station: Scheduled Unit Maintenance, Proj-5230-1 (10/5/2026 - 10/31/2026) York Compressor Station: Scheduled Unit Maintenance, Proj-5230-1 (11/1/2026 - 11/15/2026)
Gallion (Segment 440)	2,300					2145 (155)	South Main loop line east of Gallion: Scheduled Pipeline Maintenance(remediation), Proj-SNG-22002 (10/26/2026 - 11/1/2026)
Ellerslie (segment 490)	1,547					1,547	
Thomaston West (segment 490)	1,535					1520 (15)	Thomaston Compressor Station: Scheduled Unit Maintenance, Proj-5272-3 (10/26/2026 - 10/29/2026)
South Atlanta (segment 510)	522					522	
Thomaston East (segment 530)	849					849	
Ocmulgee (segment 530)	804					759 (45)	Ocmulgee Compressor Station: Unscheduled Unit Outage, Proj-5277-4 (10/15/2026 - 10/31/2026)
East/South Wrens (segment 560)	680					590 (90)	Wrens Compressor Station: Scheduled Unit Maintenance, Proj-5288-5 (10/26/2026 - 10/29/2026)
South Georgia (segment 650)	127					127	
Holy Trinity (segment 655)	127					101 (26)	Holy Trinity Compressor Station: Scheduled Unit Maintenance, Proj-58051-2 (10/26/2026 - 10/30/2026)
This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses. Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report. The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.							

SNG - Outage Impact Report November 2026 (updated 10/15/26)						-Restrictions to Primary In-Path transportation services may be necessary. -Restrictions to In-Path transportation services may be necessary. -Restrictions to Interruptible and Out of Path transportation services may be necessary. -No anticipated impact to transportation services.
Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Week 1 (11/2 - 11/8)	Week 2 (11/9 - 11/15)	Week 3 (11/16 - 11/22)	Week 4 (11/23 - 11/29)	Primary Outage(s)
Est. Operational Capacity (Operational Impact) - Thousand Dth						
Onward (segment 30)	209	209	209	209	209	
Duncanville Lateral (segment 90)	36	36	36	36	36	
Dearmanville (segment 150)	355	355	335 (20)	335 (20)	355	Bell Mills Compressor Station: Scheduled Unit Maintenance, Proj-4500-3 (11/9/2026 - 11/20/2026)
White Castle (segment 340)	798	798	798	798	798	
LA West Leg (segment 350)	798	733 (65)	733 (65)	798	798	Franklinton Compressor Station: Scheduled Unit Maintenance, Proj-512215 (11/1/2026 - 11/15/2026)
Sesh (segment 380)	500	500	500	500	500	
Gwinville (segment 400)	234	234	234	234	234	
Bay Springs (segment 420)	1,817	1702 (115)	1702 (115)	1702 (115)	1702 (115)	Bay Springs Compressor Station: Scheduled Unit Maintenance, Proj-5216-1 (11/1/2026 - 3/31/2027)
Enterprise (segment 430)	2,450	2195 (255)	2195 (255)	2400 (50)	2400 (50)	Enterprise Compressor Station: Scheduled Unit Maintenance, Proj-5222-15 (11/1/2026 - 11/15/2026) South Main line east of Enterprise: Unscheduled Pipeline Maintenance - CAO (11/1/2026 - 3/31/2027)
York 'ZONE 1/2 BOUNDARY' (segment 440)	2,449	2194 (255)	2194 (255)	2,449	2,449	York Compressor Station: Scheduled Unit Maintenance, Proj-5230-1 (11/1/2026 - 11/15/2026)
Ellerslie (segment 490)	1,663	1,663	1,663	1,663	1,663	
South Atlanta (segment 510)	537	537	537	537	537	
Thomaston East (segment 530)	900	900	900	900	900	
South Georgia (segment 650)	143	143	143	143	143	

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.

Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report.

The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

SNG - Outage Impact Report December 2026 (updated 10/15/26)							-Restrictions to Primary In-Path transportation services may be necessary. -Restrictions to In-Path transportation services may be necessary. -Restrictions to Interruptible and Out of Path transportation services may be necessary. -No anticipated impact to transportation services.
Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Week 1 (11/30 - 12/6)	Week 2 (12/7 - 12/13)	Week 3 (12/14 - 12/20)	Week 4 (12/21 - 12/27)	Week 5 (12/28 - 1/3)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth					
Onward (segment 30)	209	209	209	209	209	209	
Duncanville Lateral (segment 90)	36	36	36	36	36	36	
Dearmanville (segment 150)	355	355	355	355	355	355	
White Castle (segment 340)	798	798	798	798	798	798	
Sesh (segment 380)	500	500	500	500	500	500	
Gwinville (segment 400)	234	234	234	234	234	234	
Bay Springs (segment 420)	1,817	1702 (115)	1702 (115)	1702 (115)	1702 (115)	1702 (115)	Bay Springs Compressor Station: Scheduled Unit Maintenance, Proj-5216-1 (11/1/2026 - 3/31/2027)
Enterprise (segment 430)	2,450	2400 (50)	2400 (50)	2400 (50)	2400 (50)	2400 (50)	South Main line east of Enterprise: Unscheduled Pipeline Maintenance - CAO (11/1/2026 - 3/31/2027)
Ellerslie (segment 490)	1,663	1,663	1,663	1,663	1,663	1,663	
South Atlanta (segment 510)	537	537	537	537	537	537	
Thomaston East (segment 530)	900	900	900	900	900	900	
South Georgia (segment 650)	143	143	143	143	143	143	
This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses. Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report. The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.							

SNG - Outage Impact Report January 2027 (updated 10/15/26)						-Restrictions to Primary In-Path transportation services may be necessary. -Restrictions to In-Path transportation services may be necessary. -Restrictions to Interruptible and Out of Path transportation services may be necessary. -No anticipated impact to transportation services.
Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Week 1 (1/4 - 1/10)	Week 2 (1/11 - 1/17)	Week 3 (1/18 - 1/24)	Week 4 (1/25 - 1/31)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth				
Onward (segment 30)	209	209	209	209	209	
Duncanville Lateral (segment 90)	36	36	36	36	36	
Dearmanville (segment 150)	355	355	355	355	355	
White Castle (segment 340)	798	798	798	798	798	
Sesh (segment 380)	500	500	500	500	500	
Gwinville (segment 400)	234	234	234	234	234	
Bay Springs (segment 420)	1,817	1702 (115)	1702 (115)	1702 (115)	1702 (115)	Bay Springs Compressor Station: Scheduled Unit Maintenance, Proj-5216-1 (11/1/2026 - 3/31/2027)
Enterprise (segment 430)	2,450	2400 (50)	2400 (50)	2400 (50)	2400 (50)	South Main line east of Enterprise: Unscheduled Pipeline Maintenance - CAO (11/1/2026 - 3/31/2027)
Ellerslie (segment 490)	1,663	1,663	1,663	1,663	1,663	
South Atlanta (segment 510)	537	537	537	537	537	
Thomaston East (segment 530)	900	900	900	900	900	
South Georgia (segment 650)	143	143	143	143	143	

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.

Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report.

The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.