

TGP - Outage Impact Report
Seven Day Forecast (updated 10/16/25)

-Primary impact restrictions may be necessary

-Major impact restrictions may be necessary

-Minor impact restrictions may be necessary depending on flow conditions

-Little to no impact, though minor outages may cause incremental reductions

TGP - Outage Impact Report Seven Day Forecast (updated 10/16/25)									-Primary impact restrictions may be necessary
									-Major impact restrictions may be necessary
									-Minor impact restrictions may be necessary depending on flow conditions
									-Little to no impact, though minor outages may cause incremental reductions
Station / Seg	Est Nominal Operating Capacity (Thousand Dth)	Monday (10/20)	Tuesday (10/21)	Wednesday (10/22)	Thursday (10/23)	Friday (10/24)	Saturday (10/25)	Sunday (10/26)	Primary Outage(s) that may Impact Throughput
		Est. Operational Capacity (Operational Impact) - Thousand Dth							
Station 409 (Donna Line) (segment 490 FH)	564	564	564	564	564	564	564	564	
Station 1 (segment 101 BH)	400	225 (175)	225 (175)	225 (175)	225 (175)	225 (175)	400	400	MLV 400-2 to MLV 401-2: Anomaly Remediation (10/13/2025 - 10/24/2025)
Station 9 (segment 109 BH)	1,028	845 (183)	845 (183)	845 (183)	1,028	1,028	1,028	1,028	Sta 11A: Unit 1A - Safety Devices (10/20/2025 - 10/22/2025)
Station 25 (segment 125 FH)	714	700 (14)	700 (14)	700 (14)	700 (14)	700 (14)	700 (14)	700 (14)	Sta 25: Unit 1C - VFD Replacement (7/16/2025 - 10/31/2026)
Station 40 South (segment 132 FH)	912	595 (317)	400 (512)	912	912	912	912	912	MLV 32-3D to MLV 40-3S: Pig Runs - Maintenance (10/21/2025) Sta.40 Natchitoches: HP Tie-In (10/16/2025 - 10/21/2025)
Station 47 (segment 143 FH)	1,226	895 (331)	885 (341)	895 (331)	885 (341)	895 (331)	1220 (6)	1220 (6)	MLV 47-1A to MLV 48-1: Class Change (9/1/2025 - 12/31/2025) MLV 47-1AT to MLV 49-1: Anomaly Remediation (1/6/2025 - 10/31/2025) MLV 49-1 to MLV 50-1: Anomaly Remediation (3/4/2025 - 10/31/2025) MLV 54-1D TO MLV 63-1S: Pig Runs - Cleaning/Guage Tool 10/21/25 (10/21/2025) MLV 54-1D TO MLV 63-1S: Pig Runs - Ultra EMAT 10/23/25 (10/23/2025) Sta 47: Unit 1D - Flush & Clean Cooling Systems (10/20/2025 - 10/24/2025) Sta 47: Unit 2D - Flush & Clean Cooling Systems (10/20/2025 - 10/24/2025) Sta 54: Unit 6B - Power Overhaul (10/1/2025 - 11/24/2025) Sta 54: Unit 8B - Power Overhaul (10/1/2025 - 11/24/2025)
Station 63 (segment 163 FH)	1,233	1065 (168)	1065 (168)	1065 (168)	1068 (165)	1068 (165)	1068 (165)	1068 (165)	MLV 64-2 to MLV 65-2: Immediate Anomaly Remediation (10/8/2025 - 11/15/2025) MLV 67-2 to MLV 68-2: Immediate Anomaly Remediation (10/2/2025 - 10/22/2025) MLV 83-3 to MLV 83-3B: Install Backpressure Regulator (10/16/2025 - 10/31/2025) MLV 84-4 to MLV 85-4: Class Change Pipe Replacement (9/26/2025 - 10/27/2025)
Station 823 (segment 823 BH)	686	686	686	686	686	686	686	686	
Station 834 (segment 834 BH)	679	670 (9)	670 (9)	670 (9)	670 (9)	670 (9)	670 (9)	670 (9)	Sta 834: Unit 6A - Overhaul (3/3/2025 - 11/3/2025)
Station 534 South of Pool (segment 530 BH)	1,798	1450 (348)	1450 (348)	1450 (348)	1450 (348)	1450 (348)	1450 (348)	1450 (348)	Sta 530: Unit 1A - Bearings (8/25/2025 - 11/28/2025) Sta 530: Unit 2A - Bearings (8/26/2025 - 11/14/2025) Sta 530: Unit 3A - Crankshaft Replacement (6/9/2025 - 12/31/2026) Sta 530: Unit 4A - Piston (8/25/2025 - 10/24/2025) Sta 530: Unit 5A - Top-End Overhaul (6/9/2025 - 12/31/2026) Sta 530: Unit 6A - Bearings (10/6/2025 - 11/28/2025) Sta 530: Unit 7A - Bearings (10/6/2025 - 11/28/2025) Sta 530: Unit 8A - Power Cylinders (9/23/2025 - 10/24/2025) Sta 534: Unit 6A - Piston Liner & Unloader Replacements (3/25/2025 - 12/5/2025) Sta 534: Unit 7A - Piston / Liner (5/20/2025 - 12/5/2025)
Station 542 (segment 539 BH)	1,719	1600 (119)	1600 (119)	1600 (119)	845 (874)	845 (874)	845 (874)	845 (874)	MLV 540-2 to MLV 540-2A: Shallow Pipe Lowering (10/23/2025 - 10/31/2025) MLV 541-1 to MLV 541-1A: Anomaly Remediation (M) (10/14/2025 - 10/24/2025)
MLV 548 (segment 542 BH)	1,597	1375 (222)	1375 (222)	1375 (222)	1375 (222)	1375 (222)	1375 (222)	1375 (222)	Sta 546: Unit 4A - Engine and Compressor Overhaul (10/18/2025 - 11/26/2025) Sta 546: Unit 7A - Metal in Oil (7/14/2025 - 10/31/2025)
Station 860 (segment 548 BH)	1,516	1500 (16)	1500 (16)	1500 (16)	1500 (16)	1500 (16)	1500 (16)	1500 (16)	Sta 550: Unit 2A - Compressor Overhaul (8/25/2025 - 12/5/2025) Sta. 555: Unit 3A - Flywheel Belt Tensioner Install (10/20/2025 - 10/22/2025)
Station 860 North (Segment 860 BH)	1,793	1780 (13)	1780 (13)	1780 (13)	1780 (13)	1780 (13)	1780 (13)	1780 (13)	Sta 860: Unit 1A - Aftercooler Jacket Water Inspection (6/17/2024 - 12/31/2025)
Station 110 (segment 187 BH) (south thru Kentucky)	2,645	2325 (320)	2325 (320)	2325 (320)	1805 (840)	1805 (840)	2460 (185)	2385 (260)	MLV 109-2 to 109-2A: Special Permit Pipe Replacement (10/16/2025 - 10/31/2025) MLV 109-3 to MLV 109-3A: Special Permit Pipe Replacement (10/16/2025 - 10/31/2025) MLV 867-2 to MLV 868-2: Anomaly Remediation (10/4/2025 - 10/31/2025) MLV 871-2A to MLV 872-2: Anomaly Remediation (10/26/2025 - 11/26/2025) MLV 871-2L to MLV 871-2A: Anomaly Remediation (10/26/2025 - 11/26/2025) MLV 872-2 to MLV 873-2: Anomaly Remediation (10/26/2025 - 11/26/2025) MLV 873-2 to MLV 873-2A: Anomaly Remediation (10/26/2025 - 11/26/2025) MLV 97-4 to MLV 98-4: Anomaly Remediation (9/22/2025 - 10/31/2025) Sta 106: Unit 1C - Replace Power Cylinder Bearing #7 (4/14/2025 - 10/26/2025) Sta 110 Morehead: Unit Inspections (10/20/2025 - 10/24/2025) Sta 87 Portland: Annual ESD Test (10/23/2025 - 10/24/2025) Sta 87: Unit 3D - Engine Maintenace (10/20/2025 - 10/23/2025) Sta 871: Unit 1A - Turbo Replacement (10/9/2025 - 10/23/2025) Sta 871: Unit 3A - Engine Crankshaft Inspection (8/22/2025 - 12/31/2025)
Station 114 (segment 114 BH)	920	920	920	920	920	700 (220)	700 (220)	920	Sta 114: Installation of Unit Valves (10/24/2025 - 10/25/2025)
Station 204 (Segment 204 BH)	1,827	1761 (66)	1761 (66)	1761 (66)	1761 (66)	1796 (31)	1797 (30)	1797 (30)	MLV 208-2 to MLV 209-2: Anomaly Remediation (10/17/2025 - 10/24/2025) MLV 213-2A to MLV 214-2: Special Permit Replacement (10/9/2025 - 11/19/2025) Sta 209: Unit 4A - Packing & Starting Air Valves (10/20/2025 - 10/23/2025)

**TGP - Outage Impact Report
Seven Day Forecast (updated 10/16/25)**

-Primary impact restrictions may be necessary

-Major impact restrictions may be necessary

-Minor impact restrictions may be necessary depending on flow conditions

-Little to no impact, though minor outages may cause incremental reductions

Station / Seg	Est Nominal Operating Capacity (Thousand Dth)	Monday (10/20)	Tuesday (10/21)	Wednesday (10/22)	Thursday (10/23)	Friday (10/24)	Saturday (10/25)	Sunday (10/26)	Primary Outage(s) that may Impact Throughput
		Est. Operational Capacity (Operational Impact) - Thousand Dth							
Station 245 (segment 245 FH)	997	997	997	997	997	997	997	997	
Station 249 (segment 249 FH)	1,089	942 (147)	942 (147)	942 (147)	942 (147)	942 (147)	942 (147)	942 (147)	Sta 249: Unit 1A - Aftercooler Upgrade (9/29/2025 - 10/31/2025)
Station 254 (segment 256 FH)	1,213	1055 (158)	1055 (158)	1055 (158)	1055 (158)	1055 (158)	1055 (158)	1055 (158)	Sta 254: Unit 4A - Replace Power Cylinder Head (5/16/2025 - 11/1/2025) Sta. 254: Bldg A Stack Replacement and Unit Upgrades (7/14/2025 - 11/1/2025)
Station 261 Discharge East (segment 261 FH)	941	941	941	941	941	941	941	941	
Station 267 South (segment 266 FH)	469	312 (157)	312 (157)	312 (157)	312 (157)	312 (157)	312 (157)	312 (157)	Sta. 267: Bldg A Controls Upgrade (9/2/2025 - 11/26/2025)
Station 307 (segment 307 BH)	1,150	1105 (45)	955 (195)	955 (195)	1105 (45)	1105 (45)	1,150	1,150	Sta 307: Unit 1A - Engine Maintenance (10/20/2025 - 10/24/2025) Sta 310: Unit 1A - Water Wash & Borescope (10/21/2025 - 10/22/2025)
Station 315 (segment 315 BH)	1,854	1,854	1,854	1,854	1,854	1,854	1,854	1,854	
MLV 324 (segment 324 FH)	1,767	1510 (257)	1,767	1,767	1,767	1,767	1,767	1,767	Sta 325: Unit 3A - Engine ESD Valve (10/2/2025 - 10/20/2025) Sta 325: Units 4A - Vibration (9/8/2025 - 10/20/2025)
Station 405 HC Line (segment 299 FH)	803	803	803	803	803	803	803	803	

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.
Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report.
The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

TGP - Outage Impact Report October 2025 (updated 10/16/25)							-Primary impact restrictions may be necessary
							-Major impact restrictions may be necessary
							-Minor impact restrictions may be necessary depending on flow conditions
							-Little to no impact, though minor outages may cause incremental reductions
Station # / Lateral	Est Nominal Operating Capacity (Thousand Dth)	Week 1 (9/29 - 10/5)	Week 2 (10/6 - 10/12)	Week 3 (10/13 - 10/19)	Week 4 (10/20 - 10/26)	Week 5 (10/27 - 11/2)	Primary Outage(s)
Est. Operational Capacity (Operational Impact) - Thousand Dth							
Station 409 (Donna Line) (segment 490 FH)	564					564	
Station 1 (segment 101 BH)	400					350 (50)	MLV 401-2 to MLV 402-2: Anomaly Remediation (10/27/2025 - 10/31/2025)
Station 9 (segment 109 BH)	1,028					1,028	
Station 25 (segment 125 FH)	714					700 (14)	Sta 25: Unit 1C - VFD Replacement (7/16/2025 - 10/31/2026)
Station 40 South (segment 132 FH)	912					747 (165)	MLV 32-2D TO MLV 40-2S: Pig Runs - Maintenance (10/28/2025)
Station 40 KN South (segment 501 FH)	268					100 (168)	Sta 500-1 to Sta 823 (MLV 507-1): Pig Run - Maintenance (M) (10/29/2025)
Station 47 (segment 143 FH)	1,226					755 (471)	MLV 47-1A to MLV 48-1: Class Change (9/1/2025 - 12/31/2025) MLV 47-1AT to MLV 49-1: Anomaly Remediation (1/6/2025 - 10/31/2025) MLV 47-4A to MLV 48-4: Pipe Replacement (M) (10/27/2025 - 11/7/2025) MLV 49-1 to MLV 50-1: Anomaly Remediation (3/4/2025 - 10/31/2025) MLV 53-3BR to MLV 54-3BL: HydroTest (10/27/2025 - 11/28/2025) Sta 54: Unit 6B - Power Overhaul (10/1/2025 - 11/24/2025) Sta 54: Unit 8B - Power Overhaul (10/1/2025 - 11/24/2025)
Station 63 (segment 163 FH)	1,233					760 (473)	MLV 63-4D to MLV 71-4S: Pig Runs - Caliper / IMU 10/30/25 (10/30/2025) MLV 63-4D to MLV 71-4S: Pig Runs - Cleaning / Gauge 10/28/25 (10/28/2025) MLV 64-2 to MLV 65-2: Immediate Anomaly Remediation (10/8/2025 - 11/15/2025) MLV 83-3 to MLV 83-3B: Install Backpressure Regulator (10/16/2025 - 10/31/2025) MLV 84-4 to MLV 85-4: Class Change Pipe Replacement (9/26/2025 - 10/27/2025)
Station 823 (segment 823 BH)	686					686	
Station 834 (segment 834 BH)	679					664 (15)	Sta 834: Unit 6A - Overhaul (3/3/2025 - 11/3/2025)
Station 534 South of Pool (segment 530 BH)	1,798					1450 (348)	Sta 530: Unit 1A - Bearings (8/25/2025 - 11/28/2025) Sta 530: Unit 2A - Bearings (8/26/2025 - 11/14/2025) Sta 530: Unit 3A - Crankshaft Replacement (6/9/2025 - 12/31/2026) Sta 530: Unit 5A - Top-End Overhaul (6/9/2025 - 12/31/2026) Sta 530: Unit 6A - Bearings (10/6/2025 - 11/28/2025) Sta 530: Unit 7A - Bearings (10/6/2025 - 11/28/2025) Sta 534: Unit 6A - Piston Liner & Unloader Replacements (3/25/2025 - 12/5/2025) Sta 534: Unit 7A - Piston / Liner (5/20/2025 - 12/5/2025)
Station 542 (segment 539 BH)	1,719					845 (874)	MLV 540-2 to MLV 540-2A: Shallow Pipe Lowering (10/23/2025 - 10/31/2025)
MLV 548 (segment 542 BH)	1,597					1375 (222)	Sta 546: Unit 4A - Engine and Compressor Overhaul (10/18/2025 - 11/26/2025) Sta 546: Unit 7A - Metal in Oil (7/14/2025 - 10/31/2025)
Station 860 (segment 548 BH)	1,516					1245 (271)	Sta 550 Hamilton: Annual ESD Test & Maintenance (10/27/2025 - 10/31/2025) Sta 550: A building - Replace SLC 500 Remote PLC (10/27/2025 - 10/31/2025) Sta 550: Unit 1B - Safety Device Checks (10/28/2025) Sta 550: Unit 2A - Compressor Overhaul (8/25/2025 - 12/5/2025)
Station 860 North (Segment 860 BH)	1,793					1780 (13)	MLV 861-1 to MLV 862-1: Install New 30" Valve 861-1A (10/29/2025 - 11/3/2025) Sta 860: Unit 1A - Aftercooler Jacket Water Inspection (6/17/2024 - 12/31/2025)

TGP - Outage Impact Report October 2025 (updated 10/16/25)				

- Primary impact restrictions may be necessary

- Major impact restrictions may be necessary

-Minor impact restrictions may be necessary depending on flow conditions

-Little to no impact, though minor outages may cause incremental reductions

Station # / Lateral	Est Nominal Operating Capacity (Thousand Dth)	Week 1 (9/29 - 10/5)	Week 2 (10/6 - 10/12)	Week 3 (10/13 - 10/19)	Week 4 (10/20 - 10/26)	Week 5 (10/27 - 11/2)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth					
Station 110 (segment 187 BH) (south thru Kentucky)	2,645					2300 (345)	MLV 108-2 to MLV 109-2: Special Permit Pipe Replacement (M) (11/1/2025 - 11/30/2025) MLV 109-2 to 109-2A: Special Permit Pipe Replacement (10/16/2025 - 10/31/2025) MLV 109-3 to MLV 109-3A: Special Permit Pipe Replacement (10/16/2025 - 10/31/2025) MLV 867-2 to MLV 868-2: Anomaly Remediation (10/4/2025 - 10/31/2025) MLV 871-2A to MLV 872-2: Anomaly Remediation (10/26/2025 - 11/26/2025) MLV 871-2L to MLV 871-2A: Anomaly Remediation (10/26/2025 - 11/26/2025) MLV 872-2 to MLV 873-2: Anomaly Remediation (10/26/2025 - 11/26/2025) MLV 873-2 to MLV 873-2A: Anomaly Remediation (10/26/2025 - 11/26/2025) MLV 90-3 to MLV 91-3: HDD River Crossing Replacement (10/31/2025 - 11/12/2025) MLV 97-4 to MLV 98-4: Anomaly Remediation (9/22/2025 - 10/31/2025) Sta 106 Clay City: Upgrade B Building Jacket Water System (10/27/2025 - 11/14/2025) Sta 87: Unit 2E - Turbocharger Replacement (10/27/2025 - 11/21/2025) Sta 871: Unit 3A - Engine Crankshaft Inspection (8/22/2025 - 12/31/2025)
Station 114 (segment 114 BH)	920					840 (80)	Sta 114: Unit 1C - Complete Intallation of Unit Valves (10/27/2025) Sta 114: Unit 2C - Complete Installation of Unit Valves (10/29/2025) Sta 118A Tyler Mountain: Annual ESD Test (10/27/2025 - 10/29/2025)
Station 204 (Segment 204 BH)	1,827					1371 (456)	MLV 209-4 to MLV 204-4: Pig Runs - Cleaning / Gauge 10/30/25 (10/30/2025) MLV 213-2A to MLV 214-2: Special Permit Replacement (10/9/2025 - 11/19/2025) Sta 209: Unit 7A - Packing (10/27/2025 - 10/30/2025)
Station 245 (segment 245 FH)	997					970 (27)	Sta 241: Unit 1A - Engine Maintenance (10/27/2025 - 10/31/2025)
Station 249 (segment 249 FH)	1,089					942 (147)	Sta 249: Unit 1A - Aftercooler Upgrade (9/29/2025 - 10/31/2025)
Station 254 (segment 256 FH)	1,213					931 (282)	Sta 254: Unit 4A - Replace Power Cylinder Head (5/16/2025 - 11/1/2025) Sta. 254: Bldg A Stack Replacement and Unit Upgrades (7/14/2025 - 11/1/2025)
Station 261 Discharge East (segment 261 FH)	941					941	
Station 267 South (segment 266 FH)	469					312 (157)	Sta. 267: Bldg A Controls Upgrade (9/2/2025 - 11/26/2025)
Station 307 (segment 307 BH)	1,150					965 (185)	Sta 303A: Unit 1A - Water Wash (10/28/2025 - 10/29/2025)
Station 315 (segment 315 BH)	1,854					1690 (164)	Sta 315: Unit 2A - Inspect Bleed Duct Line (10/27/2025)
MLV 324 (segment 324 FH)	1,767					1,767	
Station 405 HC Line (segment 299 FH)	803					803	

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.
 Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report.
 The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

TGP - Outage Impact Report November 2025 (updated 10/16/25)						-Primary impact restrictions may be necessary
						-Major impact restrictions may be necessary
						-Minor impact restrictions may be necessary depending on flow conditions
						-Little to no impact, though minor outages may cause incremental reductions
Station # / Lateral	Est Nominal Operating Capacity (Thousand Dth)	Week 1 (11/3 - 11/9)	Week 2 (11/10 - 11/16)	Week 3 (11/17 - 11/23)	Week 4 (11/24 - 11/30)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth				
Station 409A (Alamo) (segment 492 FH)	295	295	295	145 (150)	295	MLV 409A-901 to MLV 409A-902: Pig Run - Cleaning 11/18/25 (M) (11/18/2025) MLV 409A-901 to MLV 409A-902: Pig Run - MFL-A 11/19/25 (M) (11/19/2025)
Station 409 (Donna Line) (segment 490 FH)	585	585	585	585	585	
Station 1 (segment 101 BH)	438	180 (258)	180 (258)	175 (263)	175 (263)	MLV 403-2 to MLV 404-2: Anomaly Remediation (M) (11/3/2025 - 11/14/2025) MLV 404-2 to MLV 405-2: Anomaly Remediation (M) (11/17/2025 - 11/26/2025)
MLV 4 (segment 101 FH)	1,033	1,033	1,033	1,033	1,033	MLV 1-2BL to MLV 1-2A: GCX Expansion Hot Tap/Tie in (M) (11/18/2025 - 11/21/2025)
Station 9 (segment 109 BH)	1,066	1,066	1,066	1,066	1,066	
Station 17 (segment 117 FH)	1,143	1130 (13)	1130 (13)	1130 (13)	1,143	MLV 17-1D to MLV 18-1: Anomaly Remediation (11/3/2025 - 11/21/2025)
Station 25 (segment 125 FH)	1,101	1087 (14)	1087 (14)	1087 (14)	1087 (14)	MLV 26-1 Relocation: Highway 59 Widening (11/11/2025 - 12/10/2025) Sta 25: Unit 1C - VFD Replacement (7/16/2025 - 10/31/2026)
Station 47 (segment 143 FH)	1,354	890 (464)	905 (449)	905 (449)	950 (404)	MLV 47-1A to MLV 48-1: Class Change (9/1/2025 - 12/31/2025) MLV 47-3A to MLV 48-3: Pipe Replacement (11/10/2025 - 11/21/2025) MLV 47-4A to MLV 48-4: Pipe Replacement (M) (10/27/2025 - 11/7/2025) MLV 53-3BR to MLV 54-3BL: HydroTest (10/27/2025 - 11/28/2025) Sta 54: Unit 6B - Power Overhaul (10/1/2025 - 11/24/2025) Sta 54: Unit 8B - Power Overhaul (10/1/2025 - 11/24/2025)
Station 63 (segment 163 FH)	1,287	810 (477)	1185 (102)	1135 (152)	1135 (152)	MLV 63-4D to MLV 71-4S: Pig Runs - EMAT 11/6/25 (11/6/2025) MLV 63-4D to MLV 71-4S: Pig Runs - MFL-C 11/4/25 (11/4/2025) MLV 64-2 to MLV 65-2: Immediate Anomaly Remediation (10/8/2025 - 11/15/2025) MLV 65-2 to MLV 66-2: Immediate Anomaly Remediation (11/17/2025 - 11/30/2025) MLV 66-2 to MLV 67-2: Immediate Anomaly Remediation (11/17/2025 - 11/30/2025) MLV 71-1D to MLV 77-1A: Pig Re-Runs - MDS 11/12/25 (11/12/2025)
Station 823 (segment 823 BH)	759	145 (614)	759	759	759	Sta 827 to Sta 823: Pig Run - Maintenance (M) (11/5/2025) Sta 834 to Sta 827: Maintenance Pig (M) (11/5/2025) Station 827 (Alexandria): Station Recycle Valve (11/4/2025 - 11/6/2025)
Station 834 (segment 834 BH)	733	718 (15)	733	733	733	Sta 834: Unit 6A - Overhaul (3/3/2025 - 11/3/2025)
Station 534 South of Pool (segment 530 BH)	1,632	1285 (347)	1285 (347)	1405 (227)	1405 (227)	Sta 530: Unit 1A - Bearings (8/25/2025 - 11/28/2025) Sta 530: Unit 2A - Bearings (8/26/2025 - 11/14/2025) Sta 530: Unit 3A - Crankshaft Replacement (6/9/2025 - 12/31/2026) Sta 530: Unit 5A - Top-End Overhaul (6/9/2025 - 12/31/2026) Sta 530: Unit 6A - Bearings (10/6/2025 - 11/28/2025) Sta 530: Unit 7A - Bearings (10/6/2025 - 11/28/2025) Sta 534: Unit 6A - Piston Liner & Unloader Replacements (3/25/2025 - 12/5/2025) Sta 534: Unit 7A - Piston / Liner (5/20/2025 - 12/5/2025)
Station 542 (segment 539 BH)	1,905	1,905	1865 (40)	1,905	1,905	Sta 542: Unit 1B - Safety Device Testing (11/10/2025 - 11/14/2025)
MLV 548 (segment 542 BH)	1,771	1736 (35)	1736 (35)	1736 (35)	1736 (35)	Sta 546: Unit 4A - Engine and Compressor Overhaul (10/18/2025 - 11/26/2025)
Station 860 (segment 548 BH)	1,697	785 (912)	1681 (16)	1681 (16)	1681 (16)	MLV 546-1 to MLV 542-1: Pig Runs - Maintenance (11/5/2025) MLV 546-2 to MLV 542-2: Pig Runs - Maintenance (11/6/2025) MLV 546-3 to MLV 544-3: Pig Runs - Maintenance (11/4/2025) Sta 550: Unit 2A - Compressor Overhaul (8/25/2025 - 12/5/2025)

TGP - Outage Impact Report November 2025 (updated 10/16/25)						-Primary impact restrictions may be necessary
						-Major impact restrictions may be necessary
						-Minor impact restrictions may be necessary depending on flow conditions
						-Little to no impact, though minor outages may cause incremental reductions
Station # / Lateral	Est Nominal Operating Capacity (Thousand Dth)	Week 1 (11/3 - 11/9)	Week 2 (11/10 - 11/16)	Week 3 (11/17 - 11/23)	Week 4 (11/24 - 11/30)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth				
Station 860 North (Segment 860 BH)	2,028	1715 (313)	2015 (13)	1925 (103)	2015 (13)	MLV 560-1 to MLV 563-1: HDD River Crossing & MLV 561-1 & MLV 562-1 Replacement (11/17/2025 - 11/21/2025) MLV 861-1 to MLV 862-1: Install New 30" Valve 861-1A (10/29/2025 - 11/3/2025) Sta 860: Unit 1A - Aftercooler Jacket Water Inspection (6/17/2024 - 12/31/2025) Sta. 860: Unit 1C - 4K Turbine Water Wash (11/3/2025 - 11/4/2025) Sta. 860: Unit 1C - Engine Inspection/Condition Assessment (11/3/2025 - 11/4/2025) Sta. 860: Unit 2C - 4K Turbine Water Wash (11/5/2025 - 11/6/2025) Sta. 860: Unit 2C - Engine Inspection/Condition Assessment (11/5/2025 - 11/6/2025)
Station 110 (segment 187 BH) (south thru Kentucky)	2,775	2055 (720)	2055 (720)	2505 (270)	2515 (260)	MLV 108-2 to MLV 109-2: Special Permit Pipe Replacement (M) (11/1/2025 - 11/30/2025) MLV 871-2A to MLV 872-2: Anomaly Remediation (10/26/2025 - 11/26/2025) MLV 871-2L to MLV 871-2A: Anomaly Remediation (10/26/2025 - 11/26/2025) MLV 872-2 to MLV 873-2: Anomaly Remediation (10/26/2025 - 11/26/2025) MLV 873-2 to MLV 873-2A: Anomaly Remediation (10/26/2025 - 11/26/2025) MLV 87-4 to MLV 96-4: Pig Runs - AFD Combo 11/11/25 (M) (11/11/2025) MLV 87-4 to MLV 96-4: Pig Runs - Caliper 11/6/25 (M) (11/6/2025) MLV 87-4 to MLV 96-4: Pig Runs - Cleaning / Gauge 11/4/25 (M) (11/4/2025) MLV 87-4 to MLV 96-4: Pig Runs - EMAT 11/13/25 (M) (11/13/2025) MLV 90-3 to MLV 91-3: HDD River Crossing Replacement (10/31/2025 - 11/12/2025) Sta 106 Clay City: Upgrade B Building Jacket Water System (10/27/2025 - 11/14/2025) Sta 87: Unit 2E - Turbocharger Replacement (10/27/2025 - 11/21/2025) Sta 871: Unit 3A - Engine Crankshaft Inspection (8/22/2025 - 12/31/2025) Sta 96: Unit 2D - Compressor Valves (11/10/2025 - 11/14/2025)
Station 114 (segment 114 BH)	948	948	948	948	948	
Station 204 (Segment 204 BH)	1,895	1432 (463)	1456 (439)	1419 (476)	1,895	MLV 209-4 to MLV 204-4: Pig Runs - Cal & IMU 11/04/25 (11/4/2025) MLV 209-4 to MLV 204-4: Pig Runs - MFL-A 11/06/25 (11/6/2025) MLV 213-2A to MLV 214-2: Special Permit Replacement (10/9/2025 - 11/19/2025) MLV 219-4 to MLV 214-4: Pig Run - Cleaning/Gauge 11/11/25 (M) (11/11/2025) MLV 219-4 to MLV 214-4: Pig Run - EMAT 11/20/25 (M) (11/20/2025) MLV 219-4 to MLV 214-4: Pig Run - IMU/Caliper 11/13/25 (M) (11/13/2025) MLV 219-4 to MLV 214-4: Pig Run - MFL-C 11/18/25 (M) (11/18/2025)
Station 245 (segment 245 FH)	1,063	1,063	1,063	1,063	1,063	
Station 261 Discharge East (segment 261 FH)	1,045	1,045	1,045	1,045	1,045	
Station 266A (segment 282 FH)	406	370 (36)	406	406	406	Sta 266A: Filter / Separator Changeout (M) (11/4/2025 - 11/5/2025)
Station 267 South (segment 266 FH)	503	346 (157)	346 (157)	346 (157)	346 (157)	Sta. 267: Bldg A Controls Upgrade (9/2/2025 - 11/26/2025)
Station 307 (segment 307 BH)	1,202	1145 (57)	1,202	1,202	1,202	Sta 307: Unit 2A - Engine Maintenance (11/3/2025 - 11/7/2025)
Station 315 (segment 315 BH)	1,915	1,915	1,915	1,915	1,915	
MLV 324 (segment 324 FH)	1,885	1,885	1,885	1,885	1,885	
Station 405 HC Line (segment 299 FH)	827	827	827	827	827	

- Primary impact restrictions may be necessary
- Major impact restrictions may be necessary
- Minor impact restrictions may be necessary depending on flow conditions
- Little to no impact, though minor outages may cause incremental reductions

Station # / Lateral	Est Nominal Operating Capacity (Thousand Dth)	Week 1 (11/3 - 11/9)	Week 2 (11/10 - 11/16)	Week 3 (11/17 - 11/23)	Week 4 (11/24 - 11/30)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth				
This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses. Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report. The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.						

TGP - Outage Impact Report December 2025 (updated 10/16/25)						-Primary impact restrictions may be necessary
						-Major impact restrictions may be necessary
						-Minor impact restrictions may be necessary depending on flow conditions
						-Little to no impact, though minor outages may cause incremental reductions
Station # / Lateral	Est Nominal Operating Capacity (Thousand Dth)	Week 1 (12/1 - 12/7)	Week 2 (12/8 - 12/14)	Week 3 (12/15 - 12/21)	Week 4 (12/22 - 12/28)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth				
Station 409 (Donna Line) (segment 490 FH)	585	585	585	585	585	
Station 1 (segment 101 BH)	438	438	438	438	438	
Station 9 (segment 109 BH)	1,066	1,066	1,066	1,066	1,066	
Station 25 (segment 125 FH)	1,101	1087 (14)	1075 (26)	1075 (26)	1075 (26)	MLV 26-1 Relocation: Highway 59 Widening (11/11/2025 - 12/10/2025) MLV 26-1 to MLV 27-1: Install Road Casing (12/6/2025 - 1/19/2026) MLV 26-2 Relocation: Highway 59 Widening (12/11/2025 - 1/19/2026) Sta 25: Unit 1C - VFD Replacement (7/16/2025 - 10/31/2026)
Station 47 (segment 143 FH)	1,354	1220 (134)	1220 (134)	1349 (5)	1349 (5)	MLV 47-1A to MLV 48-1: Class Change (9/1/2025 - 12/31/2025) MLV 47-2A to MLV 48-2: Pipe Replacement (M) (12/1/2025 - 12/10/2025)
Station 63 (segment 163 FH)	1,287	1,287	1,287	1,287	1,287	
Station 823 (segment 823 BH)	759	759	759	759	759	
Station 847 (segment 847 BH)	338	200 (138)	200 (138)	338	338	MLV 856-1 to MLV 860-1: Pig Runs - Cal / IMU 12/9/25 (12/9/2025) MLV 856-1 to MLV 860-1: Pig Runs - Cleaning / Gauge 12/4/25 (12/4/2025) MLV 856-1 to MLV 860-1: Pig Runs - MFL-C 12/11/25 (12/11/2025)
Station 534 South of Pool (segment 530 BH)	1,632	1485 (147)	1610 (22)	1610 (22)	1610 (22)	Sta 530: Unit 3A - Crankshaft Replacement (6/9/2025 - 12/31/2026) Sta 530: Unit 5A - Top-End Overhaul (6/9/2025 - 12/31/2026) Sta 534: Unit 6A - Piston Liner & Unloader Replacements (3/25/2025 - 12/5/2025) Sta 534: Unit 7A - Piston / Liner (5/20/2025 - 12/5/2025)
MLV 548 (segment 542 BH)	1,771	1,771	1,771	1,771	1,771	
Station 860 (segment 548 BH)	1,697	1681 (16)	1681 (16)	1681 (16)	1,697	Sta 550: Unit 2A - Compressor Overhaul (8/25/2025 - 12/5/2025) Sta 550: Unit 3A - Turbocharger Exchange (12/8/2025 - 12/19/2025)
Station 860 North (Segment 860 BH)	2,028	2015 (13)	2015 (13)	2015 (13)	2015 (13)	Sta 860: Unit 1A - Aftercooler Jacket Water Inspection (6/17/2024 - 12/31/2025)
Station 110 (segment 187 BH) (south thru Kentucky)	2,775	2645 (130)	2645 (130)	2645 (130)	2645 (130)	Sta 871: Unit 3A - Engine Crankshaft Inspection (8/22/2025 - 12/31/2025)
Station 114 (segment 114 BH)	948	948	948	948	948	
Station 204 (Segment 204 BH)	1,895	1,895	1,895	1722 (173)	1,895	MLV 204-2 to MLV 200-2: Pig Runs - EMAT 12/18/25 (M) (12/18/2025) MLV 204-2 to MLV 200-2: Pig Runs - MFL-C 12/16/25 (M) (12/16/2025)
Station 245 (segment 245 FH)	1,063	1,063	1,063	1,063	1,063	
Station 261 Discharge East (segment 261 FH)	1,045	1,045	1,045	1,045	1,045	
Station 307 (segment 307 BH)	1,202	1,202	1,202	1,202	1,202	
Station 315 (segment 315 BH)	1,915	1,915	1,915	1,915	1,915	
MLV 324 (segment 324 FH)	1,885	1,885	1,885	1,885	1,885	
Station 405 HC Line (segment 299 FH)	827	827	827	827	827	

- Primary impact restrictions may be necessary
- Major impact restrictions may be necessary
- Minor impact restrictions may be necessary depending on flow conditions
- Little to no impact, though minor outages may cause incremental reductions

Station # / Lateral	Est Nominal Operating Capacity (Thousand Dth)	Week 1 (12/1 - 12/7)	Week 2 (12/8 - 12/14)	Week 3 (12/15 - 12/21)	Week 4 (12/22 - 12/28)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth				
This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses. Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report. The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.						