

SNG - Outage Impact Report
Seven Day Forecast (updated 02/29/24)

-Restrictions to Primary In-Path transportation services may be necessary.
 -Restrictions to In-Path transportation services may be necessary.
 -Restrictions to Interruptible and Out of Path transportation services may be necessary.
 -No anticipated impact to transportation services.

Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Monday (3/4)	Tuesday (3/5)	Wednesday (3/6)	Thursday (3/7)	Friday (3/8)	Saturday (3/9)	Sunday (3/10)	Primary Outage(s) that may Impact Throughput
		Est. Operational Capacity (Operational Impact) - Thousand Dth							
Onward (segment 30)	209	209	209	209	209	209	209	209	
Duncanville Lateral (segment 90)	36	36	36	36	36	36	36	36	
Dearmanville (segment 150)	355	355	355	355	355	355	355	355	
White Castle (segment 340)	798	798	798	798	798	798	798	798	
GWINVILLE SOUTH (segment 370)	1,222	1032 (190)	1032 (190)	1032 (190)	1032 (190)	1032 (190)	1,222	1,222	Franklinton Gwinville loop line north of Pearl River: Unscheduled pipeline maintenance (2/21/2024 - 3/8/2024) Franklinton Gwinville loop line South of Gwinville: Pipeline maintenance(remediation) (2/22/2024 - 3/6/2024)
Sesh (segment 380)	504	504	504	504	504	504	504	504	
Gwinville (segment 400)	234	157 (77)	157 (77)	157 (77)	157 (77)	157 (77)	157 (77)	157 (77)	Pickens compressor station: Unit maintenance (3/4/2024 - 3/22/2024)
Enterprise (segment 430)	2,427	2,427	2,427	2,427	2,427	2,427	2,427	2,427	
Ellerslie (segment 490)	1,663	1,663	1,663	1,663	1,663	1,663	1,663	1,663	
Thomaston West (segment 490)	1,650	1605 (45)	1605 (45)	1605 (45)	1605 (45)	1605 (45)	1605 (45)	1605 (45)	Thomaston compressor station: Unscheduled unit outage (1/23/2024 - 3/14/2024)
South Atlanta (segment 510)	537	537	537	537	537	537	537	537	
Thomaston East (segment 530)	900	900	900	900	900	900	900	900	
Hall Gate (segment 560)	700	605 (95)	605 (95)	605 (95)	605 (95)	605 (95)	605 (95)	605 (95)	South main loop line west of Hall Gate compressor station: Unscheduled pipeline maintenance (2/13/2024 - 4/30/2024)
South Georgia (segment 650)	143	143	143	143	143	143	143	143	

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.
 Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report.
 The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

SNG - Outage Impact Report
March 2024 (updated 02/29/24)

-Restrictions to Primary In-Path transportation services may be necessary.
 -Restrictions to In-Path transportation services may be necessary.
 -Restrictions to Interruptible and Out of Path transportation services may be necessary.
 -No anticipated impact to transportation services.

Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Week 1	Week 2	Week 3	Week 4	Primary Outage(s)
		(3/4 - 3/10)	(3/11 - 3/17)	(3/18 - 3/24)	(3/25 - 3/31)	
Est. Operational Capacity (Operational Impact) - Thousand Dth						
Onward (segment 30)	209		209	209	209	
Duncanville Lateral (segment 90)	36		36	36	36	
Dearmanville (segment 150)	355		355	355	355	
White Castle (segment 340)	798		798	798	798	
LA West Leg (segment 350)	798		748 (50)	748 (50)	659 (139)	Duck Lake Franklinton line north of White Castel: Pipeline maintenance (remediation)-21332-105 (3/31/2024 - 4/5/2024) Duck Lake Franklinton line north of White Castle: Pipeline maintenance (remediation)-21252-50 (3/11/2024 - 3/30/2024)
Sesh (segment 380)	504		504	504	504	
Gwinville (segment 400)	234		157 (77)	155 (79)	160 (74)	Gwinville Pickens line north of Gwinville: Pipeline maintenance (remediation) 21650-79 (3/18/2024 - 3/20/2024) Gwinville Picknes line north of Rankin: Pipeline maintenance (remediation) 22336-74 (3/21/2024 - 3/29/2024) Pickens compresor station: Unit maintenance (3/4/2024 - 3/22/2024)
Bay Springs (segment 420)	1,819		1,819	1,819	1599 (220)	South main 2nd loop line east of Bay Springs compressor station: Pipeline maintenance (3/30/2024 - 3/31/2024)
Enterprise (segment 430)	2,427		2,427	2,427	2227 (200)	South Main 3rd loop line west of Enterprise compressor station: Pipeline maintenance (3/25/2024 - 3/29/2024)
Gallion (Segment 440)	2,415		2,415	2,415	2395 (20)	South main line east of Gallion: Pipeline maintenance (remediation) (3/25/2024 - 3/28/2024)
Ellerslie (segment 490)	1,663		1,663	1648 (15)	1648 (15)	South Main loop line east of Ellerslie: Pipeline Maintenance(replacement) (3/18/2024 - 4/7/2024)
Thomaston West (segment 490)	1,650		1605 (45)	1,650	1,650	Thomaston compressor station: Unscheduled unit outage (1/23/2024 - 3/14/2024)
South Atlanta (segment 510)	537		537	537	537	
Thomaston East (segment 530)	900		900	900	900	
Hall Gate (segment 560)	700		605 (95)	605 (95)	605 (95)	South main loop line west of Hall Gate compressor station: Unscheduled pipeline maintenance (2/13/2024 - 4/30/2024)
South Georgia (segment 650)	143		143	143	143	

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses. Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report. The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

SNG - Outage Impact Report April 2024 (updated 02/29/24)						-Restrictions to Primary In-Path transportation services may be necessary. -Restrictions to In-Path transportation services may be necessary. -Restrictions to interruptible and Out of Path transportation services may be necessary. -No anticipated impact to transportation services.
Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Week 1 (4/1 - 4/7)	Week 2 (4/8 - 4/14)	Week 3 (4/15 - 4/21)	Week 4 (4/22 - 4/28)	Primary Outage(s)
Est. Operational Capacity (Operational Impact) - Thousand Dth						
Onward (segment 30)	203	203	203	203	203	
Reform (segment 90)	686	686	246 (440)	686	686	2nd North main line east of Reform: Pipeline maintenance-replacement (4/9/2024 - 4/14/2024)
Duncanville Lateral (segment 90)	36	36	36	36	36	
Dearmanville (segment 150)	346	346	346	346	346	
White Castle (segment 340)	755	755	755	755	755	
LA West Leg (segment 350)	735	526 (209)	526 (209)	735	735	Duck Lake Franklinton line north of White Castel: Pipeline maintenance (remediation)-21332-105 (3/31/2024 - 4/5/2024) Duck Lake Franklinton line north of White Castle: Pipeline maintenance (remediation)-21332-175 (4/6/2024 - 4/14/2024)
Sesh (segment 380)	483	455 (28)	483	483	483	Sesh: SESH maintenance at Gwinville and Delhi (4/3/2024) Sesh: SESH maintenance at Gwinville and Delhi (4/5/2024)
Gwinville (segment 400)	234	234	234	150 (84)	234	2ndNML Pickens to Louisville: Pipeline maintenance(remediation)-34741 (4/15/2024 - 4/19/2024)
Bay Springs (segment 420)	1,675	1485 (190)	1485 (190)	1350 (325)	1500 (175)	South main 2nd loop line east of Bay Springs compressor station: Pipeline maintenance (4/1/2024 - 4/12/2024) South main 2nd loop line west of Bay Springs: Pipeline maintenance (4/15/2024 - 4/19/2024) South main loop line east of Bay Springs compressor station: Pipeline maintenance (4/20/2024 - 5/20/2024)
Enterprise (segment 430)	2,283	2208 (75)	2,283	2,283	2003 (280)	South main loop line east of Enterprise: Pipeline maintenance-anomalies (4/1/2024 - 4/5/2024) South main loop line west of Enterprise: Pipeline maintenance (4/23/2024 - 5/20/2024)
Gallion (Segment 440)	2,270	2240 (30)	2,270	2,270	2,270	South main line east of Gallion: Pipeline maintenance (remediation)-21651 (4/1/2024 - 4/5/2024)
Selma (segment 460)	2,273	2198 (75)	2198 (75)	2198 (75)	2198 (75)	South main line west of Elmore: Pipeline maintenance (pressure test) (4/6/2024 - 5/12/2024) South main line west of Elmore: Pipeline maintenance(replacement) (4/6/2024 - 5/12/2024)
Elmore (segment 460)	1,995	1,995	1945 (50)	1,995	1,995	South main 2nd loop line west of Elmore: Pipeline maintenance-21138 (4/8/2024 - 4/12/2024)
Ellerslie (segment 490)	1,547	1532 (15)	1522 (25)	1522 (25)	1522 (25)	South Main 2nd loop line east of Ellerslie: Pipeline maintenance (4/11/2024 - 5/3/2024) South Main loop line east of Ellerslie: Pipeline Maintenance(replacement) (3/18/2024 - 4/7/2024)
South Atlanta (segment 510)	522	522	522	522	522	
Thomaston East (segment 530)	849	849	849	849	849	
Hall Gate (segment 560)	705	610 (95)	610 (95)	610 (95)	610 (95)	Hall Gate compressor station: scheduled unit maintenance (4/1/2024 - 5/3/2024) South main loop line west of Hall Gate compressor station: Unscheduled pipeline maintenance (2/13/2024 - 4/30/2024)
South Georgia (segment 650)	127	127	127	127	127	

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.
Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report.
The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

SNG - Outage Impact Report							-Restrictions to Primary In-Path transportation services may be necessary.
May 2024 (updated 02/29/24)							-Restrictions to In-Path transportation services may be necessary.
							-Restrictions to Interruptible and Out of Path transportation services may be necessary.
							-No anticipated impact to transportation services.

Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Week 1 (4/29 - 5/5)	Week 2 (5/6 - 5/12)	Week 3 (5/13 - 5/19)	Week 4 (5/20 - 5/26)	Week 5 (5/27 - 6/2)	Primary Outage(s)
Est. Operational Capacity (Operational Impact) - Thousand Dth							
Onward (segment 30)	203	203	203	203	203	203	
Duncanville Lateral (segment 90)	36	36	36	36	36	36	
Dearmanville (segment 150)	346	346	346	346	346	346	
White Castle (segment 340)	755	755	755	755	755	755	
Sesh (segment 380)	483	483	483	483	483	483	
Gwinville (segment 400)	234	234	234	234	234	234	
Bay Springs (segment 420)	1,675	1500 (175)	1500 (175)	1500 (175)	1500 (175)	1625 (50)	South main line east of Bay Springs: Pipeline maintenance (5/21/2024 - 6/20/2024) South main loop line east of Bay Springs compressor station: Pipeline maintenance (4/20/2024 - 5/20/2024)
Enterprise (segment 430)	2,283	2003 (280)	2003 (280)	1833 (450)	1833 (450)	2158 (125)	South main line west of Enterprise compressor station: Pipeline maintenance (5/21/2024 - 6/20/2024) South main line west of Enterprise compressor station: Pipeline maintenance (5/15/2024 - 5/20/2024) South main loop line west of Enterprise: Pipeline maintenance (4/23/2024 - 5/20/2024)
Selma (segment 460)	2,273	2198 (75)	2198 (75)	1998 (275)	2118 (155)	2,273	Elmore compressor station: Station electrical maintenance (5/13/2024 - 5/19/2024) South main line west of Elmore: Pipeline maintenance (pressure test) (4/6/2024 - 5/12/2024) South main line west of Elmore: Pipeline maintenance(replacement) (4/6/2024 - 5/12/2024) South main loop line west of Elmore compressor station: Pipeline maintenance (replacement)-2577C (5/21/2024 - 5/25/2024)
Ellerslie (segment 490)	1,547	1522 (25)	1,547	1,547	1,547	1,547	South Main 2nd loop line east of Ellerslie: Pipeline maintenance (4/11/2024 - 5/3/2024)
South Atlanta (segment 510)	522	522	522	522	522	522	
Thomaston East (segment 530)	849	849	849	849	849	849	
Hall Gate (segment 560)	705	610 (95)	705	705	705	705	Hall Gate compressor station: scheduled unit maintenance (4/1/2024 - 5/3/2024) South main loop line west of Hall Gate compressor station: Unscheduled pipeline maintenance (2/13/2024 - 4/30/2024)
South Georgia (segment 650)	127	127	127	127	127	127	

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses. Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report. The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

SNG - Outage Impact Report
June 2024 (updated 02/29/24)

-Restrictions to Primary In-Path transportation services may be necessary.

-Restrictions to In-Path transportation services may be necessary.

-Restrictions to Interruptible and Out of Path transportation services may be necessary.

-No anticipated impact to transportation services.

Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Week 1 (6/3 - 6/9)	Week 2 (6/10 - 6/16)	Week 3 (6/17 - 6/23)	Week 4 (6/24 - 6/30)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth				
Onward (segment 30)	203	203	203	203	203	
Duncanville Lateral (segment 90)	36	36	36	36	36	
Dearmanville (segment 150)	346	346	346	346	346	
White Castle (segment 340)	755	755	755	755	755	
Sesh (segment 380)	483	483	483	483	483	
Gwinville (segment 400)	234	234	234	234	234	
Bay Springs (segment 420)	1,675	1625 (50)	1625 (50)	1625 (50)	1,675	South main line east of Bay Springs: Pipeline maintenance (5/21/2024 - 6/20/2024)
Enterprise (segment 430)	2,283	2158 (125)	2158 (125)	1833 (450)	2,283	South main line west of Enterprise compressor station: Pipeline maintenance (5/21/2024 - 6/20/2024) South main line west of Enterprise compressor station: Pipeline maintenance (6/19/2024 - 6/20/2024)
Elmore (segment 460)	1,995	1905 (90)	1,995	1,995	1,995	South main 2nd loop line east of Elmore: Pipeline maintenance - anomaly (6/3/2024 - 6/7/2024) South Main 4th Loop line east of Elmore: Pipeline maintenance (6/3/2024 - 6/7/2024)
Ellerslie (segment 490)	1,547	1,547	1,547	1,547	1517 (30)	South Main line west of Thomaston: Pipeline maintenance (anomalies) Project 17842 (6/24/2024 - 6/28/2024)
South Atlanta (segment 510)	522	522	522	522	522	
Thomaston East (segment 530)	849	849	849	849	849	South Main line west of Thomaston: Pipeline maintenance (anomalies) Project 34908 (6/24/2024 - 6/28/2024)
South Georgia (segment 650)	127	127	127	127	127	

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.
 Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report.
 The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.