

<p align="center">SNG - Outage Impact Report Seven Day Forecast (updated 04/04/24)</p>									-Restrictions to Primary In-Path transportation services may be necessary.
									-Restrictions to In-Path transportation services may be necessary.
									-Restrictions to Interruptible and Out of Path transportation services may be necessary.
									-No anticipated impact to transportation services.
Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Monday (4/8)	Tuesday (4/9)	Wednesday (4/10)	Thursday (4/11)	Friday (4/12)	Saturday (4/13)	Sunday (4/14)	Primary Outage(s) that may Impact Throughput
Est. Operational Capacity (Operational Impact) - Thousand Dth									
Onward (segment 30)	203	203	203	203	203	203	203	203	
Reform (segment 90)	686	686	246 (440)	246 (440)	246 (440)	246 (440)	246 (440)	246 (440)	2nd North main line east of Reform: Pipeline maintenance-replacement (4/9/2024 - 4/14/2024)
Duncanville Lateral (segment 90)	36	36	36	36	36	36	36	36	
Dearmanville (segment 150)	346	346	346	346	346	346	346	346	
White Castle (segment 340)	755	675 (80)	675 (80)	675 (80)	675 (80)	675 (80)	675 (80)	675 (80)	White Castle compressor station: Unit maintenance (4/1/2024 - 4/18/2024)
Sesh (segment 380)	504	504	504	504	504	504	504	504	
Gwinville (segment 400)	234	234	234	234	234	234	234	234	
Bay Springs (segment 420)	1,675	1485 (190)	1485 (190)	1485 (190)	1485 (190)	1485 (190)	1,675	1,675	South main 2nd loop line east of Bay Springs compressor station: Pipeline maintenance (4/1/2024 - 4/12/2024)
Enterprise (segment 430)	2,306	2208 (98)	2208 (98)	2208 (98)	2208 (98)	2208 (98)	2,306	2,306	South main loop line east of Enterprise: Pipeline maintenance-anomalies (4/8/2024 - 4/12/2024)
Gallion (Segment 440)	2,300	2270 (30)	2270 (30)	2270 (30)	2270 (30)	2270 (30)	2,300	2,300	South main line east of Gallion: Pipeline maintenance (remediation)-21651 (4/8/2024 - 4/12/2024)
Selma (segment 460)	2,293	2198 (95)	2198 (95)	2198 (95)	2198 (95)	2198 (95)	2198 (95)	2198 (95)	South main line west of Elmore: Pipeline maintenance (pressure test) (4/6/2024 - 5/12/2024) South main line west of Elmore: Pipeline maintenance(replacement) (4/6/2024 - 5/12/2024)
Ellerslie (segment 490)	1,547	1532 (15)	1532 (15)	1532 (15)	1532 (15)	1532 (15)	1532 (15)	1532 (15)	South Main loop line east of Ellerslie: Pipeline Maintenance(replacement)-2496C (3/18/2024 - 4/15/2024)
South Atlanta (segment 510)	522	522	522	522	522	522	522	522	
Thomaston East (segment 530)	849	849	849	849	849	849	849	849	
Hall Gate (segment 560)	705	610 (95)	610 (95)	610 (95)	610 (95)	610 (95)	610 (95)	610 (95)	Hall Gate compressor station: scheduled unit maintenance (4/1/2024 - 5/3/2024) South main loop line west of Hall Gate compressor station: Unscheduled pipeline maintenance (2/13/2024 - 5/3/2024)
South Georgia (segment 650)	127	127	127	127	127	127	127	127	

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.
Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report.
The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

SNG - Outage Impact Report
April 2024 (updated 04/04/24)

-Restrictions to Primary In-Path transportation services may be necessary.
 -Restrictions to In-Path transportation services may be necessary.
 -Restrictions to Interruptible and Out of Path transportation services may be necessary.
 -No anticipated impact to transportation services.

Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Week 1	Week 2	Week 3	Week 4	Primary Outage(s)
		(4/1 - 4/7)	(4/8 - 4/14)	(4/15 - 4/21)	(4/22 - 4/28)	
Est. Operational Capacity (Operational impact) - Thousand Dth						
Onward (segment 30)	203			203	203	
Duncanville Lateral (segment 90)	36			36	36	
Dearmanville (segment 150)	346			346	346	
White Castle (segment 340)	755			675 (80)	690 (65)	White Castle compressor station: Unit maintenance (4/1/2024 - 4/18/2024) White Castle compressor station: unit maintenance (4/22/2024 - 4/25/2024)
Sesh (segment 380)	504			504	504	
Gwinville (segment 400)	234			234	234	
Bay Springs (segment 420)	1,675			1350 (325)	1500 (175)	South main 2nd loop line west of Bay Springs: Pipeline maintenance (4/15/2024 - 4/19/2024) South main loop line east of Bay Springs compressor station: Pipeline maintenance (4/20/2024 - 5/20/2024)
Enterprise (segment 430)	2,306			2,306	2003 (303)	South main loop line west of Enterprise: Pipeline maintenance (4/23/2024 - 5/20/2024)
Selma (segment 460)	2,293			2053 (240)	2198 (95)	South main 2nd loop line west of Elmore: Pipeline maintenance-21138 (4/15/2024 - 4/19/2024) South main line west of Elmore: Pipeline maintenance (pressure test) (4/6/2024 - 5/12/2024) South main line west of Elmore: Pipeline maintenance(replacement) (4/6/2024 - 5/12/2024)
Ellerslie (segment 490)	1,547			1522 (25)	1522 (25)	South Main 2nd loop line east of Ellerslie: Pipeline maintenance (4/18/2024 - 5/10/2024) South Main loop line east of Ellerslie: Pipeline Maintenance(replacement)-2496C (3/18/2024 - 4/15/2024)
South Atlanta (segment 510)	522			522	522	
Thomaston East (segment 530)	849			849	849	
Hall Gate (segment 560)	705			610 (95)	610 (95)	Hall Gate compressor station: scheduled unit maintenance (4/1/2024 - 5/3/2024) South main loop line west of Hall Gate compressor station: Unscheduled pipeline maintenance (2/13/2024 - 5/3/2024)
South Georgia (segment 650)	127			127	127	

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.
 Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report.
 The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

SNG - Outage Impact Report May 2024 (updated 04/04/24)							-Restrictions to Primary In-Path transportation services may be necessary.
							-Restrictions to In-Path transportation services may be necessary.
							-Restrictions to Interruptible and Out of Path transportation services may be necessary.
							-No anticipated impact to transportation services.
Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Week 1 (4/29 - 5/5)	Week 2 (5/6 - 5/12)	Week 3 (5/13 - 5/19)	Week 4 (5/20 - 5/26)	Week 5 (5/27 - 6/2)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth					
Onward (segment 30)	203	203	203	203	203	203	
Duncanville Lateral (segment 90)	36	36	36	36	36	36	
Dearmanville (segment 150)	346	346	346	346	346	346	
White Castle (segment 340)	755	755	755	755	755	755	
Sesh (segment 380)	483	483	483	483	483	483	
Gwinville (segment 400)	234	160 (74)	155 (79)	155 (79)	234	234	Gwinville Pickens line south of Pickens: Pipeline maintenance (remediation) (5/11/2024 - 5/13/2024) Gwinville Pickens line north of Rankin: Pipeline maintenance (remediation) 22336-74 (4/29/2024 - 5/11/2024)
Gwinville East (segment 410)	1,658	1328 (330)	1,658	1,658	1,658	1,658	Gwinville compressor station: Unit outage (5/3/2024 - 5/5/2024)
Bay Springs (segment 420)	1,675	1500 (175)	1500 (175)	1500 (175)	1500 (175)	1625 (50)	South main line east of Bay Springs: Pipeline maintenance (5/21/2024 - 6/20/2024) South main loop line east of Bay Springs compressor station: Pipeline maintenance (4/20/2024 - 5/20/2024)
Enterprise (segment 430)	2,306	2003 (303)	2003 (303)	1833 (473)	1833 (473)	2158 (148)	Enterprise compressor station: Unit maintenance (4/30/2024 - 5/2/2024) South main line west of Enterprise compressor station: Pipeline maintenance (5/21/2024 - 6/20/2024) South main line west of Enterprise compressor station: Pipeline maintenance (5/15/2024 - 5/20/2024) South main loop line west of Enterprise: Pipeline maintenance (4/23/2024 - 5/20/2024)
Selma (segment 460)	2,293	2198 (95)	2198 (95)	1998 (295)	2118 (175)	2,293	Elmore compressor station: Station electrical maintenance (5/13/2024 - 5/19/2024) South main line west of Elmore: Pipeline maintenance (pressure test) (4/6/2024 - 5/12/2024) South main line west of Elmore: Pipeline maintenance(replacement) (4/6/2024 - 5/12/2024) South main loop line west of Elmore compressor station: Pipeline maintenance (replacement)-2577C (5/21/2024 - 5/25/2024)
Ellerslie (segment 490)	1,547	1522 (25)	1522 (25)	1,547	1,547	1,547	South Main 2nd loop line east of Ellerslie: Pipeline maintenance (4/18/2024 - 5/10/2024)
South Atlanta (segment 510)	522	522	522	522	522	522	
Thomaston East (segment 530)	849	849	849	849	849	849	
Hall Gate (segment 560)	705	610 (95)	705	705	705	705	Hall Gate compressor station: scheduled unit maintenance (4/1/2024 - 5/3/2024) South main loop line west of Hall Gate compressor station: Unscheduled pipeline maintenance (2/13/2024 - 5/3/2024)
South Georgia (segment 650)	127	127	127	127	127	127	

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.
Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report.
The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

SNG - Outage Impact Report
June 2024 (updated 04/04/24)

-Restrictions to Primary In-Path transportation services may be necessary.

-Restrictions to In-Path transportation services may be necessary.

-Restrictions to Interruptible and Out of Path transportation services may be necessary.

-No anticipated impact to transportation services.

Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Week 1 (6/3 - 6/9)	Week 2 (6/10 - 6/16)	Week 3 (6/17 - 6/23)	Week 4 (6/24 - 6/30)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth				
Onward (segment 30)	203	203	203	203	203	
Duncanville Lateral (segment 90)	36	36	36	36	36	
Dearmanville (segment 150)	346	346	346	346	346	
White Castle (segment 340)	755	755	755	755	755	
Sesh (segment 380)	483	483	483	483	483	
Gwinville (segment 400)	234	234	234	234	234	
Bay Springs (segment 420)	1,675	1625 (50)	1625 (50)	1625 (50)	1300 (375)	Bay Springs compressor station: unit outage (6/24/2024 - 6/26/2024) South main line east of Bay Springs: Pipeline maintenance (5/21/2024 - 6/20/2024)
Enterprise (segment 430)	2,306	2158 (148)	2158 (148)	1833 (473)	2,306	South main line west of Enterprise compressor station: Pipeline maintenance (5/21/2024 - 6/20/2024) South main line west of Enterprise compressor station: Pipeline maintenance (6/19/2024 - 6/20/2024)
Elmore (segment 460)	2,010	1905 (105)	2,010	2,010	2,010	South main 2nd loop line east of Elmore: Pipeline maintenance - anomaly (6/3/2024 - 6/7/2024) South Main 4th Loop line east of Elmore: Pipeline maintenance (6/3/2024 - 6/7/2024)
Ellerslie (segment 490)	1,547	1,547	1,547	1,547	1517 (30)	South Main line west of Thomaston: Pipeline maintenance (anomalies) Project 17842 (6/24/2024 - 6/28/2024)
South Atlanta (segment 510)	522	522	522	522	522	
Thomaston East (segment 530)	849	849	849	849	849	South Main line west of Thomaston: Pipeline maintenance (anomalies) Project 34908 (6/24/2024 - 6/28/2024)
South Georgia (segment 650)	127	127	127	127	127	

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.
 Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report.
 The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

SNG - Outage Impact Report
July 2024 (updated 04/04/24)

-Restrictions to Primary In-Path transportation services may be necessary.
 -Restrictions to In-Path transportation services may be necessary.
 -Restrictions to Interruptible and Out of Path transportation services may be necessary.
 -No anticipated impact to transportation services.

Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Week 1 (7/1 - 7/7)	Week 2 (7/8 - 7/14)	Week 3 (7/15 - 7/21)	Week 4 (7/22 - 7/28)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth				
Onward (segment 30)	203	203	203	203	203	
Duncanville Lateral (segment 90)	36	36	36	36	36	
Dearmanville (segment 150)	346	346	346	346	346	
White Castle (segment 340)	755	755	755	755	755	
GWINVILLE SOUTH (segment 370)	1,123	1,123	1103 (20)	1103 (20)	1103 (20)	Franklinton Gwinville line south of Gwinville: Pipeline maintenance (pressure test) (7/8/2024 - 8/8/2024)
Sesh (segment 380)	483	483	483	483	483	SESH: Pipeline maintenance (M) (7/13/2024)
Gwinville (segment 400)	234	234	234	234	234	
Enterprise (segment 430)	2,306	2,306	2,306	2,306	2,306	
Ellerslie (segment 490)	1,547	1,547	1,547	1,547	1,547	
South Atlanta (segment 510)	522	522	522	522	522	
Thomaston East (segment 530)	849	849	849	849	849	
South Georgia (segment 650)	127	127	127	127	127	

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.
 Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report.
 The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.