

**SNG - Outage Impact Report
Seven Day Forecast (updated 02/06/25)**

-Restrictions to Primary In-Path transportation services may be necessary.

-Restrictions to In-Path transportation services may be necessary.

-Restrictions to Interruptible and Out of Path transportation services may be necessary.

-No anticipated impact to transportation services.

Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Monday (2/10)	Tuesday (2/11)	Wednesday (2/12)	Thursday (2/13)	Friday (2/14)	Saturday (2/15)	Sunday (2/16)	Primary Outage(s) that may Impact Throughput
		Est. Operational Capacity (Operational Impact) - Thousand Dth							
Onward (segment 30)	209	209	209	209	209	209	209	209	
Duncanville Lateral (segment 90)	36	36	36	36	36	36	36	36	
Dearmanville (segment 150)	355	355	355	355	355	355	355	355	
White Castle (segment 340)	798	798	798	798	798	798	798	798	
Sesh (segment 380)	506	506	506	506	506	506	506	506	
Gwinville Pool (segment 390)	1,707	1497 (210)	1497 (210)	1497 (210)	1497 (210)	1497 (210)	1497 (210)	1497 (210)	Gwinville Compressor Station: Scheduled Station Maintenance Proj-5211P2 (2/5/2025 - 2/26/2025)
Gwinville (segment 400)	234	234	234	234	234	234	234	234	
Enterprise (segment 430)	2,450	2,450	2,450	2,450	2,450	2,450	2,450	2,450	
Ellerslie (segment 490)	1,663	1593 (70)	1593 (70)	1593 (70)	1593 (70)	1593 (70)	1593 (70)	1593 (70)	Ellerslie Compressor Station: Scheduled Unit Maintenance Proj-52675 (2/10/2025 - 2/23/2025) Ellerslie compressor station: Unscheduled unit outage Project-52674 (11/14/2024 - 2/23/2025)
Thomaston West (segment 490)	1,650	1605 (45)	1605 (45)	1605 (45)	1605 (45)	1605 (45)	1605 (45)	1605 (45)	Thomaston Compressor Station: Unscheduled Unit Outage Proj-52724 (1/30/2025 - 3/16/2025)
South Atlanta (segment 510)	537	537	537	537	537	537	537	537	
Thomaston East (segment 530)	900	900	900	900	900	900	900	900	
South Georgia (segment 650)	143	143	143	143	143	143	143	143	

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.
Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report.
The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

SNG - Outage Impact Report
February 2025 (updated 02/06/25)

-Restrictions to Primary In-Path transportation services may be necessary.

-Restrictions to In-Path transportation services may be necessary.

-Restrictions to Interruptible and Out of Path transportation services may be necessary.

-No anticipated impact to transportation services.

Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Week 1	Week 2	Week 3	Week 4	Primary Outage(s)
		(2/3 - 2/9)	(2/10 - 2/16)	(2/17 - 2/23)	(2/24 - 3/2)	
Est. Operational Capacity (Operational Impact) - Thousand Dth						
Onward (segment 30)	209			209	209	
Duncanville Lateral (segment 90)	36			36	36	
Dearmanville (segment 150)	355			355	355	
White Castle (segment 340)	798			798	798	
Sesh (segment 380)	506			506	506	
Gwinville Pool (segment 390)	1,707			1497 (210)	1497 (210)	Gwinville Compressor Station: Scheduled Station Maintenance, Proj-5211P2 (2/5/2025 - 2/26/2025)
Gwinville (segment 400)	234			234	234	
Enterprise (segment 430)	2,450			2,450	2,450	
Auburn (segment 460)	2,095			1740 (355)	1740 (355)	Auburn Compressor Station: Scheduled Station Maintenance, Proj-5259 (2/17/2025 - 2/24/2025)
Ellerslie (segment 490)	1,663			1593 (70)	1,663	Ellerslie Compressor Station: Scheduled Unit Maintenance, Proj-52675 (2/10/2025 - 2/23/2025) Ellerslie compressor station: Unscheduled unit outage, Project-52674 (11/14/2024 - 2/23/2025)
Thomaston West (segment 490)	1,650			1605 (45)	1605 (45)	Thomaston Compressor Station: Unscheduled Unit Outage, Proj-52724 (1/30/2025 - 3/16/2025)
South Atlanta (segment 510)	537			537	537	
Thomaston East (segment 530)	900			900	900	
South Georgia (segment 650)	143			143	143	

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.
Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report.
The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

SNG - Outage Impact Report
March 2025 (updated 02/06/25)

-Restrictions to Primary In-Path transportation services may be necessary.

-Restrictions to In-Path transportation services may be necessary.

-Restrictions to Interruptible and Out of Path transportation services may be necessary.

-No anticipated impact to transportation services.

Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Week 1	Week 2	Week 3	Week 4	Primary Outage(s)
		(3/3 - 3/9)	(3/10 - 3/16)	(3/17 - 3/23)	(3/24 - 3/30)	
Est. Operational Capacity (Operational Impact) - Thousand Dth						
Onward (segment 30)	209	209	209	209	209	
Duncanville Lateral (segment 90)	36	36	36	36	36	
Dearmanville (segment 150)	355	355	355	355	355	
White Castle (segment 340)	798	798	798	798	798	
Sesh (segment 380)	500	500	500	500	500	
Gwinville (segment 400)	234	157 (77)	157 (77)	182 (52)	182 (52)	Gwinville Pickens Line north of Gwinville: Pipeline Maintenance(remediation), Proj-SNG-19050/20646 (3/22/2025 - 3/28/2025) Gwinville Pickens Line north of Rankin: Pipeline Maintenance(remediation), Proj-SNG-19128 (3/17/2025 - 3/20/2025) Gwinville Pickens Line south of Pickens: Pipeline Maintenance(remediation), Proj-SNG-19128 (3/13/2025 - 3/14/2025) Gwinville Pickens Line south of Pickens: Pipeline Maintenance(remediation), Proj-SNG-19128/26277 (3/3/2025 - 3/10/2025) Gwinville Pickens Line south of Rankin: Pipeline Maintenance(remediation), Proj-SNG-19050 (3/20/2025 - 3/21/2025)
Enterprise (segment 430)	2,450	2,450	2,450	2,450	2200 (250)	Enterprise Compressor Station: Scheduled Unit Maintenance, Proj-522216 (3/24/2025 - 3/31/2025)
Auburn (segment 460)	2,095	2,095	1770 (325)	1770 (325)	2,095	South Main Loop Line east of Auburn: Scheduled Pipeline Maintenance, Proj-SNG-24941 (3/14/2025 - 3/23/2025) South Main Loop Line west of Ellerslie: Scheduled Pipeline Maintenance, Proj-SNG-24942 (3/14/2025 - 3/23/2025)
Ellerslie (segment 490)	1,663	1,663	1,663	1,663	1,663	
Thomaston West (segment 490)	1,650	1605 (45)	1605 (45)	1,650	1,650	Thomaston Compressor Station: Unscheduled Unit Outage, Proj-52724 (1/30/2025 - 3/16/2025)
South Atlanta (segment 510)	537	537	537	537	537	
Thomaston East (segment 530)	900	900	900	900	900	
South Georgia (segment 650)	143	143	143	143	143	

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.
Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report.
The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

SNG - Outage Impact Report
April 2025 (updated 02/06/25)

-Restrictions to Primary In-Path transportation services may be necessary.

-Restrictions to In-Path transportation services may be necessary.

-Restrictions to Interruptible and Out of Path transportation services may be necessary.

-No anticipated impact to transportation services.

Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Week 1	Week 2	Week 3	Week 4	Primary Outage(s)
		(3/31 - 4/6)	(4/7 - 4/13)	(4/14 - 4/20)	(4/21 - 4/27)	
Est. Operational Capacity (Operational Impact) - Thousand Dth						
Onward (segment 30)	203	203	203	203	203	
Louisville East (segment 50)	520	520	210 (310)	210 (310)	275 (245)	2nd North Main Line east of Pickens: Pipeline Maintenance(remediation), Proj-SNG-19047 (4/21/2025 - 5/2/2025) 2nd North Main Line east of Pickens: Pipeline Maintenance(remediation), Proj-SNG-19047 (M) (4/8/2025 - 4/18/2025)
Duncanville Lateral (segment 90)	36	36	36	36	36	
Dearmanville (segment 150)	346	346	346	346	346	
White Castle (segment 340)	772	772	772	772	772	
Sesh (segment 380)	500	500	500	500	500	
Gwinville (segment 400)	234	199 (35)	150 (84)	150 (84)	234	2nd North Main Line east of Pickens: Pipeline Maintenance(remediation), Proj-SNG-19047 (4/8/2025 - 4/18/2025) Gwinville Pickens Line north of Gwinville: Pipeline Maintenance(remediation), Proj-SNG-19050/20646/21938 (3/31/2025 - 4/7/2025)
Enterprise (segment 430)	2,306	2056 (250)	2136 (170)	2,306	2,306	Enterprise Compressor Station: Scheduled Unit Maintenance, Proj-522216 (3/24/2025 - 3/31/2025) Enterprise Compressor Station: Scheduled Unit Maintenance, Proj-522216 (4/1/2025 - 4/7/2025)
Selma (segment 460)	2,293	2,293	2,293	1993 (300)	1993 (300)	South Main Loop Line east of Selma: Scheduled Pipeline Maintenance, Proj-SNG-24945 (4/18/2025 - 4/25/2025)
Auburn (segment 460)	1,953	1813 (140)	1813 (140)	1813 (140)	1,953	South Main Loop Line west of Ellerslie: Scheduled Pipeline Maintenance, Proj-SNG-24943 (4/5/2025 - 4/14/2025) South Main Loop Line west of Ellerslie: Scheduled Pipeline Maintenance, Proj-SNG-24944 (4/5/2025 - 4/14/2025)
Ellerslie (segment 490)	1,547	1,547	1,547	1,547	1,547	
South Atlanta (segment 510)	522	522	522	522	522	
Thomaston East (segment 530)	849	849	849	849	849	
South Georgia (segment 650)	127	127	127	127	127	
Holy Trinity (segment 655)	127	127	97 (30)	127	127	Holy Trinity Compressor Station: Scheduled Unit Maintenance, Proj-58051 (4/7/2025 - 4/12/2025)

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.
 Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report.
 The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

SNG - Outage Impact Report May 2025 (updated 02/06/25)							-Restrictions to Primary In-Path transportation services may be necessary.
							-Restrictions to In-Path transportation services may be necessary.
							-Restrictions to Interruptible and Out of Path transportation services may be necessary.
							-No anticipated impact to transportation services.
Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Week 1 (4/28 - 5/4)	Week 2 (5/5 - 5/11)	Week 3 (5/12 - 5/18)	Week 4 (5/19 - 5/25)	Week 5 (5/26 - 6/1)	Primary Outage(s)
Est. Operational Capacity (Operational Impact) - Thousand Dth							
Onward (segment 30)	203	203	203	203	203	203	
Louisville East (segment 50)	520	275 (245)	520	520	520	520	2nd North Main Line east of Pickens: Pipeline Maintenance(remediation), Proj-SNG-19047 (4/21/2025 - 5/2/2025)
Duncanville Lateral (segment 90)	36	36	36	36	36	36	
Dearmanville (segment 150)	346	346	346	346	346	346	
White Castle (segment 340)	772	772	772	772	772	772	
Sesh (segment 380)	500	500	500	500	500	500	
Gwinville (segment 400)	234	234	150 (84)	150 (84)	150 (84)	234	2nd North Main Line east of Pickens: Pipeline Maintenance(remediation), Proj-SNG-19047 (5/5/2025 - 5/21/2025)
Enterprise (segment 430)	2,306	2,306	2,306	2,306	2,306	2,306	
Ellerslie (segment 490)	1,547	1,547	1,547	1,547	1,547	1,547	
South Atlanta (segment 510)	522	522	522	522	522	522	
Thomaston East (segment 530)	849	849	849	849	849	849	
South Georgia (segment 650)	127	127	127	127	127	127	

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.
Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report.
The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.