

SNG - Outage Impact Report Seven Day Forecast (updated 04/24/25)									-Restrictions to Primary In-Path transportation services may be necessary. -Restrictions to In-Path transportation services may be necessary. -Restrictions to Interruptible and Out of Path transportation services may be necessary. -No anticipated impact to transportation services.
Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Monday (4/28)	Tuesday (4/29)	Wednesday (4/30)	Thursday (5/1)	Friday (5/2)	Saturday (5/3)	Sunday (5/4)	Primary Outage(s) that may impact Throughput
		Est. Operational Capacity (Operational Impact) - Thousand Dth							
Onward (segment 30)	203	153 (50)	153 (50)	153 (50)	153 (50)	153 (50)	203	203	Onward Compressor Station: Scheduled Unit Maintenance Proj-411512 (4/28/2025 - 5/2/2025)
Duncanville Lateral (segment 90)	36	36	36	36	36	36	36	36	
Dearmanville (segment 150)	346	346	346	346	346	346	346	346	
White Castle (segment 340)	772	742 (30)	772	772	772	772	772	772	Duck Lake Franklinton Line south of White Castle: Scheduled Pipeline Maintenance (4/22/2025 - 4/28/2025)
Sesh (segment 380)	500	500	500	500	500	500	500	500	
Gwinville Pool (segment 390)	1,607	1217 (390)	1217 (390)	1217 (390)	1217 (390)	1217 (390)	1217 (390)	1217 (390)	Gwinville Compressor Station: Scheduled Station Maintenance Proj-521113P5A (4/29/2025 - 5/2/2025) Gwinville Compressor Station: Scheduled Station Maintenance Proj-5211P5 (4/28/2025 - 5/8/2025) Gwinville Compressor Station: Scheduled Unit Maintenance Proj-521113 (4/21/2025 - 5/2/2025)
Gwinville (segment 400)	234	0 (234)	0 (234)	0 (234)	0 (234)	0 (234)	0 (234)	0 (234)	Gwinville Compressor Station: Scheduled Station Maintenance Proj-5211P5 (4/28/2025 - 5/8/2025)
Enterprise (segment 430)	2,306	2103 (203)	2103 (203)	2103 (203)	2103 (203)	2103 (203)	2103 (203)	2103 (203)	Enterprise Compressor Station: Scheduled Station Maintenance Proj-5222WC (4/24/2025 - 5/4/2025)
York (segment 440)	2,305	2125 (180)	2125 (180)	2125 (180)	2125 (180)	2125 (180)	2125 (180)	2125 (180)	York Compressor Station: Scheduled Unit Maintenance Proj-52301 (4/7/2025 - 10/31/2025)
Auburn (segment 460)	1,953	1813 (140)	1813 (140)	1813 (140)	1813 (140)	1813 (140)	1813 (140)	1813 (140)	South Main Loop Line west of Ellerslie: Scheduled Pipeline Maintenance Proj-SNG-24943 (4/28/2025 - 5/11/2025) South Main Loop Line west of Ellerslie: Scheduled Pipeline Maintenance Proj-SNG-24944 (4/28/2025 - 5/11/2025)
Ellerslie (segment 490)	1,547	1,547	1,547	1,547	1,547	1,547	1,547	1,547	
Thomaston West (segment 490)	1,535	1495 (40)	1495 (40)	1495 (40)	1495 (40)	1495 (40)	1495 (40)	1495 (40)	Thomaston Compressor Station: Unscheduled Unit Outage Proj-52723 (1/30/2025 - 5/11/2025)
South Atlanta (segment 510)	522	522	522	522	522	522	522	522	
Thomaston East (segment 530)	849	849	849	849	849	849	849	849	
Hall Gate (segment 560)	705	635 (70)	635 (70)	635 (70)	635 (70)	635 (70)	635 (70)	635 (70)	Hall Gate Compressor Station: Scheduled Unit Maintenance Proj-52833 (4/28/2025 - 5/26/2025)
South Georgia (segment 650)	127	127	127	127	127	127	127	127	
Holy Trinity (segment 655)	127	110 (17)	110 (17)	110 (17)	127	127	127	127	Mainline #1 north of Holy Trinity Compressor Station: Scheduled Pipeline Maintenance (4/7/2025 - 4/30/2025)
This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses. Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report. The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.									

SNG - Outage Impact Report Mav 2025 (updated 04/24/25)							-Restrictions to Primary In-Path transportation services may be necessary. -Restrictions to In-Path transportation services may be necessary. -Restrictions to Interruptible and Out of Path transportation services may be necessary. -No anticipated impact to transportation services.
Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Week 1 (4/28 - 5/4)	Week 2 (5/5 - 5/11)	Week 3 (5/12 - 5/18)	Week 4 (5/19 - 5/25)	Week 5 (5/26 - 6/1)	Primary Outage(s)
Est. Operational Capacity (Operational Impact) - Thousand Dth							
Onward (segment 30)	203		123 (80)	123 (80)	203	203	Onward Compressor Station: Scheduled Station Maintenance (5/13/2025 - 5/14/2025) Onward Compressor Station: Scheduled Unit Maintenance, Proj-411511 Proj-411512 (5/5/2025 - 5/9/2025)
Duncanville Lateral (segment 90)	36		36	36	36	36	
Tarrant (segment 130)	563		563	443 (120)	443 (120)	443 (120)	North Main Line west of Tarrant: Scheduled Pipeline Maintenance(PT), Proj-SNG-15331 (M) (5/12/2025 - 5/28/2025)
Dearmanville (segment 150)	346		346	346	346	346	
White Castle (segment 340)	772		772	772	772	772	
LA West Leg (segment 350)	695		695	695	535 (160)	535 (160)	Duck Lake Franklinton Line north of White Castle: Scheduled Pipeline Maintenance, Proj-SNG-2753 (5/22/2025 - 6/5/2025)
Sesh (segment 380)	500		500	434 (66)	452 (48)	500	SESH: Scheduled Maintenance (M) (5/12/2025) SESH: Scheduled Maintenance (M) (5/13/2025 - 5/14/2025) SESH: Scheduled Maintenance (M) (5/15/2025) SESH: Scheduled Maintenance (M) (5/19/2025 - 5/20/2025) SESH: Scheduled Maintenance (M) (5/21/2025)
Gwinville Pool (segment 390)	1,607		1217 (390)	1,607	1,607	1,607	Gwinville Compressor Station: Scheduled Station Maintenance, Proj-5211P5 (4/28/2025 - 5/8/2025)
Gwinville (segment 400)	234		0 (234)	149 (85)	149 (85)	149 (85)	Gwinville Compressor Station: Scheduled Station Maintenance, Proj-5211P5 (4/28/2025 - 5/8/2025) Pickens Compressor Station: Scheduled Unit Maintenance , Proj-41251 (5/12/2025 - 5/30/2025)
Bay Springs (segment 420)	1,675		1,675	1485 (190)	1,675	1,675	Bay Springs Compressor Station: Scheduled Unit Maintenance, Proj-52163 (5/12/2025 - 5/16/2025)
Enterprise (segment 430)	2,306		2103 (203)	2,306	2,306	2,306	Enterprise Compressor Station: Scheduled Station Maintenance, Proj-5222T (5/9/2025)
York (segment 440)	2,305		2125 (180)	2125 (180)	2125 (180)	2125 (180)	York Compressor Station: Scheduled Unit Maintenance, Proj-52301 (4/7/2025 - 10/31/2025)
Selma (segment 460)	2,293		2,293	1993 (300)	1843 (450)	2,293	Elmore Compressor Station: Scheduled Unit Maintenance, Proj-525112 (5/19/2025 - 5/23/2025) South Main Loop Line east of Selma: Scheduled Pipeline Maintenance, Proj-SNG-24945 (5/12/2025 - 5/20/2025)
Auburn (segment 460)	1,953		1813 (140)	1,953	1,953	1,953	South Main Loop Line west of Ellerslie: Scheduled Pipeline Maintenance, Proj-SNG-24943 (4/28/2025 - 5/11/2025) South Main Loop Line west of Ellerslie: Scheduled Pipeline Maintenance, Proj-SNG-24944 (4/28/2025 - 5/11/2025)
Ellerslie (segment 490)	1,547		1,547	1,547	1,547	1,547	
Thomaston West (segment 490)	1,535		1495 (40)	1,535	1,535	1,535	Thomaston Compressor Station: Unscheduled Unit Outage, Proj-52723 (1/30/2025 - 5/11/2025)
South Atlanta (segment 510)	522		522	522	522	522	
Thomaston East (segment 530)	849		849	849	849	849	
Hall Gate (segment 560)	705		635 (70)	635 (70)	635 (70)	635 (70)	Hall Gate Compressor Station: Scheduled Unit Maintenance, Proj-52833 (4/28/2025 - 5/26/2025)
South Georgia (segment 650)	127		127	127	127	127	
Holy Trinity (segment 655)	127		97 (30)	127	127	127	Holy Trinity Compressor Station: Scheduled Unit Maintenance, Proj-58051 (5/5/2025 - 5/9/2025)
This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses. Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report. The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.							

SNG - Outage Impact Report June 2025 (updated 04/24/25)						-Restrictions to Primary In-Path transportation services may be necessary. -Restrictions to In-Path transportation services may be necessary. -Restrictions to Interruptible and Out of Path transportation services may be necessary. -No anticipated impact to transportation services.
Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Week 1 (6/2 - 6/8)	Week 2 (6/9 - 6/15)	Week 3 (6/16 - 6/22)	Week 4 (6/23 - 6/29)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth				
Onward (segment 30)	203	203	203	203	203	
Duncanville Lateral (segment 90)	36	36	36	36	36	
Dearmanville (segment 150)	346	346	346	346	346	
White Castle (segment 340)	772	772	772	772	772	
LA West Leg (segment 350)	695	535 (160)	695	695	695	Duck Lake Franklinton Line north of White Castle: Scheduled Pipeline Maintenance, Proj-SNG-2753 (5/22/2025 - 6/5/2025)
Sesh (segment 380)	500	500	500	500	500	
Gwinville (segment 400)	234	234	234	234	234	
Enterprise (segment 430)	2,306	2,306	2,306	2,306	2,306	
York (segment 440)	2,305	2125 (180)	2125 (180)	2125 (180)	2125 (180)	York Compressor Station: Scheduled Unit Maintenance, Proj-52301 (4/7/2025 - 10/31/2025)
Ellerslie (segment 490)	1,547	1,547	1,547	1,547	1,547	
South Atlanta (segment 510)	522	522	522	522	522	
Thomaston East (segment 530)	849	849	849	849	849	
South Georgia (segment 650)	127	127	127	127	127	
This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses. Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report. The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.						

SNG - Outage Impact Report July 2025 (updated 04/24/25)							-Restrictions to Primary In-Path transportation services may be necessary. -Restrictions to In-Path transportation services may be necessary. -Restrictions to Interruptible and Out of Path transportation services may be necessary. -No anticipated impact to transportation services.
Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Week 1 (6/30 - 7/6)	Week 2 (7/7 - 7/13)	Week 3 (7/14 - 7/20)	Week 4 (7/21 - 7/27)	Week 5 (7/28 - 8/3)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth					
Onward (segment 30)	203	203	203	203	203	203	
Duncanville Lateral (segment 90)	36	36	36	36	36	36	
Dearmanville (segment 150)	346	346	346	346	346	346	
White Castle (segment 340)	772	772	772	772	772	772	
Sesh (segment 380)	500	500	500	500	500	500	
Gwinville (segment 400)	234	234	234	234	234	234	
Enterprise (segment 430)	2,306	2,306	2,306	2,306	2,306	2,306	
York (segment 440)	2,305	2125 (180)	2125 (180)	2125 (180)	2125 (180)	2125 (180)	York Compressor Station: Scheduled Unit Maintenance, Proj-52301 (4/7/2025 - 10/31/2025)
Ellerslie (segment 490)	1,547	1,547	1,547	1,547	1,547	1,547	
South Atlanta (segment 510)	522	522	522	522	522	522	
Thomaston East (segment 530)	849	849	849	849	849	849	
South Georgia (segment 650)	127	127	127	127	127	127	
This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses. Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report. The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.							

SNG - Outage Impact Report August 2025 (updated 04/24/25)						-Restrictions to Primary In-Path transportation services may be necessary. -Restrictions to In-Path transportation services may be necessary. -Restrictions to interruptible and Out of Path transportation services may be necessary. -No anticipated impact to transportation services.
Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Week 1 (8/4 - 8/10)	Week 2 (8/11 - 8/17)	Week 3 (8/18 - 8/24)	Week 4 (8/25 - 8/31)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth				
Onward (segment 30)	203	203	203	203	203	
Duncanville Lateral (segment 90)	36	36	36	36	36	
Dearmanville (segment 150)	346	346	346	346	346	
White Castle (segment 340)	772	772	772	772	772	
LA West Leg (segment 350)	695	695	695	695	535 (160)	Duck Lake Franklinton Line north of White Castle: Scheduled Pipeline Maintenance, Proj-SNG-22856 (8/25/2025 - 8/29/2025)
Sesh (segment 380)	500	500	500	500	500	
Gwinville (segment 400)	234	234	234	234	234	
Enterprise (segment 430)	2,306	2,306	2,306	2,306	2,306	
York (segment 440)	2,305	2125 (180)	2125 (180)	2125 (180)	2125 (180)	York Compressor Station: Scheduled Unit Maintenance, Proj-52301 (4/7/2025 - 10/31/2025)
Ellerslie (segment 490)	1,547	1,547	1,547	1,547	1,547	
South Atlanta (segment 510)	522	522	522	522	522	
Thomaston East (segment 530)	849	849	849	849	849	
South Georgia (segment 650)	127	127	127	127	127	
This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses. Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report. The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.						