

SNG - Outage Impact Report Seven Day Forecast (updated 08/27/26)									-Restrictions to Primary In-Path transportation services may be necessary. -Restrictions to In-Path transportation services may be necessary. -Restrictions to Interruptible and Out of Path transportation services may be necessary. -No anticipated impact to transportation services.
Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Monday (8/31)	Tuesday (9/1)	Wednesday (9/2)	Thursday (9/3)	Friday (9/4)	Saturday (9/5)	Sunday (9/6)	Primary Outage(s) that may Impact Throughput
		Est. Operational Capacity (Operational Impact) - Thousand Dth							
Onward (segment 30)	203	203	203	203	203	203	203	203	
Duncanville Lateral (segment 90)	36	36	36	36	36	36	36	36	
Tarrant (segment 130)	563	538 (25)	538 (25)	538 (25)	538 (25)	538 (25)	538 (25)	538 (25)	North Main loop line east of Tarrant: Scheduled Pipeline Maintenance(remediation) Proj-SNG-20917 (8/25/2026 - 9/11/2026) Tarrant Compressor Station: Scheduled Unit Maintenance(panel) Proj-4152-7-8-9 (7/20/2026 - 9/25/2026)
Dearmanville (segment 150)	346	346	346	346	346	346	346	346	
White Castle (segment 340)	760	735 (25)	735 (25)	735 (25)	735 (25)	735 (25)	735 (25)	735 (25)	White Castle Compressor Station: Scheduled Unit Maintenance Proj-5010-7 (8/31/2026 - 9/20/2026)
Sesh (segment 380)	506	506	506	506	506	506	506	506	
Gwinville (segment 400)	234	194 (40)	194 (40)	194 (40)	194 (40)	194 (40)	194 (40)	194 (40)	Gwinville Compressor Station: Unscheduled Unit Outage Proj-5211-1 (8/24/2026 - 9/6/2026)
Bay Springs (segment 420)	1,675	1595 (80)	1595 (80)	1595 (80)	1595 (80)	1595 (80)	1595 (80)	1595 (80)	Bay Springs Compressor Station: Scheduled Unit Maintenance Proj-52161 (7/8/2025 - 10/31/2026)
Enterprise (segment 430)	2,306	2126 (180)	2126 (180)	2126 (180)	2126 (180)	2126 (180)	2126 (180)	2126 (180)	Enterprise Compressor Station: Scheduled Unit Maintenance Proj-5222-15 (8/3/2026 - 10/18/2026) South Main line east of Enterprise: Unscheduled Pipeline Maintenance - CAO (5/30/2026 - 12/31/2026) South Main line east of Enterprise: Unscheduled Pipeline Maintenance(remediation) Proj-SNG-42847 (8/3/2026 - 10/31/2026)
Ellerslie (segment 490)	1,547	1,547	1,547	1,547	1,547	1,547	1,547	1,547	
South Atlanta (segment 510)	522	522	522	522	522	522	522	522	
Thomaston East (segment 530)	849	849	849	849	849	849	849	849	
South Georgia (segment 650)	127	127	127	127	127	127	127	127	
This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses. Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report. The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.									

SNG - Outage Impact Report September 2026 (updated 08/27/26)						-Restrictions to Primary In-Path transportation services may be necessary. -Restrictions to In-Path transportation services may be necessary. -Restrictions to Interruptible and Out of Path transportation services may be necessary. -No anticipated impact to transportation services.
Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Week 1 (8/31 - 9/6)	Week 2 (9/7 - 9/13)	Week 3 (9/14 - 9/20)	Week 4 (9/21 - 9/27)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth				
Onward (segment 30)	203		203	203	203	
Duncanville Lateral (segment 90)	36		36	36	36	
Tarrant (segment 130)	563		538 (25)	543 (20)	518 (45)	North Main loop line east of Tarrant: Scheduled Pipeline Maintenance(remediation), Proj-SNG-20917 (8/25/2026 - 9/11/2026) Tarrant Compressor Station: Scheduled Unit Maintenance(panel), Proj-4152-11-13 (9/22/2026 - 10/9/2026) Tarrant Compressor Station: Scheduled Unit Maintenance(panel), Proj-4152-7-8-9 (7/20/2026 - 9/25/2026)
Dearmanville (segment 150)	346		346	346	346	
White Castle (segment 340)	760		735 (25)	735 (25)	760	White Castle Compressor Station: Scheduled Unit Maintenance, Proj-5010-7 (8/31/2026 - 9/20/2026)
Sesh (segment 380)	506		506	506	506	
Gwinville (segment 400)	234		154 (80)	154 (80)	154 (80)	Pickens Compressor Station: Scheduled Unit Maintenance, Proj-4125-2 (9/8/2026 - 10/4/2026)
Bay Springs (segment 420)	1,675		1595 (80)	1595 (80)	1595 (80)	Bay Springs Compressor Station: Scheduled Unit Maintenance, Proj-52161 (7/8/2025 - 10/31/2026)
Enterprise (segment 430)	2,306		2126 (180)	2126 (180)	2126 (180)	Enterprise Compressor Station: Scheduled Unit Maintenance, Proj-5222-15 (8/3/2026 - 10/18/2026) South Main line east of Enterprise: Unscheduled Pipeline Maintenance - CAO (5/30/2026 - 12/31/2026) South Main line east of Enterprise: Unscheduled Pipeline Maintenance(remediation), Proj-SNG-42847 (8/3/2026 - 10/31/2026)
York 'ZONE 1/2 BOUNDARY' (segment 440)	2,305		2010 (295)	2,305	2,305	York Compressor Station: Scheduled Station Maintenance, Proj-5230 (9/7/2026 - 9/8/2026)
Gallion (Segment 440)	2,300		2,300	2,300	2030 (270)	Gallion Compressor Station: Scheduled Unit Maintenance, Proj-5236-10 (9/21/2026 - 10/21/2026) Gallion Compressor Station: Scheduled Unit Maintenance, Proj-5236-9 (9/21/2026 - 10/21/2026)
Ellerslie (segment 490)	1,547		1,547	1,547	1,547	
Thomaston West (segment 490)	1,535		1,535	1,535	1410 (125)	Thomaston Compressor Station: Scheduled Station Maintenance, Proj-5272 (9/21/2026 - 9/25/2026)
South Atlanta (segment 510)	522		522	522	522	
Thomaston East (segment 530)	849		849	849	849	
Ocmulgee (segment 530)	804		804	659 (145)	804	Ocmulgee Compressor Station: Scheduled Unit Maintenance, Proj-5277-6 (9/14/2026 - 9/20/2026)
Hall Gate (segment 560)	705		705	615 (90)	705	Hall Gate Compressor Station: Scheduled Unit Maintenance, Proj-5283-3 (9/14/2026 - 9/15/2026)
East/South Wrens (segment 560)	680		585 (95)	680	680	Wrens Compressor Station: Scheduled Unit Maintenance, Proj-5288-4 (9/8/2026 - 9/11/2026)
South Georgia (segment 650)	127		127	127	127	
This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses. Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report. The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.						

SNG - Outage Impact Report October 2026 (updated 08/27/26)							-Restrictions to Primary In-Path transportation services may be necessary. -Restrictions to In-Path transportation services may be necessary. -Restrictions to Interruptible and Out of Path transportation services may be necessary. -No anticipated impact to transportation services.
Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Week 1 (9/28 - 10/4)	Week 2 (10/5 - 10/11)	Week 3 (10/12 - 10/18)	Week 4 (10/19 - 10/25)	Week 5 (10/26 - 11/1)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth					
Onward (segment 30)	203	203	203	203	203	203	
Louisville East (segment 50)	520	330 (190)	520	520	520	520	Louisville Compressor Station: Scheduled Unit Maintenance, Proj-4132-10(LS) (9/28/2026 - 9/29/2026)
Duncanville Lateral (segment 90)	36	36	36	36	36	36	
Tarrant (segment 130)	563	518 (45)	518 (45)	538 (25)	538 (25)	538 (25)	Tarrant Compressor Station: Scheduled Unit Maintenance(panel), Proj-4152-11-13 (9/22/2026 - 10/9/2026) Tarrant Compressor Station: Scheduled Unit Maintenance(panel), Proj-4152-12 (10/17/2026 - 10/31/2026)
Pell City Station (segment 140)	474	474	229 (245)	474	474	474	North Main loop line west of Dearmanville: Scheduled Pipeline Maintenance(remediation), Proj-4165(WB) (10/5/2026 - 10/11/2026)
Dearmanville (segment 150)	346	346	346	346	346	346	
White Castle (segment 340)	760	760	760	760	700 (60)	700 (60)	White Castle Compressor Station: Scheduled Unit Maintenance, Proj-5010-8 (10/19/2026 - 10/30/2026)
Sesh (segment 380)	500	500	500	500	500	500	
Gwinville (segment 400)	234	154 (80)	234	234	234	234	Pickens Compressor Station: Scheduled Unit Maintenance, Proj-4125-2 (9/8/2026 - 10/4/2026)
Bay Springs (segment 420)	1,675	1595 (80)	1595 (80)	1595 (80)	1595 (80)	1560 (115)	Bay Springs Compressor Station: Scheduled Unit Maintenance, Proj-5216-1 (11/1/2026 - 3/31/2027) Bay Springs Compressor Station: Scheduled Unit Maintenance, Proj-52161 (7/8/2025 - 10/31/2026)
Enterprise (segment 430)	2,306	2126 (180)	2126 (180)	2126 (180)	2166 (140)	2166 (140)	Enterprise Compressor Station: Scheduled Unit Maintenance, Proj-5222-15 (8/3/2026 - 10/18/2026) South Main line east of Enterprise: Unscheduled Pipeline Maintenance - CAO (5/30/2026 - 12/31/2026) South Main line east of Enterprise: Unscheduled Pipeline Maintenance(remediation), Proj-SNG-42847 (8/3/2026 - 10/31/2026)
York 'ZONE 1/2 BOUNDARY' (segment 440)	2,305	2,305	2,305	2215 (90)	2215 (90)	2215 (90)	York Compressor Station: Scheduled Unit Maintenance, Proj-5230-1 (10/12/2026 - 11/1/2026)
Gallion (Segment 440)	2,300	2030 (270)	2030 (270)	2030 (270)	2030 (270)	2145 (155)	Gallion Compressor Station: Scheduled Unit Maintenance, Proj-5236-10 (9/21/2026 - 10/21/2026) Gallion Compressor Station: Scheduled Unit Maintenance, Proj-5236-9 (9/21/2026 - 10/21/2026) South Main loop line east of Gallion: Scheduled Pipeline Maintenance(remediation), Proj-SNG-22002 (10/26/2026 - 11/1/2026)
Elmore (segment 460)	2,010	2,010	1915 (95)	2,010	2,010	2,010	Elmore Compressor Station: Scheduled Unit Maintenance, Proj-5251B (10/6/2026 - 10/8/2026)
Ellerslie (segment 490)	1,547	1,547	1,547	1,547	1,547	1,547	
Thomaston West (segment 490)	1,535	1,535	1,535	1,535	1520 (15)	1,535	Thomaston Compressor Station: Scheduled Unit Maintenance, Proj-5272-1 (10/19/2026 - 10/25/2026)
South Atlanta (segment 510)	522	522	522	522	522	522	
Thomaston East (segment 530)	849	849	849	849	849	849	
Ocmulgee (segment 530)	804	659 (145)	804	804	804	804	Ocmulgee Compressor Station: Scheduled Unit Maintenance, Proj-5277-6 (9/28/2026 - 10/4/2026)
East/South Wrens (segment 560)	680	590 (90)	680	680	590 (90)	680	Wrens Compressor Station: Scheduled Unit Maintenance, Proj-5288-5 (10/19/2026 - 10/23/2026) Wrens Compressor Station: Scheduled Unit Maintenance, Proj-5288-5 (9/28/2026 - 10/2/2026)
South Georgia (segment 650)	127	127	127	127	127	127	
This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses. Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report. The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.							

SNG - Outage Impact Report November 2026 (updated 08/27/26)						-Restrictions to Primary In-Path transportation services may be necessary. -Restrictions to In-Path transportation services may be necessary. -Restrictions to Interruptible and Out of Path transportation services may be necessary. -No anticipated impact to transportation services.
Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Week 1 (11/2 - 11/8)	Week 2 (11/9 - 11/15)	Week 3 (11/16 - 11/22)	Week 4 (11/23 - 11/29)	Primary Outage(s)
Est. Operational Capacity (Operational Impact) - Thousand Dth						
Onward (segment 30)	209	209	209	209	209	
Duncanville Lateral (segment 90)	36	36	36	36	36	
Tarrant (segment 130)	539	524 (15)	524 (15)	539	539	Tarrant Compressor Station: Scheduled Unit Maintenance(panel), Proj-4152-9 (11/2/2026 - 11/15/2026)
Dearmanville (segment 150)	355	355	355	355	355	
White Castle (segment 340)	798	798	798	798	798	
Sesh (segment 380)	500	500	500	500	500	
Gwinville (segment 400)	234	234	234	234	234	
Bay Springs (segment 420)	1,817	1702 (115)	1702 (115)	1702 (115)	1702 (115)	Bay Springs Compressor Station: Scheduled Unit Maintenance, Proj-5216-1 (11/1/2026 - 3/31/2027)
Enterprise (segment 430)	2,450	2310 (140)	2310 (140)	2310 (140)	2310 (140)	South Main line east of Enterprise: Unscheduled Pipeline Maintenance - CAO (5/30/2026 - 12/31/2026)
Ellerslie (segment 490)	1,663	1,663	1,663	1,663	1,663	
South Atlanta (segment 510)	537	537	537	537	537	
Thomaston East (segment 530)	900	900	900	900	900	
South Georgia (segment 650)	143	143	143	143	143	
This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses. Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report. The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.						

SNG - Outage Impact Report
December 2026 (updated 08/27/26)

-Restrictions to Primary In-Path transportation services may be necessary.
-**Restrictions to In-Path transportation services may be necessary.**
-**Restrictions to Interruptible and Out of Path transportation services may be necessary.**
-No anticipated impact to transportation services.

SNG - Outage Impact Report December 2026 (updated 08/27/26)							-Restrictions to Primary In-Path transportation services may be necessary. -Restrictions to In-Path transportation services may be necessary. -Restrictions to Interruptible and Out of Path transportation services may be necessary. -No anticipated impact to transportation services.
Station / Seg	Est Nominal Design Capacity (Thousand Dth)	Week 1 (11/30 - 12/6)	Week 2 (12/7 - 12/13)	Week 3 (12/14 - 12/20)	Week 4 (12/21 - 12/27)	Week 5 (12/28 - 1/3)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth					
Onward (segment 30)	209	209	209	209	209	209	
Duncanville Lateral (segment 90)	36	36	36	36	36	36	
Dearmanville (segment 150)	355	355	355	355	355	355	
White Castle (segment 340)	798	798	798	798	798	798	
Sesh (segment 380)	500	500	500	500	500	500	
Gwinville (segment 400)	234	234	234	234	234	234	
Bay Springs (segment 420)	1,817	1702 (115)	1702 (115)	1702 (115)	1702 (115)	1702 (115)	Bay Springs Compressor Station: Scheduled Unit Maintenance, Proj-5216-1 (11/1/2026 - 3/31/2027)
Enterprise (segment 430)	2,450	2310 (140)	2310 (140)	2310 (140)	2310 (140)	2310 (140)	South Main line east of Enterprise: Unscheduled Pipeline Maintenance - CAO (5/30/2026 - 12/31/2026)
Ellerslie (segment 490)	1,663	1,663	1,663	1,663	1,663	1,663	
South Atlanta (segment 510)	537	537	537	537	537	537	
Thomaston East (segment 530)	900	900	900	900	900	900	
South Georgia (segment 650)	143	143	143	143	143	143	

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.
Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report.
The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.