

TGP - Outage Impact Report
Seven Day Forecast (updated 07/12/18)

-Primary impact restrictions may be necessary
-**Major impact restrictions may be necessary**
-Minor impact restrictions may be necessary depending on flow conditions
-Little to no impact, though minor outages may cause incremental reductions

| Station # / Lateral (FH)=forward haul (BH)=backward haul | Est Nominal Design Capacity (Thousand Dth) | Saturday (7/14) | Sunday (7/15) | Monday (7/16) | Tuesday (7/17) | Wednesday (7/18) | Thursday (7/19) | Friday (7/20) | Primary Outage(s) that may Impact Throughput |
|--|--|---|---------------|---------------|----------------|------------------|-----------------|---------------|---|
| | | Est. Operational Capacity (Operational Impact) - Thousand Dth | | | | | | | |
| Station 409 (Donna Line) (segment 490 FH) | 562 | 562 | 562 | 562 | 562 | 562 | 562 | 562 | |
| Station 1 (segment 101 BH) | 238 | 135 (103) | 135 (103) | 135 (103) | 135 (103) | 135 (103) | 135 (103) | 135 (103) | MLV 1-1D to MLV 9-1S: Force Majeure (6/14/2018 - TBD) |
| Station 9 (segment 109 BH) | 739 | 500 (239) | 500 (239) | 500 (239) | 500 (239) | 500 (239) | 500 (239) | 500 (239) | MLV 1-1D to MLV 9-1S: Remediation (1/18/2018 - 8/31/2018) MLV 1-1D to MLV 9-1S: Force Majeure (6/14/2018 - TBD) |
| Sta. 87 100 Leg (segment 163 BH) | 1,378 | 1060 (318) | 1060 (318) | 1060 (318) | 1060 (318) | 1060 (318) | 1060 (318) | 1060 (318) | Station 79: Station Reversal (8/1/2017 - 8/31/2018) |
| MLV 843 (segment 834 BH) | 341 | 341 | 341 | 341 | 341 | 341 | 341 | 341 | |
| Station 860 (segment 548 BH) | 1,336 | 1,336 | 1,336 | 1210 (126) | 1210 (126) | 1210 (126) | 1210 (126) | 1210 (126) | Sta 550: Repair 3A Discharge Load Line Saddle Pad (7/16/2018 - 7/22/2018) |
| Station 87 500 Leg (Segment 860 BH) | 1,464 | 1175 (289) | 1175 (289) | 1175 (289) | 1175 (289) | 1175 (289) | 1175 (289) | 1175 (289) | MLVS 560-2: Prepare 500-1 for Hydrotest - 562-1 to 563-1 (6/22/2018 - 7/17/2018) MLVS 560-2: Prepare 500-1 for Hydrotest - PT 561-1 to 562-1 (6/11/2018 - 7/17/2018) MLVS 560-2: Reconnect Hydrotest Segment - 560-1 to 561-1 (7/5/2018 - 7/17/2018) MLVS 560-2: Reconnect Hydrotest Segment 562-1 to 563-1 (7/10/2018 - 7/14/2018) Sta 563: Tie-In to 500-1, 500-2, & 800-1 (6/25/2018 - 7/27/2018) |
| Station 110 (segment 187 BH) (south thru Kentucky) | 2,369 | 2300 (69) | 2300 (69) | 2200 (169) | 2200 (169) | 2200 (169) | 2300 (69) | 2300 (69) | Sta 87: Building C: Valve Maintenance (7/16/2018 - 7/18/2018) MLV 106-4D to MLV 200-1S: Remediation (6/7/2018 - 7/27/2018) Sta 106: Unit 1C: Unit Maintenance (4/2/2018 - 7/27/2018) MLV 866-1D to MLV 871-1: Remediation (7/9/2018 - 7/20/2018) |
| Station 114 (segment 114 BH) | 711 | 240 (471) | 240 (471) | 240 (471) | 240 (471) | 240 (471) | 240 (471) | 240 (471) | MLV 110-2 to MLV 114-2: Pig runs - Cleaning / Gauge 7/10/18, MFL 7/12/18, Hard Spot Tool 7/17/18 (M) (7/10/2018 - 7/17/2018) MLV 110-6 to MLV 114-6: Pig runs - Cleaning / Gauge 6/26/18-6/27/18, MFL 7/19/18 (6/26/2018 - 7/19/2018) MLVS 118-3: Make Piggable (6/18/2018 - 7/30/2018) MLV 118-3 to MLV 121-2: Remediation (6/4/2018 - 7/31/2018) MLVS 122: Broad Run Cornwell Meter: Emergent Repair (M) (8/8/2017 - 7/31/2018) |
| Station 204 (Segment 204 BH) | 1,843 | 1810 (33) | 1810 (33) | 1810 (33) | 1660 (183) | 1810 (33) | 1660 (183) | 1810 (33) | Sta 200: Unit 5A: Inspection (7/16/2018 - 7/20/2018) MLV 200-2D to MLV 204-2: Pig runs - Cleaning Gauge 7/12, MFL 7/17, Caliper 7/19 (M) (7/12/2018 - 7/19/2018) MLV 209-1 to MLV 214-1: Pig runs - Cleaning / Gauge 6/26/18, MFL 7/24/18, Hard spot 7/26/18 (M) (6/26/2018 - 7/26/2018) MLV 209-3 to MLV 214-3: Pig runs - Cleaning / Gauge 6/28/18, MFL 7/31/18, Hard spot 8/02/18 (6/28/2018 - 8/2/2018) Sta 214: Unit 10A: Compressor Maintenance (7/18/2018 - 7/20/2018) Sta 214: Unit 11A: Compressor Maintenance (7/9/2018 - 7/18/2018) |
| Station 230C (segment 296 FH) | 743 | 743 | 743 | 743 | 743 | 743 | 410 (333) | 410 (333) | 230B-101 TO 230B-106: Make Piggable (7/9/2018 - 7/18/2018) 230B-201 TO 230B-206A: Make Piggable (7/19/2018 - 7/28/2018) |
| Station 245 (segment 245 FH) | 1,014 | 970 (44) | 970 (44) | 970 (44) | 970 (44) | 970 (44) | 970 (44) | 970 (44) | Sta 241: Unit 1B: Unit Maintenance (7/16/2018 - 7/27/2018) Sta 249: Unit 2A: Unit Maintenance (7/9/2018 - 7/20/2018) |
| MLV 260 (segment 260 FH) | 1,121 | 1005 (116) | 1005 (116) | 1005 (116) | 1005 (116) | 1005 (116) | 1005 (116) | 1086 (35) | MLV 254-1 to MLV 261-1: Remediation - Phase 1 (4/2/2018 - 7/23/2018) Sta 254: Building A: Automation Upgrade - 2 weeks/unit - up to 2 units may be down at a same time (6/1/2018 - 7/29/2018) Sta 261: D Building: Silencer Replacement (6/4/2018 - 7/19/2018) |
| Station 307 (segment 307 BH) | 1,078 | 1,078 | 1,078 | 1,078 | 1015 (63) | 1015 (63) | 1015 (63) | 1015 (63) | Sta 307: Annual ESD Test (7/17/2018 - 7/20/2018) MLVS 310: New Meter Install (4/16/2018 - 8/31/2018) |
| Station 315 (segment 315 BH) | 1,924 | 1,924 | 1,924 | 1,924 | 1,924 | 1,924 | 1,924 | 1,924 | Sta 317: Unit 1B: Compressor Maintenance (6/1/2018 - 7/31/2018) Sta 317: Unit 1B: Electric Company Outage (7/13/2018 - 7/16/2018) |
| Sta. 325 (segment 324 FH) | 1,601 | 1400 (201) | 1400 (201) | 1400 (201) | 1400 (201) | 1400 (201) | 1400 (201) | 1400 (201) | MLV 321-1 to MLV 325-1: Remediation (6/18/2018 - 7/20/2018) Sta 321: Annual ESD Test (7/19/2018 - 7/19/2018) MLVS 323: Line 1: Pig runs- Maintenance (7/1/2018 - 7/31/2018) Sta 323A: Unit 2A: Unit Maintenance (7/16/2018 - 7/20/2018) MLV 326-1 to MLV 327-1: Emergent Repair (5/10/2018 - 9/17/2018) |

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.
Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates within this forecasted on this report.
The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

| Outage Capacity Impact Report July 2018 (updated 07/12/18) | | | | | | -Primary impact restrictions may be necessary |
|---|--|-------------|--------------|---------------|---------------|---|
| | | | | | | -Major impact restrictions may be necessary |
| | | | | | | -Minor impact restrictions may be necessary depending on flow conditions |
| | | | | | | -Little to no impact, though minor outages may cause incremental reductions |
| Station # / Lateral | Est Nominal Design Capacity (Thousand Dth) | Week 1 | Week 2 | Week 3 | Week 4 | Primary Outage(s) |
| | | (7/2 - 7/8) | (7/9 - 7/15) | (7/16 - 7/22) | (7/23 - 7/29) | |
| Est. Operational Capacity (Operational Impact) - Thousand Dth | | | | | | |
| Station 409 (Donna Line) (segment 490 FH) | 562 | | | 562 | 562 | |
| Station 1 (segment 101 BH) | 238 | | | 135 (103) | 135 (103) | MLV 1-1D to MLV 9-1S: Force Majeure (6/14/2018 - TBD) |
| Station 9 (segment 109 BH) | 739 | | | 500 (239) | 500 (239) | MLV 1-1D to MLV 9-1S: Remediation (1/18/2018 - 8/31/2018) MLV 1-1D to MLV 9-1S: Force Majeure (6/14/2018 - TBD) Jackson Meter: Modification (M) (7/27/2018 - 7/29/2018) Ganado Meter: Modification (M) (7/27/2018 - 7/29/2018) |
| Sta. 87 100 Leg (segment 163 BH) | 1,378 | | | 1060 (318) | 1060 (318) | Station 79: Station Reversal (8/1/2017 - 8/31/2018) |
| MLV 843 (segment 834 BH) | 341 | | | 341 | 341 | |
| Sta 847 (segment 847 BH) | 249 | | | 249 | 0 (249) | MLV 851-1 to MLV 852-1: Spike Test (7/26/2018 - 9/8/2018) MLV 856-1 to MLV 859-1: Pig runs - Cleaning 7/10/18, Gauge 7/11/18, MFL 7/12/18, Hard Spot 7/17/18 (7/10/2018 - 7/17/2018) |
| Station 860 (segment 548 BH) | 1,336 | | | 1210 (126) | 1,336 | Sta 550: Repair 3A Discharge Load Line Saddle Pad (7/16/2018 - 7/22/2018) |
| Station 87 500 Leg (Segment 860 BH) | 1,464 | | | 1175 (289) | 1175 (289) | MLVS 560-2: Prepare 500-1 for Hydrotest - 562-1 to 563-1 (6/22/2018 - 7/17/2018) MLVS 560-2: Prepare 500-1 for Hydrotest - PT 561-1 to 562-1 (6/11/2018 - 7/17/2018) MLVS 560-2: Reconnect Hydrotest Segment - 560-1 to 561-1 (7/5/2018 - 7/17/2018) Sta 563: Tie-In to 500-1, 500-2, & 800-1 (6/25/2018 - 7/27/2018) |
| Station 110 (segment 187 BH) (south thru Kentucky) | 2,369 | | | 2200 (169) | 2250 (119) | Sta 87: Building C: Valve Maintenance (7/16/2018 - 7/18/2018) Sta 87: Unit 1E: Unit Maintenance (7/23/2018 - 8/18/2018) MLV 106-4D to MLV 200-1S: Remediation (6/7/2018 - 7/27/2018) Sta 106: Unit 1C: Unit Maintenance (4/2/2018 - 7/27/2018) MLV 866-1D to MLV 871-1: Remediation (7/9/2018 - 7/20/2018) MLV 871-1 to MLV 876-1: Remediation (7/23/2018 - 8/31/2018) |
| Station 114 (segment 114 BH) | 711 | | | 240 (471) | 240 (471) | MLV 110-2 to MLV 114-2: Pig runs - Cleaning / Gauge 7/10/18, MFL 7/12/18, Hard Spot Tool 7/17/18 (M) (7/10/2018 - 7/17/2018) MLV 110-6 to MLV 114-6: Pig runs - Cleaning / Gauge 6/26/18-6/27/18, MFL 7/19/18 (6/26/2018 - 7/19/2018) MLVS 118-3: Make Piggable (6/18/2018 - 7/30/2018) MLV 118-3 to MLV 121-2: Remediation (6/4/2018 - 7/31/2018) MLVS 122: Broad Run Cornwell Meter: Emergent Repair (M) (8/8/2017 - 7/31/2018) |
| Station 204 (Segment 204 BH) | 1,843 | | | 1660 (183) | 1700 (143) | Sta 200: Unit 5A: Inspection (7/16/2018 - 7/20/2018) MLV 200-2D to MLV 204-2: Pig runs - Cleaning Gauge 7/12, MFL 7/17, Caliper 7/19 (M) (7/12/2018 - 7/19/2018) MLV 209-1 to MLV 214-1: Pig runs - Cleaning / Gauge 6/26/18, MFL 7/24/18, Hard spot 7/26/18 (M) (6/26/2018 - 7/26/2018) MLV 209-3 to MLV 214-3: Pig runs - Cleaning / Gauge 6/28/18, MFL 7/31/18, Hard spot 8/02/18 (6/28/2018 - 8/2/2018) Sta 214: Unit 10A: Compressor Maintenance (7/18/2018 - 7/20/2018) Sta 214: Unit 11A: Compressor Maintenance (7/9/2018 - 7/18/2018) |
| Station 230C (segment 296 FH) | 743 | | | 410 (333) | 410 (333) | 230B-101 TO 230B-106: Make Piggable (7/9/2018 - 7/18/2018) 230B-201 TO 230B-206A: Make Piggable (7/19/2018 - 7/28/2018) |
| Station 245 (segment 245 FH) | 1,014 | | | 970 (44) | 995 (19) | Sta 241: Unit 1B: Unit Maintenance (7/16/2018 - 7/27/2018) Sta 249: Unit 2A: Unit Maintenance (7/9/2018 - 7/20/2018) |
| MLV 260 (segment 260 FH) | 1,121 | | | 1005 (116) | 1086 (35) | MLV 254-1 to MLV 261-1: Remediation - Phase 1 (4/2/2018 - 7/23/2018) Sta 254: Building A: Automation Upgrade - 2 weeks/unit - up to 2 units may be down at a same time (6/1/2018 - 7/29/2018) Sta 261: D Building: Silencer Replacement (6/4/2018 - 7/19/2018) |
| Station 307 (segment 307 BH) | 1,078 | | | 1015 (63) | 1,078 | Sta 307: Annual ESD Test (7/17/2018 - 7/20/2018) MLVS 310: New Meter Install (4/16/2018 - 8/31/2018) |
| Station 315 (segment 315 BH) | 1,924 | | | 1750 (174) | 1750 (174) | Sta 317: Standby Generator (7/21/2018 - 7/26/2018) Sta 317: Unit 1B: Compressor Maintenance (6/1/2018 - 7/31/2018) Sta 317: Unit 1B: Electric Company Outage (7/13/2018 - 7/16/2018) |
| Sta. 325 (segment 324 FH) | 1,601 | | | 1400 (201) | 1400 (201) | MLV 321-1 to MLV 325-1: Remediation (6/18/2018 - 7/20/2018) Sta 321: Annual ESD Test (7/19/2018 - 7/19/2018) MLVS 323: Line 1: Pig runs- Maintenance (7/1/2018 - 7/31/2018) Sta 323A: Unit 2A: Unit Maintenance (7/16/2018 - 7/20/2018) MLV 326-1 to MLV 327-1: Emergent Repair (5/10/2018 - 9/17/2018) |

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.
Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates within this forecasted on this report.
The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

| Outage Capacity Impact Report August 2018 (updated 07/12/18) | | | | | | | -Primary impact restrictions may be necessary |
|---|--|---------------------|---------------------|----------------------|----------------------|---------------------|---|
| | | | | | | | -Major impact restrictions may be necessary |
| | | | | | | | -Minor impact restrictions may be necessary depending on flow conditions |
| | | | | | | | -Little to no impact, though minor outages may cause incremental reductions |
| Station # / Lateral | Est Nominal Design Capacity (Thousand Dth) | Week 1 (7/30 - 8/5) | Week 2 (8/6 - 8/12) | Week 3 (8/13 - 8/19) | Week 4 (8/20 - 8/26) | Week 5 (8/27 - 9/2) | Primary Outage(s) |
| Est. Operational Capacity (Operational Impact) - Thousand Dth | | | | | | | |
| Station 409 (Donna Line) (segment 490 FH) | 562 | 562 | 562 | 562 | 562 | 562 | |
| Station 1 (segment 101 BH) | 238 | 135 (103) | 135 (103) | 135 (103) | 135 (103) | 135 (103) | MLV 1-1D to MLV 9-1S: Force Majeure (6/14/2018 - TBD) |
| Station 9 (segment 109 BH) | 739 | 500 (239) | 500 (239) | 500 (239) | 500 (239) | 500 (239) | MLV 1-1D to MLV 9-1S: Remediation (1/18/2018 - 8/31/2018) MLV 1-1D to MLV 9-1S: Force Majeure (6/14/2018 - TBD) MLV 17-1S to MLV 9-1D: Pig runs - Cleaning 8/20 - 8/24, AFD 8/28, EMAT 8/30 (8/20/2018 - 8/30/2018) Sta 32: Replace Jacket Water Tank (8/6/2018 - 8/12/2018) |
| Sta. 87 100 Leg (segment 163 BH) | 1,378 | 1060 (318) | 1060 (318) | 1060 (318) | 1060 (318) | 1060 (318) | Station 79: Station Reversal (8/1/2017 - 8/31/2018) |
| MLV 843 (segment 834 BH) | 341 | 341 | 341 | 341 | 341 | 341 | |
| Sta 847 (segment 847 BH) | 249 | 0 (249) | 0 (249) | 0 (249) | 0 (249) | 0 (249) | MLV 851-1 to MLV 852-1: Spike Test (7/26/2018 - 9/8/2018) |
| Station 860 (segment 548 BH) | 1,336 | 1,336 | 1,336 | 1,336 | 1,336 | 1,336 | |
| Station 110 (segment 187 BH) (south thru Kentucky) | 2,369 | 2250 (119) | 2250 (119) | 2250 (119) | 2300 (69) | 2300 (69) | Sta 87: Unit 8C: Unit Maintenance (8/20/2018 - 8/31/2018) Sta 87: Unit 1E: Unit Maintenance (7/23/2018 - 8/18/2018) MLV 105-2L to MLV 106-2S: Remediation (8/20/2018 - 8/27/2018) MLV 108-2 to MLV 110-2: Pipe Replacement (8/7/2018 - 10/15/2018) MLV 871-1 to MLV 876-1: Remediation (7/23/2018 - 8/31/2018) |
| Station 114 (segment 114 BH) | 711 | 240 (471) | 711 | 711 | 711 | 711 | MLVS 118-3: Make Piggable (6/18/2018 - 7/30/2018) MLV 118-3 to MLV 121-2: Remediation (6/4/2018 - 7/31/2018) MLVS 122: Broad Run Cornwell Meter: Emergent Repair (M) (8/8/2017 - 7/31/2018) |
| Station 204 (Segment 204 BH) | 1,843 | 1630 (213) | 1,843 | 1350 (493) | 1,843 | 1,843 | MLV 209-4 to MLV 204-4: Pig runs - Cleaning / Gauge 8/14/18, MFL 8/16/18 (8/14/2018 - 8/16/2018) MLV 209-3 to MLV 214-3: Pig runs - Cleaning / Gauge 6/28/18, MFL 7/31/18, Hard spot 8/02/18 (6/28/2018 - 8/2/2018) Sta 214: Electrical Maintenance (8/3/2018 - 8/3/2018) MLVS 217: New Meter Hot Taps for Hickory Run (7/31/2018 - 7/31/2018) |
| Station 230C (segment 296 FH) | 743 | 743 | 743 | 410 (333) | 743 | 743 | 230B-101 TO 230B-106: Make Piggable (8/7/2018 - 8/7/2018) 230B-201 TO 230B-206A: Make Piggable (8/14/2018 - 8/14/2018) |
| Station 245 (segment 245 FH) | 1,014 | 1,014 | 1,014 | 1,014 | 1,014 | 1,014 | |
| MLV 260 (segment 260 FH) | 1,121 | 1,121 | 1,121 | 1,121 | 980 (141) | 980 (141) | Sta 261: A Building: BPS Upgrade (8/20/2018 - 8/30/2018) Sta 261; Unit 4A: Automation Upgrade (8/20/2018 - 9/7/2018) |
| Station 307 (segment 307 BH) | 1,078 | 1,078 | 1,078 | 1,078 | 1,078 | 1,078 | MLVS 310: New Meter Install (4/16/2018 - 8/31/2018) |
| Station 315 (segment 315 BH) | 1,924 | 1,924 | 1,924 | 1875 (49) | 1,924 | 1,924 | MLV 315-2 to MLV 317-2: Remediation (8/13/2018 - 8/17/2018) Sta 317: Unit 1B: Compressor Maintenance (6/1/2018 - 7/31/2018) |
| Sta. 325 (segment 324 FH) | 1,601 | 1400 (201) | 1400 (201) | 1400 (201) | 1400 (201) | 1400 (201) | MLVS 323: Line 1: Pig runs- Maintenance (7/1/2018 - 7/31/2018) MLV 326-1 to MLV 327-1: Emergent Repair (5/10/2018 - 9/17/2018) |

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.
Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates within this forecasted on this report.
The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

| Outage Capacity Impact Report September 2018 (updated 07/12/18) | | | | | | -Primary impact restrictions may be necessary |
|--|--|--------------------|----------------------|----------------------|----------------------|--|
| | | | | | | -Major impact restrictions may be necessary |
| | | | | | | -Minor impact restrictions may be necessary depending on flow conditions |
| | | | | | | -Little to no impact, though minor outages may cause incremental reductions |
| Station # / Lateral | Est Nominal Design Capacity (Thousand Dth) | Week 1 (9/3 - 9/9) | Week 2 (9/10 - 9/16) | Week 3 (9/17 - 9/23) | Week 4 (9/24 - 9/30) | Primary Outage(s) |
| Est. Operational Capacity (Operational Impact) - Thousand Dth | | | | | | |
| Station 409 (Donna Line) (segment 490 FH) | 562 | 395 (167) | 395 (167) | 395 (167) | 395 (167) | Sta 409: Adding Gas Coolers (9/3/2018 - 10/19/2018) MLV 409A-101 TO MLV 409A-103: Remediation (9/10/2018 - 9/28/2018) |
| Station 1 (segment 101 BH) | 238 | 135 (103) | 135 (103) | 135 (103) | 135 (103) | MLV 1-1D to MLV 9-1S: Force Majeure (6/14/2018 - TBD) |
| Station 9 (segment 109 BH) | 739 | 500 (239) | 500 (239) | 500 (239) | 500 (239) | MLV 1-1D to MLV 9-1S: Force Majeure (6/14/2018 - TBD) |
| MLV 843 (segment 834 BH) | 341 | 341 | 341 | 341 | 341 | Sta 834: Annual ESD Test (9/16/2018 - 9/16/2018) |
| Sta 847 (segment 847 BH) | 249 | 0 (249) | 0 (249) | 0 (249) | 0 (249) | MLV 851-1 to MLV 852-1: Spike Test (7/26/2018 - 9/8/2018) MLV 851-1: Drip Removal and Install New Valve (9/8/2018 - 9/26/2018) |
| Station 546 (segment 542 BH) | 1,237 | 965 (272) | 1,237 | 1080 (157) | 1,237 | Sta 542: Annual ESD Test (9/5/2018 - 9/6/2018) Sta 546: Annual ESD Test (9/18/2018 - 9/19/2018) |
| Station 860 (segment 548 BH) | 1,336 | 1,336 | 1120 (216) | 1,336 | 1190 (146) | Sta 542: Station Maintenance (9/10/2018 - 9/14/2018) Sta 550: Annual ESD Test (9/28/2018 - 9/28/2018) Sta 555: Unit 1B: Inspection & Safety Device Check (9/11/2018 - 9/13/2018) |
| Station 110 (segment 187 BH) (south thru Kentucky) | 2,369 | 2285 (84) | 2285 (84) | 2300 (69) | 2300 (69) | Sta 96: Unit 2D: Electrical Panel Replacement (9/4/2018 - 9/14/2018) MLV 108-2 to MLV 110-2: Pipe Replacement (8/7/2018 - 10/15/2018) Sta 110: Unit Controls Upgrade (9/4/2018 - 10/19/2018) |
| Station 114 (segment 114 BH) | 711 | 711 | 711 | 711 | 711 | |
| Station 204 (Segment 204 BH) | 1,843 | 1,843 | 1,843 | 1820 (23) | 1820 (23) | 218-2 to 219-2: Pipe Replacement (9/17/2018 - 9/28/2018) |
| Station 229 (segment 224 FH) | 384 | 0 (384) | 0 (384) | 384 | 384 | MLV 230-1 to MLV 237-1: Remediation (9/4/2018 - 9/14/2018) |
| Station 245 (segment 245 FH) | 1,014 | 1,014 | 1,014 | 1,014 | 1,014 | |
| MLV 260 (segment 260 FH) | 1,121 | 1006 (115) | 1006 (115) | 1006 (115) | 1006 (115) | MLV 251-1 to MLV 253-1: Pressure Test (9/5/2018 - 10/19/2018) Sta 261: C Building: BPS Upgrade (9/10/2018 - 9/21/2018) Sta 261: C Building: Silencer Replacement (9/3/2018 - 9/22/2018) Sta 261: Unit Maintenance: Water Wash (9/10/2018 - 9/14/2018) Sta 261: Unit Maintenance: Boroscope Maintenance (9/11/2018 - 9/13/2018) Sta 261: Unit 4A: Automation Upgrade (8/20/2018 - 9/7/2018) Sta 261: Unit 4A: Compressor Maintenance (9/11/2018 - 9/14/2018) Sta 264: Unit Maintenance: Water Wash (9/12/2018 - 9/13/2018) Sta 264: Unit Maintenance: Boroscope Maintenance (9/18/2018 - 9/19/2018) |
| Station 307 (segment 307 BH) | 1,078 | 990 (88) | 1,078 | 1,078 | 940 (138) | MLV 219-2D to MLV 307-1: Pig runs - Cleaning / Gauge 9/25/18, AFD 9/27/18, EMAT 10/25/18 (9/25/2018 - 10/25/2018) Sta 303A: Annual ESD Test (9/7/2018 - 9/7/2018) |
| Station 315 (segment 315 BH) | 1,924 | 1,924 | 1,924 | 1,924 | 1,924 | |
| Sta. 325 (segment 324 FH) | 1,601 | 1400 (201) | 1400 (201) | 1400 (201) | 1,601 | MLV 326-1 to MLV 327-1: Emergent Repair (5/10/2018 - 9/17/2018) |
| Sta. 405 HC Line (segment 299 FH) | 801 | 801 | 801 | 235 (566) | 801 | MLV 313A-405A to MLV 313A-409: Replace Actuators (M) (9/17/2018 - 9/22/2018) |

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.
Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates within this forecasted on this report.
The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.