TGP - Outage Impact Report
Seven Day Forecast (updated 10/14/21)

-Primary impact restrictions may be necessary
-Major impact restrictions may be necessary
-Minor impact restrictions may be necessary depending on flow conditions
-Little to no impact, though minor outages may cause incremental reductions

Station / Seg	Est Nominal Operating Capacity (Thousand Dth)	Monday (10/18)	Tuesday (10/19)	Wednesday (10/20)	Thursday (10/21)	Friday (10/22)	Saturday (10/23)	Sunday (10/24)	Primary Outage(s) that may Impact Throughput
		Est. Operational Capacity (Operational Impact) - Thousand Dth							
Station 409 (Donna Line) (segment 490 FH)	**567**	**475 (92)**	**475 (92)**	**475 (92)**	**475 (92)**	**475 (92)**	**475 (92)**	**475 (92)**	MLV 409A-101.1 to MLV 409A-102: Class Change (M) (8/31/2021 - 10/29/2021)
Station 1 (segment 101 BH)	**296**	296	296	296	296	296	296	296	
Station 9 (segment 109 BH)	**1,027**	1,027	1,027	1,027	1,027	1,027	1,027	1,027	
Station 17 (segment 117 BH)	**875**	**820 (55)**	**820 (55)**	**820 (55)**	**820 (55)**	**820 (55)**	**820 (55)**	**820 (55)**	Sta 17: Unit 2C: Overhaul (10/4/2021 - 11/12/2021)
Station 25 (segment 125 BH)	**875**	**835 (40)**	**835 (40)**	**835 (40)**	**835 (40)**	**835 (40)**	**835 (40)**	**835 (40)**	Sta 25: Unit 2D: Voith Bearing (7/29/2021 - 11/1/2021) Sta 25: Unit 1D: Voith Bearing (10/4/2021 - 12/1/2021)
Station 40 South (segment 132 BH)	**875**	**825 (50)**	**825 (50)**	875	875	875	875	875	Sta 40: Unit 1C: Overhaul (9/7/2021 - 10/19/2021)
Station 40 KN South (segment 501 FH)	**251**	251	251	251	251	251	251	251	
Station 823 (segment 823 BH)	**688**	688	688	**225 (463)**	688	688	688	688	Sta 834 to Sta 827: Maintenance Pig (M) (10/20/2021) Sta 827 to Sta 823: Maintenance Pig (M) (10/20/2021)
Station 834 (segment 834 BH)	**724**	724	724	724	724	724	724	724	
Station 548 (segment 542 BH)	**1,515**	**1485 (30)**	**1485 (30)**	**1485 (30)**	**1485 (30)**	**1485 (30)**	**1510 (5)**	**1510 (5)**	Sta 542: Unit 4A: Crankshaft Repair (2/24/2021 - 10/22/2021) MLV 545-1: Valve Replacement (10/22/2021 - 11/5/2021)
Station 860 (segment 548 BH)	**1,534**	**1475 (59)**	**1475 (59)**	**1475 (59)**	**1475 (59)**	**1475 (59)**	**1510 (24)**	**1510 (24)**	Sta 546: Unit 7A: Starter / Ring-Gear System (8/26/2021 - 10/22/2021) Sta 555: Units 4A, 5A, 6A: Replace Unloaders (10/11/2021 - 10/30/2021) Sta 550: Unit 1B: Automation Upgrade (10/13/2021 - 11/9/2021)
Station 860 North (Segment 860 BH)	**1,855**	**1290 (565)**	**1290 (565)**	**1290 (565)**	**1290 (565)**	1,855	1,855	1,855	Station 860: Annual ESD test (10/11/2021 - 10/21/2021) Sta 860: Replace Unit Isolation Valves & Station Maintenance (10/11/2021 - 10/21/2021)
Station 110 (segment 187 BH) (south thru Kentucky)	**2,637**	**2445 (192)**	**2590 (47)**	**2590 (47)**	**2590 (47)**	**2590 (47)**	**2615 (22)**	**2615 (22)**	MLV 112-2 to MLV 113-2: Wrinkle Bend Replacement (M) (10/7/2021 - 10/18/2021) Sta 87: Bldg D Valve Replacement (10/18/2021 - 10/22/2021) Sta 106: Unit 13B: Turbo Charger (10/18/2021 - 11/5/2021)
Station 114 (segment 114 BH)	**918**	918	918	918	918	918	918	918	
Station 204 (Segment 204 BH)	**1,834**	**1700 (134)**	**1700 (134)**	**1700 (134)**	**1700 (134)**	**1700 (134)**	**1700 (134)**	**1700 (134)**	Sta 209: Unit 10A: Full Foundation Replacement (3/15/2021 - 11/4/2021) Sta 204: Operational Conditions (5/1/2021 - 10/31/2021) MLV 205-1 to MLV 209-1: Anomaly Remediation (10/5/2021 - 10/31/2021) Sta 204: Unit 5A: Crankcase Inspection (10/11/2021 - 11/4/2021) Sta 209: Unit 12A: Crankcase Inspection (10/18/2021 - 10/21/2021) Sta 200: Unit 12A: Crankcase Inspection (10/18/2021 - 10/22/2021)
MLV 217 (Segment 217 BH)	**1,553**	**1150 (403)**	**1150 (403)**	**1150 (403)**	**1150 (403)**	**1150 (403)**	**1150 (403)**	**1150 (403)**	MLV 217: Operational Conditions (7/1/2021 - 10/31/2021)
MLV 230 (segment 230 BH)	**341**	**0 (341)**	**0 (341)**	**0 (341)**	**0 (341)**	**0 (341)**	**0 (341)**	**0 (341)**	MLV 230 to Sta 237: Force Majeure (7/27/2021 - 10/31/2021)
Station 237 West (segment 233 FH)	**347**	**275 (72)**	**275 (72)**	**275 (72)**	**275 (72)**	**275 (72)**	347	347	Sta 237: Unit 1A: Crankcase Inspection (10/18/2021 - 10/20/2021) Sta 237: Unit 2A: Crankcase Inspection (10/21/2021 - 10/22/2021)
Station 245 (segment 245 FH)	**998**	**930 (68)**	**965 (33)**	**965 (33)**	**965 (33)**	998	998	998	MLV 248-1 to MLV 249-1: Anomaly Remediation (10/15/2021 - 10/18/2021) Sta 241: Unit 1A: Crankcase Inspection (10/18/2021 - 10/21/2021) MLVS 249-2: Meter Station Upgrade Iroquois Wright (Mtr 412181) (10/18/2021 - 10/22/2021)
N Hampton Lat (segment 280 FH)	**41**	**34 (7)**	**34 (7)**	**34 (7)**	**34 (7)**	**34 (7)**	**34 (7)**	**34 (7)**	Sta 260A: Station Transformer (M) (8/9/2021 - 11/3/2021)
Station 261 Suction (segment 260 FH)	**1,139**	1,139	1,139	1,139	1,139	1,139	1,139	1,139	
Station 261 Discharge (segment 261 FH)	**881**	881	881	**550 (331)**	881	881	881	881	Sta 264: Annual ESD test (10/20/2021)
Station 307 (segment 307 BH)	**1,154**	1,154	1,154	1,154	**1070 (84)**	**1070 (84)**	**1070 (84)**	1,154	Sta 307: Unit 5A: Flywheel Jack (10/21/2021 - 10/23/2021)
Station 315 (segment 315 BH)	**1,929**	1,929	1,929	1,929	1,929	1,929	1,929	1,929	
Station 325 (segment 324 FH)	**1,599**	1,599	1,599	1,599	1,599	1,599	1,599	1,599	
Station 405 HC Line (segment 299 FH)	**803**	803	803	803	803	803	803	803	
Station 224 (segment 224 BH)	**178**	**100 (78)**	**100 (78)**	**100 (78)**	**100 (78)**	**100 (78)**	**100 (78)**	**100 (78)**	Sta 224: Operational Conditions (5/1/2021 - 10/31/2021)

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.
Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report.
The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

TGP - Outage Impact Report
October 2021 (updated 10/14/21)

-Primary impact restrictions may be necessary
-Major impact restrictions may be necessary
-Minor impact restrictions may be necessary depending on flow conditions
-Little to no impact, though minor outages may cause incremental reductions

Station # / Lateral	Est Nominal Operating Capacity (Thousand Dth)	Week 1 (10/4 - 10/10)	Week 2 (10/11 - 10/17)	Week 3 (10/18 - 10/24)	Week 4 (10/25 - 10/31)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth				
Station 409 (Donna Line) (segment 490 FH)	**567**				**475 (92)**	MLV 409A-101.1 to MLV 409A-102: Class Change (M) (8/31/2021 - 10/29/2021)
Station 1 (segment 101 BH)	**296**				296	
Station 9 (segment 109 BH)	**1,027**				1,027	
Station 17 (segment 117 BH)	**875**				**820 (55)**	Sta 17: Unit 2C: Overhaul (10/4/2021 - 11/12/2021)
Station 25 (segment 125 BH)	**875**				**835 (40)**	Sta 25: Unit 2D: Voith Bearing (7/29/2021 - 11/1/2021) Sta 25: Unit 1D: Voith Bearing (10/4/2021 - 12/1/2021) Sta 25: Unit 2D: Exciter Panel Replacement (10/26/2021 - 10/28/2021) Sta 25: Unit 1D: Motor PM (10/29/2021 - 10/30/2021) Sta 25: Unit 1D: Exciter Panel Replacement (10/29/2021 - 10/30/2021)
Station 40 South (segment 132 BH)	**875**				**825 (50)**	MLV 40-2S to MLV 32-2D: PIG Run - Cleaning 10/26 - 10/29, Gauge 10/29, DEF 11/2, MDS 11/4 (10/26/2021 - 11/4/2021)
Station 40 KN South (segment 501 FH)	**251**				**200 (51)**	Sta 500C1: Unit A1: Unit Replacement (10/25/2021 - 11/20/2021) Station 500C1: Annual ESD test (10/26/2021)
MLV 822 East (segment 822 BH)	**972**				**780 (192)**	Sta 823: Unit 10A (10/25/2021 - 11/4/2021)
Station 823 (segment 823 BH)	**688**				688	
Station 834 (segment 834 BH)	**724**				724	
Station 847 (segment 847 BH)	**319**				**235 (84)**	Sta. 847: Annual ESD Test (10/28/2021)
Station 548 (segment 542 BH)	**1,515**				**980 (535)**	MLV 545-1: Valve Replacement (10/22/2021 - 11/5/2021) Sta 542: Annual ESD & Electrical Tests (10/25/2021 - 10/29/2021) MLVS 545-1: High Priority Remediation (10/27/2021 - 11/5/2021)
Station 860 (segment 548 BH)	**1,534**				**1510 (24)**	Sta 555: Units 4A, 5A, 6A: Replace Unloaders (10/11/2021 - 10/30/2021) Sta 550: Unit 1B: Automation Upgrade (10/13/2021 - 11/9/2021)
Station 860 North (Segment 860 BH)	**1,855**				**1275 (580)**	Sta 563: Unit 2A: Water Wash (10/25/2021 - 10/26/2021) Sta 563: Unit 1A: Water Wash & Strainer Maintenance (10/27/2021 - 10/30/2021)
Station 110 (segment 187 BH) (south thru Kentucky)	**2,637**				**2615 (22)**	Sta 106: Unit 13B: Turbo Charger (10/18/2021 - 11/5/2021)
Station 114 (segment 114 BH)	**918**				918	
Station 204 (Segment 204 BH)	**1,834**				**1700 (134)**	Sta 209: Unit 10A: Full Foundation Replacement (3/15/2021 - 11/4/2021) Sta 204: Operational Conditions (5/1/2021 - 10/31/2021) MLV 205-1 to MLV 209-1: Anomaly Remediation (10/5/2021 - 10/31/2021) Sta 204: Unit 5A: Crankcase Inspection (10/11/2021 - 11/4/2021)
MLV 217 (Segment 217 BH)	**1,553**				**1150 (403)**	MLV 217: Operational Conditions (7/1/2021 - 10/31/2021)
MLV 230 (segment 230 BH)	**341**				**0 (341)**	MLV 230 to Sta 237: Force Majeure (7/27/2021 - 10/31/2021)
Station 245 (segment 245 FH)	**998**				**730 (268)**	Sta 241: Unit 2A: Crankcase Inspection (10/25/2021 - 10/28/2021) MLV 241-2 to MLV 242-2: Anomaly Remediation (10/25/2021 - 11/6/2021)
N Hampton Lat (segment 280 FH)	**41**				**34 (7)**	Sta 260A: Station Transformer (M) (8/9/2021 - 11/3/2021)
Station 261 Suction (segment 260 FH)	**1,139**				1,139	
Station 307 (segment 307 BH)	**1,154**				**975 (179)**	Sta 310: Unit 1A: Fuel Valve Replacement (10/26/2021)
Station 315 (segment 315 BH)	**1,929**				1,929	
Station 325 (segment 324 FH)	**1,599**				1,599	
Station 405 HC Line (segment 299 FH)	**803**				803	
Station 224 (segment 224 BH)	**178**				**0 (178)**	Sta 224: Operational Conditions (5/1/2021 - 10/31/2021) MLVS 228-1: Anomaly Remediation (10/25/2021 - 10/30/2021)

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.
Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report.
The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

TGP - Outage Impact Report
November 2021 (updated 10/14/21)

-Primary impact restrictions may be necessary
-Major impact restrictions may be necessary
-Minor impact restrictions may be necessary depending on flow conditions
-Little to no impact, though minor outages may cause incremental reductions

Station # / Lateral	Est Nominal Operating Capacity (Thousand Dth)	Week 1 (11/1 - 11/7)	Week 2 (11/8 - 11/14)	Week 3 (11/15 - 11/21)	Week 4 (11/22 - 11/28)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth				
Station 409 (Donna Line) (segment 490 FH)	**585**	585	585	585	585	
Station 1 (segment 101 BH)	**368**	368	368	368	368	
Station 9 (segment 109 BH)	**1,069**	1,069	1,069	1,069	1,069	
Station 17 (segment 117 BH)	**898**	**820 (78)**	**820 (78)**	898	898	Sta 17: Unit 2C: Overhaul (10/4/2021 - 11/12/2021)
Station 25 (segment 125 BH)	**898**	**835 (63)**	**835 (63)**	**835 (63)**	**835 (63)**	Sta 25: Unit 2D: Voith Bearing (7/29/2021 - 11/1/2021) Sta 25: Unit 1D: Voith Bearing (10/4/2021 - 12/1/2021)
Station 40 South (segment 132 BH)	**898**	**825 (73)**	898	898	898	MLV 40-2S to MLV 32-2D: PIG Run - Cleaning 10/26 - 10/29, Gauge 10/29, DEF 11/2, MDS 11/4 (10/26/2021 - 11/4/2021) MLV 28-1 to MLV 29-1: Wrinkle Bend Replacement (11/4/2021 - 11/24/2021)
Station 40 KN South (segment 501 FH)	**268**	**200 (68)**	**80 (188)**	**200 (68)**	268	Sta 500C1: Unit A1: Unit Replacement (10/25/2021 - 11/20/2021) MLV 500-1 TO MLV 507-1: Pig run - AFD 11/10 (M) (11/10/2021)
MLV 822 East (segment 822 BH)	**972**	**780 (192)**	**925 (47)**	972	972	Sta 823: Unit 10A (10/25/2021 - 11/4/2021) Sta 823: Unit 12A: HP Bottles (11/8/2021 - 11/12/2021)
Station 823 (segment 823 BH)	**713**	713	713	713	713	
Station 834 (segment 834 BH)	**733**	733	733	733	733	
Station 548 (segment 542 BH)	**1,628**	**1510 (118)**	1,628	1,628	1,628	MLV 545-1: Valve Replacement (10/22/2021 - 11/5/2021) MLVS 545-1: High Priority Remediation (10/27/2021 - 11/5/2021)
Station 860 (segment 548 BH)	**1,655**	**1510 (145)**	**1510 (145)**	1,655	1,655	Sta 550: Unit 1B: Automation Upgrade (10/13/2021 - 11/9/2021)
Station 860 North (Segment 860 BH)	**1,985**	1,985	1,985	1,985	1,985	
Station 110 (segment 187 BH) (south thru Kentucky)	**2,732**	**2400 (332)**	**2610 (122)**	2,732	2,732	Sta 106: Unit 13B: Turbo Charger (10/18/2021 - 11/5/2021) Sta 106: Unit 1C - MCC Replacement (11/1/2021 - 11/12/2021) Sta 871: Sta Outage Replace Unit Valves (11/2/2021 - 11/3/2021)
Station 114 (segment 114 BH)	**954**	**380 (574)**	**845 (109)**	954	954	Sta 114: Unit 1D: Turbine Service and Filter Change Out (11/1/2021 - 11/3/2021) MLV 121-2 to MLV 121-2A: Wrinkle Bend Replacement (11/1/2021 - 11/7/2021) Sta 119A: Unit 1A: Turbine Service and Filter Change Out (11/4/2021 - 11/6/2021) Sta 118A: Unit 1A: Turbine Service and Filter Change Out (11/8/2021 - 11/10/2021)
Station 204 (Segment 204 BH)	**1,905**	**1805 (100)**	**1815 (90)**	**1815 (90)**	1,905	Sta 209: Unit 10A: Full Foundation Replacement (3/15/2021 - 11/4/2021) Sta 204: Unit 5A: Crankcase Inspection (10/11/2021 - 11/4/2021) Sta 204: Unit 4A: Install Deactivator (11/8/2021) Sta 204: Unit 3A: Install Deactivator (11/9/2021) Sta 204: Unit 1A: Install Deactivator (11/10/2021 - 11/17/2021)
Station 245 (segment 245 FH)	**1,065**	**760 (305)**	1,065	1,065	1,065	MLV 241-2 to MLV 242-2: Anomaly Remediation (10/25/2021 - 11/6/2021)
N Hampton Lat (segment 280 FH)	**41**	**34 (7)**	41	41	41	Sta 260A: Station Transformer (M) (8/9/2021 - 11/3/2021)
Station 261 Discharge (segment 261 FH)	**991**	991	991	991	991	
Station 307 (segment 307 BH)	**1,206**	1,206	1,206	1,206	1,206	
Station 315 (segment 315 BH)	**1,957**	1,957	1,957	1,957	1,957	
Station 325 (segment 324 FH)	**1,732**	1,732	1,732	1,732	1,732	
Station 405 HC Line (segment 299 FH)	**827**	**239 (588)**	**239 (588)**	827	827	MLV 313A-403 to MLV 313A-404: Replace Creek Crossing (M) (11/1/2021 - 11/8/2021)

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.
Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report.
The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

TGP - Outage Impact Report
December 2021 (updated 10/14/21)

-Primary impact restrictions may be necessary
-Major impact restrictions may be necessary
-Minor impact restrictions may be necessary depending on flow conditions
-Little to no impact, though minor outages may cause incremental reductions

Station # / Lateral	Est Nominal Operating Capacity (Thousand Dth)	Week 1 (11/29 - 12/5)	Week 2 (12/6 - 12/12)	Week 3 (12/13 - 12/19)	Week 4 (12/20 - 12/26)	Week 5 (12/27 - 1/2)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth					
Station 409 (Donna Line) (segment 490 FH)	**585**	**290 (295)**	**290 (295)**	585	585	585	Sta 409: Unit 2A: 25k Hr Inspection (12/3/2021 - 12/8/2021)
Station 1 (segment 101 BH)	**368**	368	368	368	368	368	
Station 9 (segment 109 BH)	**1,069**	1,069	1,069	1,069	1,069	1,069	
Station 25 (segment 125 BH)	**898**	**835 (63)**	**840 (58)**	**840 (58)**	898	898	Sta 25: Unit 1D: Voith Bearing (10/4/2021 - 12/1/2021) Sta 25: Unit 1C: Stator Replacement (12/7/2021 - 12/17/2021) Sta 25: Annual ESD & Sub-Station Testing (12/13/2021 - 12/17/2021)
Station 823 (segment 823 BH)	**713**	713	713	713	713	713	
Station 834 (segment 834 BH)	**733**	733	**675 (58)**	733	733	733	Station 836A: Annual ESD test (12/6/2021 - 12/10/2021)
Station 548 (segment 542 BH)	**1,628**	**1300 (328)**	1,628	1,628	1,628	1,628	Sta. 546: Annual ESD Re- test & Starting Gas Valve Replacement (11/30/2021 - 12/2/2021)
Station 860 (segment 548 BH)	**1,655**	1,655	**1370 (285)**	1,655	1,655	1,655	Station 550: Annual ESD test (12/7/2021)
Station 860 North (Segment 860 BH)	**1,985**	1,985	1,985	1,985	1,985	1,985	
Station 110 (segment 187 BH) (south thru Kentucky)	**2,732**	2,732	2,732	2,732	2,732	2,732	
Station 114 (segment 114 BH)	**954**	954	954	954	954	954	
Station 204 (Segment 204 BH)	**1,905**	**1885 (20)**	**1885 (20)**	**1885 (20)**	1,905	1,905	Sta 204: Unit 2A: Engine and Compressor Inspection (11/29/2021 - 12/2/2021) Sta 204: Unit 10A: Punching Carbon & Maintenance (12/8/2021 - 12/16/2021)
Station 245 (segment 245 FH)	**1,065**	1,065	1,065	1,065	1,065	1,065	
Station 261 Discharge (segment 261 FH)	**991**	991	991	991	991	991	
Station 307 (segment 307 BH)	**1,206**	1,206	1,206	1,206	1,206	1,206	
Station 315 (segment 315 BH)	**1,957**	1,957	1,957	1,957	1,957	1,957	
Station 325 (segment 324 FH)	**1,732**	1,732	1,732	1,732	1,732	1,732	
Station 405 HC Line (segment 299 FH)	**827**	827	827	827	827	827	

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.
Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report.
The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

TGP - Outage Impact Report
January 2022 (updated 10/14/21)

-Primary impact restrictions may be necessary
-Major impact restrictions may be necessary
-Minor impact restrictions may be necessary depending on flow conditions
-Little to no impact, though minor outages may cause incremental reductions

Station # / Lateral	Est Nominal Operating Capacity (Thousand Dth)	Week 1 (1/3 - 1/9)	Week 2 (1/10 - 1/16)	Week 3 (1/17 - 1/23)	Week 4 (1/24 - 1/30)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth				
Station 409 (Donna Line) (segment 490 FH)	**585**	585	585	585	585	
Station 1 (segment 101 BH)	**368**	368	368	368	368	
Station 9 (segment 109 BH)	**1,069**	1,069	1,069	1,069	1,069	
Station 25 (segment 125 BH)	**898**	898	898	898	898	
Station 823 (segment 823 BH)	**713**	713	713	713	713	
Station 834 (segment 834 BH)	**733**	733	733	733	733	
Station 860 (segment 548 BH)	**1,655**	1,655	1,655	1,655	1,655	
Station 860 North (Segment 860 BH)	**1,985**	1,985	1,985	1,985	1,985	
Station 110 (segment 187 BH) (south thru Kentucky)	**2,732**	2,732	2,732	2,732	2,732	
Station 114 (segment 114 BH)	**954**	954	954	954	954	
Station 204 (Segment 204 BH)	**1,905**	1,905	1,905	1,905	1,905	
Station 245 (segment 245 FH)	**1,065**	1,065	1,065	1,065	1,065	
Station 261 Discharge (segment 261 FH)	**991**	991	991	991	991	
Station 307 (segment 307 BH)	**1,206**	1,206	1,206	1,206	1,206	
Station 315 (segment 315 BH)	**1,957**	1,957	1,957	1,957	1,957	
Station 325 (segment 324 FH)	**1,732**	1,732	1,732	1,732	1,732	
Station 405 HC Line (segment 299 FH)	**827**	827	827	827	827	

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.
Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report.
The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.