

TGP - Outage Impact Report Seven Day Forecast (updated 09/22/22)									-Primary impact restrictions may be necessary
									-Major impact restrictions may be necessary
									-Minor impact restrictions may be necessary depending on flow conditions
									-Little to no impact, though minor outages may cause incremental reductions
Station / Seg	Est Nominal Operating Capacity (Thousand Dth)	Monday (9/26)	Tuesday (9/27)	Wednesday (9/28)	Thursday (9/29)	Friday (9/30)	Saturday (10/1)	Sunday (10/2)	Primary Outage(s) that may impact Throughput
Est. Operational Capacity (Operational Impact) - Thousand Dth									
Station 409 (Donna Line) (segment 490 FH)	560	560	560	560	560	560	560	560	
MLV 406 (segment 406 BH)	389	180 (209)	180 (209)	180 (209)	180 (209)	180 (209)	180 (209)	180 (209)	MLV-406-2 to MLV-407-2: Hydro Test (M) (9/10/2022 - 10/18/2022)
Station 1 (segment 101 BH)	325	325	325	325	325	325	325	325	
Station 9 (segment 109 BH)	1,026	835 (191)	835 (191)	835 (191)	835 (191)	835 (191)	885 (141)	885 (141)	MLV 5-2 and MLV 9-2S: Anomaly Remediation (07/13/22 - 10/14/22) MLV 8-1 to MLV 9-1: High Priority Anomaly (09/26/22 - 10/06/22)
Station 25 (segment 125 BH)	875	875	875	875	875	875	875	875	
Station 47 (segment 143 BH)	1,026	810 (216)	810 (216)	810 (216)	810 (216)	810 (216)	935 (91)	935 (91)	MLV 54-1D to MLV 63-1S: Anomaly Remediation (7/18/2022 - 10/8/2022) MLV 40-4D to MLV 41-4: Anomaly Remediation (8/29/2022 - 10/7/2022) Sta 47: Unit 5C - Bearing Inspection (9/6/2022 - 10/14/2022) MLV 41-4 to MLV 42-4: Anomaly Remediation (8/29/2022 - 10/7/2022) MLV 53-4 to 53-4A: Line Lowering (9/26/2022 - 10/8/2022) MLV 47-1D to MLV 54-1S: Pig Runs - Cleaning/Gauge 9/26, ROSEN Caliper 9/28, ROSEN MFL-A / IMU Tool 9/30 (9/26/2022 - 9/30/2022) MLV 45-3 to MLV 46-3: Anomaly Remediation (9/26/2022 - 10/7/2022)
Station 823 (segment 823 BH)	687	687	687	687	687	687	687	687	
Station 834 (segment 834 BH)	721	721	721	721	721	721	721	721	
Station 847 (segment 847 BH)	316	0 (316)	0 (316)	0 (316)	0 (316)	0 (316)	0 (316)	0 (316)	MLV 844-1 to MLV 845-1: Shallow Pipe Lowering (M) (9/8/2022 - 10/8/2022) MLV 843-1 to MLV 844-1: Shallow Pipe Lowering (M) (9/8/2022 - 10/8/2022)
MLV 548 (segment 542 BH)	1,515	1375 (140)	1375 (140)	1231 (284)	1231 (284)	1231 (284)	1231 (284)	1231 (284)	Sta 546: Unit 1B - Controls Upgrade (9/28/2022 - 10/8/2022) Sta 546: Vibration/Pulsation Piping Mods (9/28/2022 - 10/6/2022) Sta 546: Unit 7A - Crankshaft (2/1/2022 - 9/30/2022)
Station 860 (segment 548 BH)	1,533	1500 (33)	1500 (33)	1500 (33)	1500 (33)	1500 (33)	1500 (33)	1500 (33)	Sta 555: Unit 6A - Engine Regrout (8/8/2022 - 12/31/2022)
Station 860 North (Segment 860 BH)	1,852	1805 (47)	1805 (47)	1805 (47)	1805 (47)	1835 (17)	1835 (17)	1835 (17)	Sta 860: Unit 10A - Ignition System (9/29/2022 - 10/2/2022) Sta 860: Unit 11A - Compressor Rod (9/12/2022 - 9/29/2022) Sta 860: Unit 9A - Ignition System (9/26/2022 - 9/28/2022)
Station 110 (segment 187 BH) (south thru Kentucky)	2,652	2360 (292)	2375 (277)	2375 (277)	2375 (277)	2375 (277)	2375 (277)	2375 (277)	Sta 106: Unit 8B - Overhaul (5/4/2022 - 11/30/2022) MLV 87-2 to MLV 96-2: Anomaly Remediation (6/13/2022 - 9/30/2022) MLV 106-4 to MLV 107-4: Drip Replacement (9/7/2022 - 9/28/2022) MLV 107-3 to MLV 109-3: High Priority Anomaly Remediation (9/12/2022 - 9/26/2022) MLV 111-3 to MLV 112-3: High Priority Anomaly Remediation (9/17/2022 - 9/30/2022) Sta 87: Unit 3D - Turbocharger (9/26/2022 - 9/30/2022) MLV 871-1 to MLV 876-1: Anomaly Remediation (09/21/22 - 10/26/22)
Station 114 (segment 114 BH)	918	918	918	918	918	918	918	918	
Station 204 (Segment 204 BH)	1,837	1710 (127)	1710 (127)	1710 (127)	1710 (127)	1830 (7)	1,837	1,837	Sta 204: Unit 4A - Install New Dry Exhaust (9/19/2022 - 9/29/2022) Sta 209: Unit 12A - Power Cylinder (9/19/2022 - 9/29/2022) Sta 214: Unit 2A - Head Replacement & Crankcase Inspection (9/26/2022 - 9/29/2022) Sta 200: Unit 6A - Annual Inspection (9/26/2022 - 9/30/2022)
Station 245 (segment 245 FH)	998	998	878 (120)	998	998	998	998	998	MLV 245-1 to MLV 249-1: Maintenance Pkg (9/27/2022) Sta 245: Unit 7A - Turbo Charger Replacement (8/30/2022 - 9/30/2022)
Station 261 Discharge East (segment 261 FH)	935	935	935	935	935	935	935	935	
Station 307 (segment 307 BH)	1,154	1024 (130)	1015 (139)	1015 (139)	765 (399)	1015 (139)	1024 (130)	1024 (130)	MLV 313-1 to MLV 307-1: Cleaning 9/29, AFD 10/4, EMAT 10/6 (M) (09/29/22 - 10/06/22) Sta 307: Unit 4A - Protective Device Testing (9/27/2022 - 9/30/2022) Sta 219: Unit 1A - Engine Inspection (9/26/2022 - 9/29/2022) Sta 219: Unit 13A - Unit Regrout (3/14/2022 - 9/30/2022) MLV 309-1 to MLV 310-1: FORCE MAJEURE - Line 1 OOS (7/13/2022 - TBD)
Station 313 West (segment 307 BH)	1,154	1024 (130)	1024 (130)	1024 (130)	1024 (130)	1024 (130)	1024 (130)	1024 (130)	MLV 307-1 to MLV 313-1: FORCE MAJEURE - Pressure Reduction (M) (7/27/2022 - TBD)
Station 315 (segment 315 BH)	1,928	1,928	1,928	1,928	1,928	1,928	1,928	1,928	
Station 317 (segment 317 BH)	1,653	1,653	1,653	1,653	1,653	1,653	1540 (113)	1,653	MLV 319-1 to MLV 317-1: Maintenance Pkg (10/1/2022)
MLV 324 (segment 324 FH)	1,602	1,602	1,602	1,602	1,602	1,602	1,602	1,602	
MLV 336 East (segment 336 FH)	153	0 (153)	0 (153)	0 (153)	0 (153)	0 (153)	0 (153)	0 (153)	MLV 336-1 to MLV 356-1: Anomaly Remediation (09/19/22 - 10/14/22)
Station 405 HC Line (segment 299 FH)	803	803	803	803	803	803	803	803	

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses. Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report. The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

TGP - Outage Impact Report October 2022 (updated 09/22/22)						-Primary impact restrictions may be necessary
						-Major impact restrictions may be necessary
						-Minor impact restrictions may be necessary depending on flow conditions
						-Little to no impact, though minor outages may cause incremental reductions
Station # / Lateral	Est Nominal Operating Capacity (Thousand Dth)	Week 1	Week 2	Week 3	Week 4	Primary Outage(s)
		(10/3 - 10/9)	(10/10 - 10/16)	(10/17 - 10/23)	(10/24 - 10/30)	
		Est. Operational Capacity (Operational Impact) - Thousand Dth				
Station 409A (Alamo) (segment 492 FH)	270	205 (65)	105 (165)	270	270	Sta 409A: Units 1A & 2A - Preventative Maintenance (10/5/2022 - 10/10/2022) Sta 409A: Units 1A & 2A - Unit Inspections (10/10/2022)
MLV 406 (segment 406 BH)	389	188 (209)	188 (209)	188 (209)	389	MLV 406-2 to MLV 407-2: Hydro Test (M) (9/10/2022 - 10/18/2022) Sta 1: Replace 6" Blow Off Valves (10/11/2022 - 10/12/2022) MLV 401-1 to MLV 409-1: Maintenance Pig (M) (10/19/2022) MLV 401-2 to MLV 409-2: Maintenance Pig (M) (10/20/2022)
Station 1 (segment 101 BH)	325	325	325	325	325	
Station 9 (segment 109 BH)	1,026	885 (141)	950 (76)	1,026	1,026	MLV 8-1 to MLV 9-1: High Priority Anomaly (09/26/22 - 10/06/22) MLV 5-2 and MLV 9-2S: Anomaly Remediation (07/13/22 - 10/14/22)
Station 25 (segment 125 BH)	875	875	875	720 (155)	810 (66)	MLV 32-2S to MLV 25-2D: Mechanical Cleaning 10/26 - 10/26 (M) (10/25/2022 - 10/26/2022) MLV 36-1TXR to MLV 32-1D: Mech. Cleaning 10/18 - 10/19, MDS 10/20 (10/18/2022 - 10/20/2022) MLV 32-2S to MLV 25-2D: AFD re-run 10/27/22 (M) (10/27/2022) Sta 25: Annual Electrical Inspections (10/17/2022 - 10/23/2022)
Station 40 KN South (segment 501 FH)	268	268	268	268	205 (63)	Sta. 500C1 Natchitoches: Annual Turbine Maintenance & Borescope (10/24/2022 - 10/28/2022)
Station 47 (segment 143 BH)	1,026	915 (111)	980 (46)	920 (106)	1,026	MLV 45-3 to MLV 46-3: Anomaly Remediation (9/26/2022 - 10/7/2022) MLV 55-4 to 55-4A: Line Lowering (9/26/2022 - 10/8/2022) MLV 47-2D to MLV 47-2A: Anomaly Remediation (10/3/2022 - 10/9/2022) MLV 41-4 to MLV 42-4: Anomaly Remediation (8/29/2022 - 10/7/2022) Sta 47: Unit 5C - Bearing Inspection (9/6/2022 - 10/14/2022) MLV 40-4D to MLV 41-4: Anomaly Remediation (8/29/2022 - 10/7/2022) MLV 54-1D to MLV 53-1S: Anomaly Remediation (7/18/2022 - 10/8/2022) Sta 54: Annual ESD Test (10/18/2022 - 10/20/2022) MLV 47-2B to MLV 47-2A: Wrinkle Bend Replacement (10/10/2022 - 10/16/2022) MLV 41-1 to MLV 41-1A: Anomaly Remediation (10/10/2022 - 10/28/2022) MLV 41-3A to MLV 42-3: Anomaly Remediation (10/10/2022 - 10/20/2022)
Station 823 (segment 823 BH)	687	530 (157)	365 (322)	530 (157)	687	Sta 827: Unit A3 - Unit Exchange (10/9/2022 - 10/19/2022) Sta 827 to Sta 823: Maintenance Pig (M) (10/11/2022)
Station 834 (segment 834 BH)	721	721	460 (261)	721	721	Sta 834 to Sta 827: Maintenance Pig (M) (10/11/2022)
Station 847 (segment 847 BH)	316	0 (316)	316	316	316	MLV 843-1 to MLV 844-1: Shallow Pipe Lowering (M) (9/8/2022 - 10/8/2022) MLV 844-1 to MLV 845-1: Shallow Pipe Lowering (M) (9/8/2022 - 10/8/2022)
Station 823 Muskrat Line (segment 509 BH)	220	220	150 (70)	220	220	Sta 823 to MLV 516: Cleaning / Gauge 7/18 - 7/20, Caliper 7/25, AFD 10/13 (10/13/22 - 10/13/22)
MLV 548 (segment 542 BH)	1,515	851 (664)	1,515	905 (610)	905 (610)	Sta 546: Vibration/Pulsation Piping Mods (9/28/2022 - 10/6/2022) Sta 546: Unit 1B - Controls Upgrade (9/28/2022 - 10/8/2022) MLV 540-2 to MLV 543-2: Casing Removal (10/4/2022 - 10/5/2022) Sta 542: Vibration / Pipe Mods (10/18/2022 - 10/31/2022) Sta 542 Dekalb: 2022 Annual ESD Test (10/18/2022 - 10/19/2022) Sta 542: Replace Filter Separator Valves and Relief Valves (10/18/2022 - 10/31/2022)
Station 860 (segment 548 BH)	1,533	1260 (273)	1260 (273)	1435 (98)	1435 (98)	Sta 555: Unit 6A - Engine Regrout (8/8/2022 - 12/31/2022) Sta 550: Unit 1A - 4A - Unit Valve Replacement (10/17/2022 - 11/19/2022) Sta 550: Vibration / Pipe Mods (10/8/2022 - 10/16/2022) Sta 550: Annual ESD Test (10/10/2022 - 10/11/2022)
Station 860 North (segment 860 BH)	1,852	1720 (132)	1345 (507)	1720 (132)	1700 (152)	Sta 860: Units 1B - Top End Overhaul (10/3/2022 - 11/7/2022) MLV 550-1A to MLV 561-1: Pipe Replacement (10/4/2022 - 11/7/2022) Sta 860: Unit 10A - Jacket Water Fan (10/10/2022 - 10/14/2022) MLV 866-1B to MLV 860-1: Pig Run - Hardspot 10/13 (10/13/2022) MLV 866-1B to MLV 860-1: Pig Run - Cleaning / Gauge 10/11 (10/11/2022) Sta 860: Unit 7A - Turbo Charger (10/24/2022 - 10/28/2022) MLV 866-1B to MLV 860-1: Pig Runs - Cleaning / Gauge 7/21, Caliper 7/26, MFL A7/28, Hard Spot Tool 8/2 (10/26/22 - 10/26/22)
Station 110 (segment 187 BH) (south thru Kentucky)	2,652	1685 (967)	1685 (967)	2620 (32)	2620 (32)	MLV 871-1 to MLV 876-1: Anomaly Remediation (09/1/22 - 11/30/2022) Sta 106: Unit 8B - Overhaul (5/4/2022 - 11/30/2022)
Station 114 (segment 114 BH)	918	918	918	918	700 (218)	Sta 114: Building C BPS Upgrade (10/24/2022 - 10/29/2022) Sta 114: Unit 1D - Solar Bk Inspection (10/25/2022 - 10/27/2022)
Station 204 (segment 204 BH)	1,837	1815 (22)	1575 (262)	1385 (452)	1,837	Sta 214: Unit 13A - Fuel Injection System Upgrade (10/3/2022 - 10/14/2022) MLV 201-3: Repair exposed span (10/3/2022 - 10/7/2022) MLV 209-4 to MLV 204-4: Pig Runs - Caliper 10/18 (M) (10/18/2022) Sta 200: Unit 9A - Annual Inspection (10/10/2022 - 10/14/2022) MLV 209-1 to MLV 204-1: Pig Runs - Caliper 10/11 (10/11/2022) Sta 200: UPS Replacement (10/11/2022) MLV 209-3 to MLV 204-3: Pig Runs - Caliper 10/13 (10/13/2022)
Station 237 West (segment 233 FH)	485	485	485	385 (100)	485	Station 237: Unit 3A - Fuel System Upgrade (10/17/2022 - 10/21/2022)
Station 245 (segment 245 FH)	998	970 (28)	970 (28)	830 (168)	845 (153)	Sta 241: Unit 2A - Fuel System Upgrade (10/4/2022 - 10/7/2022) Sta 241: Unit 2B - 2K Maintenance (10/19/2022 - 10/20/2022) Sta 249: Unit 1A - Suction/Discharge Bottle Clamp Replacement/Pier (10/17/2022 - 10/27/2022) Sta 241: Unit 2A - Alignment (10/17/2022 - 10/21/2022) Station 237: Annual Electric Meggering (10/17/2022) Sta 241: Unit 1B - 2K Maintenance (10/17/2022 - 10/18/2022) Sta 241: Unit 1A - Fuel System Upgrade (10/19/2022 - 10/14/2022)
Station 261 Suction (segment 260 FH)	1,158	1,158	970 (188)	1,158	1,158	Station 261 Agawam: Annual ESD Test (M) (10/11/2022) Station 261 Agawam: EPA Maintenance Repairs (M) (10/12/2022) Sta 261: Unit 4A - Electrical Inspection (M) (10/4/2022 - 10/5/2022)
Station 261 Discharge East (segment 261 FH)	935	765 (170)	935	580 (355)	935	Sta 264: Units 1C, 2C - Protective Devices (10/4/2022 - 10/5/2022) Sta 264: Units 1C, 2C - Tuning & HMI Installation (10/6/2022 - 10/7/2022) Sta 264 Charlton: Annual ESD Test (10/18/2022)
Station 307 (segment 307 BH)	1,154	755 (399)	985 (169)	1024 (130)	1024 (130)	MLV 309-1 to MLV 310-1: FORCE MAJEURE - Line 1 OOS (7/13/2022 - TBD) MLV 313-1 to MLV 307-1: Cleaning 9/29, AFD 10/4, EMAT 10/6 (M) (09/29/22 - 10/06/22) Sta 307: Unit 6A - Protective Device Testing (10/11/2022 - 10/13/2022)
Station 313 West (segment 307 BH)	1,154	1024 (130)	1024 (130)	1024 (130)	1024 (130)	MLV 307-1 to MLV 313-1: FORCE MAJEURE - Pressure Reduction (M) (7/27/2022 - TBD)
Station 315 (segment 315 BH)	1,928	1,928	1,928	1,928	1,928	
Station 321 (segment 321 FH)	1,933	1,933	1,933	1,555 (378)	1,555 (378)	Sta 321: Install New ESD Bottle (10/17/2022 - 10/24/2022)
MLV 324 (segment 324 FH)	1,602	1,602	1,230 (372)	1,602	1,602	Sta. 323A Lackawaxen: Annual ESD Testing (10/11/2022 - 10/12/2022) Sta. 323A: Unit 1A - 30k Inspection (10/10/2022 - 10/14/2022)
MLV 336 East (segment 336 FH)	153	0 (153)	0 (153)	153	153	MLV 336-1 to MLV 356-1: Anomaly Remediation (09/19/22 - 10/14/22)
Station 405 HC Line (segment 299 FH)	803	803	690 (113)	803	803	Sta 405A: Unit 1A - Water Wash & 4k Inspection (10/10/2022 - 10/11/2022)

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses. Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report. The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

TGP - Outage Impact Report November 2022 (updated 09/22/22)						-Primary impact restrictions may be necessary
						-Major impact restrictions may be necessary
						-Minor impact restrictions may be necessary depending on flow conditions
						-Little to no impact, though minor outages may cause incremental reductions
Station # / Lateral	Est Nominal Operating Capacity (Thousand Dth)	Week 1 (10/31 - 11/6)	Week 2 (11/7 - 11/13)	Week 3 (11/14 - 11/20)	Week 4 (11/21 - 11/27)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth				
Station 409 (Donna Line) (segment 490 FH)	584	584	584	584	584	
Station 1 (segment 101 BH)	367	367	367	367	367	
Station 9 (segment 109 BH)	1,068	520 (548)	1,068	1,068	1,068	MLV 17-2S to MLV 9-2D: Cleaning 11/1 - 11/2, MDS 11/3 (M) (11/1/2022 - 11/3/2022)
Station 25 (segment 125 BH)	897	897	897	887 (10)	887 (10)	MLV 18-3A to MLV 20-3A: Pipe Replacement (11/15/2022 - 12/31/2022) MLV 24-3A to MLV 25-3A: Pipe Replacement (11/1/2022 - 12/1/2022)
Station 40 KN South (segment 501 FH)	285	285	175 (110)	285	285	Sta 500-1 to Sta 823 (MLV 507-1): Maintenance Pig (M) (11/8/2022)
Station 47 (segment 143 BH)	1,077	1000 (77)	1000 (77)	1000 (77)	1000 (77)	MLV 42-4 to MLV 43-4: Anomaly Remediation (10/31/2022 - 12/9/2022) MLV 43-4 to MLV 44-4: Anomaly Remediation (10/31/2022 - 12/9/2022)
Station 823 (segment 823 BH)	712	712	712	712	712	
Station 834 (segment 834 BH)	732	732	732	732	732	
Station 823 Muskrat Line (segment 509 BH)	225	225	0 (225)	0 (225)	225	MLV 510-1 to MLV 513-1: MLV Replacement (M) (11/7/2022 - 11/16/2022) MLV 510A-1 to MLV 512-1: Line Lowering (M) (11/7/2022 - 11/16/2022)
Station 538 (segment 534 BH)	1,567	1,567	1,567	1270 (297)	1,567	Sta. 534 Purvis: Annual ESD Test (11/15/2022)
MLV 548 (segment 542 BH)	1,628	1018 (610)	1,628	1,628	1,628	Sta 542: Replace Filter Separator Valves and Relief Valves (10/18/2022 - 10/31/2022) Sta 542: Vibration / Pipe Mods (10/18/2022 - 10/31/2022)
Station 860 (segment 548 BH)	1,654	1556 (98)	1560 (94)	1560 (94)	1620 (34)	Sta 550: Unit 1A - 4A - Unit Valve Replacement (10/17/2022 - 11/19/2022) Sta 555: Unit 6A - Engine Regrout (8/8/2022 - 12/31/2022)
Station 860 North (Segment 860 BH)	1,984	1852 (132)	1855 (129)	1930 (54)	1930 (54)	MLV 559-2A to MLV 560-2: Pipe Replacement (11/8/2022 - 12/22/2022) MLV 559-1A to MLV 561-1: Pipe Replacement (10/4/2022 - 11/7/2022) Sta 860: Units 1B - Top End Overhaul (10/3/2022 - 11/7/2022)
Station 110 (segment 187 BH) (south thru Kentucky)	2,744	2705 (39)	2705 (39)	2705 (39)	2705 (39)	Sta 106: Unit 8B - Overhaul (5/4/2022 - 11/30/2022) MLV 96-2 to MLV 102-2: Anomaly Remediation (11/03/22 - 12/09/22)
Station 114 (segment 114 BH)	957	957	957	957	957	
Station 204 (Segment 204 BH)	1,904	1,904	1,904	1,904	1,904	
Station 245 (segment 245 FH)	1,065	1,065	1,065	1,065	1,065	
Station 261 Discharge East (segment 261 FH)	1,043	1,043	1,043	1,043	1,043	
Station 307 (segment 307 BH)	1,204	1074 (130)	1074 (130)	1074 (130)	1074 (130)	MLV 309-1 to MLV 310-1: FORCE MAJEURE - Line 1 OOS (7/13/2022 - TBD)
Station 313 West (segment 307 BH)	1,204	1074 (130)	1074 (130)	1074 (130)	1074 (130)	MLV 307-1 to MLV 313-1: FORCE MAJEURE - Pressure Reduction (M) (7/27/2022 - TBD)
Station 315 (segment 315 BH)	1,959	1,959	1,959	1,959	1,959	
MLV 324 (segment 324 FH)	1,773	1,773	1,773	1,773	1,773	
Station 405 HC Line (segment 299 FH)	826	826	826	826	826	

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses. Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report. The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

TGP - Outage Impact Report
December 2022 (updated 09/22/22)

-Primary impact restrictions may be necessary

-Major impact restrictions may be necessary

-Minor impact restrictions may be necessary depending on flow conditions

-Little to no impact, though minor outages may cause incremental reductions

Station # / Lateral	Est Nominal Operating Capacity (Thousand Dth)	Week 1	Week 2	Week 3	Week 4	Week 5	Primary Outage(s)
		(11/28 - 12/4)	(12/5 - 12/11)	(12/12 - 12/18)	(12/19 - 12/25)	(12/26 - 1/1)	
Est. Operational Capacity (Operational Impact) - Thousand Dth							
Station 409 (Donna Line) (segment 490 FH)	584	584	400 (184)	400 (184)	400 (184)	584	Sta 409: Station Vent Mods & Unit Inspections (12/7/2022 - 12/20/2022)
Station 1 (segment 101 BH)	367	367	367	367	367	367	
Station 9 (segment 109 BH)	1,068	1,068	1,068	1,068	1,068	1,068	
Station 25 (segment 125 BH)	897	887 (10)	850 (47)	850 (47)	850 (47)	887 (10)	MLV 24-3A to MLV 25-3A: Pipe Replacement (11/1/2022 - 12/1/2022) MLV 18-3A to MLV 20-3A: Pipe Replacement (11/15/2022 - 12/31/2022) MLV 26-1 Relocation: Highway Widening (12/6/2022 - 12/23/2022)
Station 47 (segment 143 BH)	1,077	1000 (77)	1000 (77)	1,077	1,077	1,077	MLV 43-4 to MLV 44-4: Anomaly Remediation (10/31/2022 - 12/9/2022) MLV 42-4 to MLV 43-4: Anomaly Remediation (10/31/2022 - 12/9/2022)
Station 823 (segment 823 BH)	712	712	712	712	712	712	
Station 834 (segment 834 BH)	732	732	732	732	732	732	
MLV 548 (segment 542 BH)	1,628	1,628	1,628	1,628	1,628	1,628	
Station 860 (segment 548 BH)	1,654	1620 (34)	1620 (34)	1620 (34)	1620 (34)	1620 (34)	Sta 555: Unit 6A - Engine Regrout (8/8/2022 - 12/31/2022)
Station 860 North (Segment 860 BH)	1,984	1930 (54)	1930 (54)	1930 (54)	1930 (54)	1,984	MLV 559-2A to MLV 560-2: Pipe Replacement (11/8/2022 - 12/22/2022)
Station 110 (segment 187 BH) (south thru Kentucky)	2,744	2705 (39)	2734 (10)	2,744	2,744	2,744	MLV 96-2 to MLV 102-2: Anomaly Remediation (11/03/22 - 12/09/22) Sta 106: Unit 8B - Overhaul (5/4/2022 - 11/30/2022)
Station 114 (segment 114 BH)	957	845 (112)	957	957	957	957	Sta 119A: Unit 1A - Solar 8k Inspection (11/28/2022 - 11/30/2022)
Station 204 (Segment 204 BH)	1,904	1,904	1,904	1,904	1,904	1,904	
Station 245 (segment 245 FH)	1,065	1,065	1,065	1,065	1,065	1,065	
Station 261 Discharge East (segment 261 FH)	1,043	1,043	1,043	1,043	1,043	1,043	
Station 307 (segment 307 BH)	1,204	1074 (130)	1074 (130)	1074 (130)	1074 (130)	1074 (130)	MLV 309-1 to MLV 310-1: FORCE MAJEURE - Line 1 OOS (7/13/2022 - TBD)
Station 313 West (segment 307 BH)	1,204	1074 (130)	1074 (130)	1074 (130)	1074 (130)	1074 (130)	MLV 307-1 to MLV 313-1: FORCE MAJEURE - Pressure Reduction (M) (7/27/2022 - TBD)
Station 315 (segment 315 BH)	1,959	1,959	1,959	1,959	1,959	1,959	
MLV 324 (segment 324 FH)	1,773	1,773	1,773	1,773	1,773	1,773	
Station 405 HC Line (segment 299 FH)	826	826	826	826	826	826	

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.
 Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report.
 The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

TGP - Outage Impact Report
January 2023 (updated 09/22/22)

-Primary impact restrictions may be necessary

-Major impact restrictions may be necessary

-Minor impact restrictions may be necessary depending on flow conditions

-Little to no impact, though minor outages may cause incremental reductions

Station # / Lateral	Est Nominal Operating Capacity (Thousand Dth)	Week 1 (1/2 - 1/8)	Week 2 (1/9 - 1/15)	Week 3 (1/16 - 1/22)	Week 4 (1/23 - 1/29)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth				
Station 409 (Donna Line) (segment 490 FH)	584	584	584	584	584	
Station 1 (segment 101 BH)	367	367	367	367	367	
Station 9 (segment 109 BH)	1,068	1,068	1,068	1,068	1,068	
Station 25 (segment 125 BH)	897	897	870 (27)	870 (27)	870 (27)	MLV 26-2 Relocation: Highway Widening (1/10/2023 - 1/27/2023)
Station 823 (segment 823 BH)	712	712	712	712	712	
Station 834 (segment 834 BH)	732	732	732	732	732	
MLV 548 (segment 542 BH)	1,628	1,628	1,628	1,628	1,628	
Station 860 (segment 548 BH)	1,654	1,654	1,654	1,654	1,654	
Station 860 North (Segment 860 BH)	1,984	1,984	1,984	1,984	1,984	
Station 110 (segment 187 BH) (south thru Kentucky)	2,744	2,744	2,744	2,744	2,744	
Station 114 (segment 114 BH)	957	889 (68)	957	957	957	Sta 118A: Solar 8k Inspection (1/2/2023 - 1/4/2023)
Station 204 (Segment 204 BH)	1,904	1,904	1,904	1,904	1,904	
Station 245 (segment 245 FH)	1,065	1,065	1,065	1,065	1,065	
Station 261 Discharge East (segment 261 FH)	1,043	1,043	1,043	1,043	1,043	
Station 307 (segment 307 BH)	1,204	1,204	1,204	1,204	1,204	
Station 315 (segment 315 BH)	1,959	1,959	1,959	1,959	1,959	
MLV 324 (segment 324 FH)	1,773	1,773	1,773	1,773	1,773	
Station 405 HC Line (segment 299 FH)	826	826	826	826	826	

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.
 Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report.
 The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.