

**TGP - Outage Impact Report
Seven Day Forecast (updated 01/23/25)**

-Primary impact restrictions may be necessary
-Major impact restrictions may be necessary
-Minor impact restrictions may be necessary depending on flow conditions
-Little to no impact, though minor outages may cause incremental reductions

Station / Seg	Est Nominal Operating Capacity (Thousand Dth)	Monday (1/27)	Tuesday (1/28)	Wednesday (1/29)	Thursday (1/30)	Friday (1/31)	Saturday (2/1)	Sunday (2/2)	Primary Outage(s) that may Impact Throughput
		Est. Operational Capacity (Operational Impact) - Thousand Dth							
Station 409 (Donna Line) (segment 490 FH)	586	586	586	586	586	586	586	586	
Station 1 (segment 101 BH)	438	438	438	438	438	438	438	438	
Station 9 (segment 109 FH)	1,035	1,035	1,035	1,035	1,035	1,035	1,035	1,035	
Station 17 (segment 117 FH)	814	739 (75)	739 (75)	739 (75)	739 (75)	739 (75)	739 (75)	739 (75)	MLV 17-3 to MLV 18-3: Emergent Repair (1/22/2025 - TBD)
Station 25 (segment 125 FH)	772	772	772	772	772	772	772	772	
Station 40 South (segment 132 FH)	970	890 (80)	585 (385)	575 (395)	970	970	970	970	MLV 32-1D to MLV 36-1TXR: Pig Run - Pipecare EMAT 1/29/25 (1/29/2025) MLV 32-1D to MLV 36-1TXR: Pig Run - Rosen EMAT 1/27/25 (1/27/2025) MLV 40-2SH, 40-3SH, 40-2S and 40-3S: Replace Actuators (1/28/2025 - 1/29/2025)
Station 47 (segment 143 FH)	1,207	1202 (5)	1202 (5)	1202 (5)	1202 (5)	1202 (5)	1202 (5)	1202 (5)	MLV 47-1AT to MLV 49-1: Anomaly Remediation (1/6/2025 - 10/31/2025)
Station 63 (segment 163 FH)	1,281	1221 (60)	1221 (60)	1221 (60)	1221 (60)	1221 (60)	1,281	1,281	MLV 84-3 to MLV 85-3: Class Change (10/31/2024 - 1/31/2025)
Station 823 (segment 823 BH)	711	711	711	711	711	711	711	711	
Station 834 (segment 834 BH)	700	685 (15)	685 (15)	685 (15)	685 (15)	685 (15)	685 (15)	685 (15)	Sta 834: Unit 5A - Cracked Main Bearing (11/11/2024 - 2/21/2025) Sta 834: Unit 7A - Engine Inspection (1/27/2025 - 1/31/2025)
MLV 548 (segment 542 BH)	1,667	1625 (42)	1625 (42)	1625 (42)	1625 (42)	1625 (42)	1625 (42)	1625 (42)	Sta 542: Unit 3A - Overhaul (2/12/2024 - 3/31/2025) Sta 546: Unit 7A - Oil Pump (10/22/2024 - 2/28/2025)
Station 860 (segment 548 BH)	1,593	1583 (10)	1583 (10)	1583 (10)	1583 (10)	1583 (10)	1583 (10)	1583 (10)	Sta 555: Unit 4A - Compressor Overhaul (1/25/2025 - 3/7/2025)
Station 860 North (Segment 860 BH)	1,891	1781 (110)	1781 (110)	1781 (110)	1781 (110)	1781 (110)	1791 (100)	1791 (100)	MLV 560-1 to MLV 561-1: Class Change (11/4/2024 - 1/31/2025) Sta 860: Force Majeure (8/18/2023 - TBD) Sta 860: Unit 1A - After Cooler/jacket Water leaking into crankcase (6/17/2024 - 2/14/2025)
Station 110 (segment 187 BH) (south thru Kentucky)	2,761	2645 (116)	2645 (116)	2645 (116)	2645 (116)	2645 (116)	2645 (116)	2665 (96)	MLV 108-4 to MLV 109-4: Immediate Anomaly Remediation (12/29/2024 - 2/28/2025) MLV 97-1 to MLV 100-1: Emergent Anomaly Remediation (1/7/2025 - 2/1/2025) MLV100-1A to MLV 101-1: Emergent Anomaly Remediation (1/7/2025 - 2/15/2025) Sta 106: Unit 1C - Turbocharger Replacement (1/13/2025 - 3/17/2025) Sta 87: Unit 5C - Foundation Regrout (8/26/2024 - 2/7/2025)
Station 114 (segment 114 BH)	953	953	953	953	953	953	953	953	
Station 204 (Segment 204 BH)	1,894	1704 (190)	1704 (190)	1704 (190)	1704 (190)	1836 (58)	1871 (23)	1871 (23)	MLV 200-1 to MLV 201-1: Immediate Anomaly Remediation (1/1/2025 - 3/15/2025) Sta 200: Unit 10A - Crankcase Inspections (1/27/2025 - 1/31/2025) Sta 204: Unit 2A - Inspect P1 & P2 and all inner coolers (1/27/2025 - 1/31/2025) Sta 209: Unit 1A - Bob Weight Inspection at #4 & #5 Main & Crankcase Inspection (1/13/2025 - 1/30/2025) Sta 209: Unit 2A - Compressor Packing (1/22/2025 - 1/31/2025)
Station 245 (segment 245 FH)	1,057	1,057	1025 (32)	1025 (32)	1,057	1,057	1,057	1,057	Sta 241: Unit 1B - 2k hr Maintenance (1/28/2025) Sta 241: Unit 2B - 2k hr Maintenance (1/29/2025)
Station 261 Discharge East (segment 261 FH)	1,051	1,051	1,051	1,051	1,051	1,051	1,051	1,051	
Station 307 (segment 307 BH)	1,221	1,221	1030 (191)	1,221	1,221	1,221	1,221	1,221	Sta 307: Station Generator Swap (1/28/2025)

**TGP - Outage Impact Report
Seven Day Forecast (updated 01/23/25)**

-Primary impact restrictions may be necessary

-Major impact restrictions may be necessary

-Minor impact restrictions may be necessary depending on flow conditions

-Little to no impact, though minor outages may cause incremental reductions

Station / Seg	Est Nominal Operating Capacity (Thousand Dth)	Monday (1/27)	Tuesday (1/28)	Wednesday (1/29)	Thursday (1/30)	Friday (1/31)	Saturday (2/1)	Sunday (2/2)	Primary Outage(s) that may Impact Throughput
		Est. Operational Capacity (Operational Impact) - Thousand Dth							
Station 315 (segment 315 BH)	1,917	1,917	1,917	1,917	1,917	1,917	1,917	1,917	
MLV 324 (segment 324 FH)	1,879	1,879	1,879	1,879	1,879	1,879	1,879	1,879	
Station 405 HC Line (segment 299 FH)	827	827	827	827	827	827	827	827	

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.
Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report.
The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

**TGP - Outage Impact Report
February 2025 (updated 01/23/25)**

-Primary impact restrictions may be necessary

-Major impact restrictions may be necessary

-Minor impact restrictions may be necessary depending on flow conditions

-Little to no impact, though minor outages may cause incremental reductions

Station # / Lateral	Est Nominal Operating Capacity (Thousand Dth)	Week 1 (2/3 - 2/9)	Week 2 (2/10 - 2/16)	Week 3 (2/17 - 2/23)	Week 4 (2/24 - 3/2)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth				
Station 409 (Donna Line) (segment 490 FH)	586	586	586	586	456 (130)	Sta 409: Unit 1A - Maintenance (2/24/2025 - 3/17/2025)
Station 1 (segment 101 BH)	438	438	438	438	438	
Station 9 (segment 109 FH)	1,035	1,035	1,035	1,035	690 (345)	MLV 13-3 to MLV 17-3: Pig Run - Cleaning 2/25/25 (2/25/2025) MLV 13-3 to MLV 17-3: Pig Run - MFL-A 2/27/25 (2/27/2025)
Station 17 (segment 117 FH)	814	739 (75)	739 (75)	739 (75)	739 (75)	MLV 17-3 to MLV 18-3: Emergent Repair (1/22/2025 - TBD)
Station 25 (segment 125 FH)	772	772	772	772	772	
Station 47 (segment 143 FH)	1,204	1199 (5)	1199 (5)	1199 (5)	1199 (5)	MLV 47-1AT to MLV 49-1: Anomaly Remediation (1/6/2025 - 10/31/2025)
Station 63 (segment 163 FH)	1,281	1160 (121)	1160 (121)	880 (401)	880 (401)	MLV 71-4S to MLV 63-4D: Pig Runs - Caliper / IMU 2/20/25 (2/20/2025) MLV 71-4S to MLV 63-4D: Pig Runs - Cleaning / Gauge 2/18/25 (2/18/2025) MLV 71-4S to MLV 63-4D: Pig Runs - EMAT 2/27/25 (2/27/2025) MLV 71-4S to MLV 63-4D: Pig Runs - MFL-C 2/25/25 (2/25/2025) MLV 79-2S to MLV 71-2D: Pig Runs - Caliper / IMU 2/6/25 (2/6/2025) MLV 79-2S to MLV 71-2D: Pig Runs - Cleaning / Gauge 2/4/25 (2/4/2025) MLV 79-2S to MLV 71-2D: Pig Runs - EMAT 2/13/25 (2/13/2025) MLV 79-2S to MLV 71-2D: Pig Runs - MFL-C 2/11/25 (2/11/2025)
Station 823 (segment 823 BH)	711	711	711	711	711	
Station 834 (segment 834 BH)	700	685 (15)	685 (15)	685 (15)	700	Sta 834: Unit 5A - Cracked Main Bearing (11/11/2024 - 2/21/2025)
MLV 548 (segment 542 BH)	1,667	1625 (42)	1625 (42)	1625 (42)	1625 (42)	Sta 542: Unit 3A - Overhaul (2/12/2024 - 3/31/2025) Sta 546: Unit 7A - Oil Pump (10/22/2024 - 2/28/2025)
Station 860 (segment 548 BH)	1,593	1583 (10)	1583 (10)	1583 (10)	1583 (10)	Sta 555: Unit 4A - Compressor Overhaul (1/25/2025 - 3/7/2025)
Station 860 North (Segment 860 BH)	1,891	1791 (100)	1395 (496)	1394 (497)	1791 (100)	MLV 565-2 TO MLV 559-2: Pig Runs - AFD 2/20/25 (2/20/2025) MLV 565-2 TO MLV 559-2: Pig Runs - Cleaning / Gauge 2/12/25 (2/12/2025) MLV 565-2 TO MLV 559-2: Pig Runs - CLP 2/18/25 (2/18/2025) Sta 860: Force Majeure (8/18/2023 - TBD) Sta 860: Unit 1A - After Cooler/Jacket Water leaking into crankcase (6/17/2024 - 2/14/2025)

**TGP - Outage Impact Report
February 2025 (updated 01/23/25)**

-Primary impact restrictions may be necessary

-Major impact restrictions may be necessary

-Minor impact restrictions may be necessary depending on flow conditions

-Little to no impact, though minor outages may cause incremental reductions

Station # / Lateral	Est Nominal Operating Capacity (Thousand Dth)	Week 1 (2/3 - 2/9)	Week 2 (2/10 - 2/16)	Week 3 (2/17 - 2/23)	Week 4 (2/24 - 3/2)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth				
Station 110 (segment 187 BH) (south thru Kentucky)	2,761	2635 (126)	2635 (126)	2475 (286)	2475 (286)	MLV 108-4 to MLV 109-4: Immediate Anomaly Remediation (12/29/2024 - 2/28/2025) MLV 87-4 to MLV 96-4: Pig Runs - AFD Combo 2/25/25 (2/25/2025) MLV 87-4 to MLV 96-4: Pig Runs - Caliper 2/20/25 (2/20/2025) MLV 87-4 to MLV 96-4: Pig Runs - Cleaning / Gauge 2/18/25 (2/18/2025) MLV 87-4 to MLV 96-4: Pig Runs - EMAT 2/27/25 (2/27/2025) MLV 96-2 to MLV 102-2: Pig Runs - AFD Combo 2/11/25 (2/11/2025) MLV 96-2 to MLV 102-2: Pig Runs - Caliper 2/6/25 (2/6/2025) MLV 96-2 to MLV 102-2: Pig Runs - Cleaning / Gauge 2/4/25 (2/4/2025) MLV 96-2 to MLV 102-2: Pig Runs - EMAT 2/13/25 (2/13/2025) MLV100-1A to MLV 101-1: Emergent Anomaly Remediation (1/7/2025 - 2/15/2025) Sta 106: Unit 1C - Turbocharger Replacement (1/13/2025 - 3/17/2025) Sta 87: Unit 5C - Foundation Regrout (8/26/2024 - 2/7/2025)
Station 114 (segment 114 BH)	953	953	953	953	953	
Station 200 (segment 200 BH)	1,829	1,829	1,829	1649 (180)	1,829	MLV 200-2 to MLV 110-4: Pig Re-Runs - EMAT 2/18/25 (2/18/2025)
Station 204 (Segment 204 BH)	1,894	1681 (213)	1671 (223)	1831 (63)	1831 (63)	MLV 200-1 to MLV 201-1: Immediate Anomaly Remediation (1/1/2025 - 3/15/2025) MLV 214-1 to MLV 209-1: Pig Runs - Cleaning Gauge 2/4/25 (2/4/2025) MLV 214-1 to MLV 209-1: Pig Runs - EMAT 2/13/25 (2/13/2025) MLV 214-1 to MLV 209-1: Pig Runs - MFL-A Combo 2/6/25 (2/6/2025) MLV 214-1 to MLV 209-1: Pig Runs - MFL-C Combo 2/11/25 (2/11/2025) Sta 200: Unit 12A - Replace Turbo (2/10/2025 - 2/14/2025) Sta 200: Unit 4A - Crankcase Inspections (2/3/2025 - 2/7/2025) Sta 204: Unit 10A - Punch Carbon & Inspect Cylinders (2/3/2025 - 2/6/2025) Sta 209: Unit 3A - Punch Carbon (2/3/2025 - 2/7/2025) Sta 209: Unit 4A - Punch Carbon (2/10/2025 - 2/14/2025) Sta 209: Unit 5A - Punch Carbon (2/17/2025 - 2/21/2025) Sta 209: Unit 6A - Punch Carbon (2/24/2025 - 2/28/2025)
Station 245 (segment 245 FH)	1,057	1,057	1,057	1,057	1,057	
Station 261 Discharge East (segment 261 FH)	1,051	1,051	1,051	1,051	1,051	
Station 307 (segment 307 BH)	1,221	1,221	1,221	1,221	1,221	
Station 315 (segment 315 BH)	1,917	1,917	1,917	1,917	1,917	
MLV 324 (segment 324 FH)	1,879	1,879	1,879	1,879	1,879	
Station 405 HC Line (segment 299 FH)	827	827	827	827	827	

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.
Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report.
The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

**TGP - Outage Impact Report
March 2025 (updated 01/23/25)**

-Primary impact restrictions may be necessary

-Major impact restrictions may be necessary

-Minor impact restrictions may be necessary depending on flow conditions

-Little to no impact, though minor outages may cause incremental reductions

Station # / Lateral	Est Nominal Operating Capacity (Thousand Dth)	Week 1 (3/3 - 3/9)	Week 2 (3/10 - 3/16)	Week 3 (3/17 - 3/23)	Week 4 (3/24 - 3/30)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth				
Station 409 (Donna Line) (segment 490 FH)	586	456 (130)	456 (130)	456 (130)	586	Sta 409: Unit 1A - Maintenance (2/24/2025 - 3/17/2025)
Station 1 (segment 101 BH)	438	438	438	438	438	
Station 9 (segment 109 FH)	1,035	690 (345)	1,035	1,035	1,035	MLV 13-3 to MLV 17-3: Pig Run - EMAT 3/4/25 (3/4/2025)
Station 17 (segment 117 FH)	814	739 (75)	739 (75)	739 (75)	739 (75)	MLV 17-3 to MLV 18-3: Emergent Repair (1/22/2025 - TBD)
Station 25 (segment 125 FH)	772	772	762 (10)	762 (10)	762 (10)	MLV 25-1 to MLV 26-1 Relocation: Highway 105 Widening (3/10/2025 - 3/24/2025) MLV 26-1 Relocation: Highway 59 Widening (3/10/2025 - 4/6/2025)
Station 47 (segment 143 FH)	1,201	751 (450)	1031 (170)	1196 (5)	1196 (5)	MLV 47-1AT to MLV 49-1: Anomaly Remediation (1/6/2025 - 10/31/2025) MLV 54-4D TO MLV 63-4S: Pig Runs - AFD 3/11/25 (3/11/2025) MLV 54-4D TO MLV 63-4S: Pig Runs - Caliper 3/6/25 (3/6/2025) MLV 54-4D TO MLV 63-4S: Pig Runs - Cleaning / Gauge 3/4/25 (3/4/2025) MLV 54-4D TO MLV 63-4S: Pig Runs - EMAT 3/13/25 (3/13/2025) Sta 54: Replace Insulator Bushing on Siemens Transformer (3/4/2025 - 3/5/2025)
Station 63 (segment 163 FH)	1,281	1,281	1,281	1,281	1,281	
Station 823 (segment 823 BH)	711	711	711	711	711	
Station 834 (segment 834 BH)	700	685 (15)	685 (15)	685 (15)	685 (15)	Sta 834: Unit 6A - Overhaul (3/3/2025 - 11/3/2025)
Station 847 (segment 847 BH)	305	305	305	305	199 (106)	MLV 856-1 to MLV 851-1: Pig Runs - Cleaning / Gauge 3/24/25 (3/24/2025) MLV 856-1 to MLV 851-1: Pig Runs - EMAT 3/27/25 (3/27/2025) MLV 856-1 to MLV 851-1: Pig Runs - MFL-C 3/25/25 (3/25/2025)
MLV 548 (segment 542 BH)	1,667	1420 (247)	1420 (247)	1420 (247)	1420 (247)	MLV 535-1 to MLV 536-1: Anomaly Remediation (3/10/2025 - 3/21/2025) Sta 542: Unit 3A - Overhaul (2/12/2024 - 3/31/2025) Sta 546: Unit 1B - Turbine Exchange (3/3/2025 - 4/18/2025)
Station 860 (segment 548 BH)	1,590	1580 (10)	1,590	1,590	1,590	Sta 555: Unit 4A - Compressor Overhaul (1/25/2025 - 3/7/2025)
Station 860 North (Segment 860 BH)	1,887	1787 (100)	1245 (642)	1245 (642)	1787 (100)	MLV 560-3 TO MLV 559-3: Pig Runs - Cleaning / Gauge 3/18/25 (3/18/2025) MLV 560-3 TO MLV 559-3: Pig Runs - MFL-A 3/19/25 (3/19/2025) MLV 564-2: Valve Repair (3/10/2025 - 3/17/2025) Sta 860: Force Majeure (8/18/2023 - TBD)
Station 110 (segment 187 BH) (south thru Kentucky)	2,761	2320 (441)	2320 (441)	2320 (441)	2320 (441)	MLV 876-2 to MLV 874-2: Pig Runs - AFD Combo 3/11/25 (3/11/2025) MLV 876-2 to MLV 874-2: Pig Runs - Cleaning / Gauge 3/6/25 (3/6/2025) MLV 876-2 to MLV 874-2: Pig Runs - EMAT 3/13/25 (3/13/2025) MLV 96-4 to MLV 106-4: Pig Runs - AFD Combo 3/20/25 (3/20/2025) MLV 96-4 to MLV 106-4: Pig Runs - Cleaning / Gauge 3/18/25 (3/18/2025) MLV 96-4 to MLV 106-4: Pig Runs - EMAT 3/25/25 (3/25/2025) Sta 106: Unit 1C - Turbocharger Replacement (1/13/2025 - 3/17/2025)

**TGP - Outage Impact Report
March 2025 (updated 01/23/25)**

-Primary impact restrictions may be necessary

-Major impact restrictions may be necessary

-Minor impact restrictions may be necessary depending on flow conditions

-Little to no impact, though minor outages may cause incremental reductions

Station # / Lateral	Est Nominal Operating Capacity (Thousand Dth)	Week 1 (3/3 - 3/9)	Week 2 (3/10 - 3/16)	Week 3 (3/17 - 3/23)	Week 4 (3/24 - 3/30)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth				
Station 114 (segment 114 BH)	953	953	953	953	953	
Station 204 (Segment 204 BH)	1,894	1831 (63)	1841 (53)	1751 (143)	1751 (143)	MLV 200-1 to MLV 201-1: Immediate Anomaly Remediation (1/1/2025 - 3/15/2025) MLV 214-3 to MLV 209-3: Pig Runs - Cleaning Gauge 3/18/25 (3/18/2025) MLV 214-3 to MLV 209-3: Pig Runs - EMAT 3/25/25 (3/25/2025) MLV 214-3 to MLV 209-3: Pig Runs - MFL-A Combo 3/20/25 (3/20/2025) Sta 209: Unit 10A - Punch Carbon (3/24/2025 - 3/28/2025) Sta 209: Unit 7A - Repack #1 Turbo Exhaust outlet flange (3/3/2025 - 3/7/2025) Sta 209: Unit 8A - Punch Carbon (3/10/2025 - 3/14/2025) Sta 209: Unit 9A - Punch Carbon (3/17/2025 - 3/21/2025)
Station 245 (segment 245 FH)	1,057	1,057	1,057	1,057	1,057	
Station 261 Discharge East (segment 261 FH)	1,051	1,051	1,051	1,051	1,051	
Station 266A (segment 282 FH)	406	406	406	225 (181)	255 (151)	MLV 266A-101L TO MLV 266A-101R: Pig Runs - Cleaning / Gauge 3/18/25 (M) (3/18/2025) MLV 266A-101L TO MLV 266A-101R: Pig Runs - MFL-A / Cal / IMU Combo 3/19/25 (M) (3/19/2025) MLV 266C-101.1 TO MLV 266C-102A: Pig Runs - Cleaning / Gauge 3/25/25 (M) (3/25/2025) MLV 266C-101.1 TO MLV 266C-102A: Pig Runs - MFL-A/Cal/IMU Combo 3/26/25 (M) (3/26/2025)
Station 307 (segment 307 BH)	1,221	1,221	1,221	1,221	1,221	
Station 315 (segment 315 BH)	1,917	1,917	1,917	1,917	1,917	
MLV 324 (segment 324 FH)	1,879	1,879	1,879	1,879	1,879	
Station 405 HC Line (segment 299 FH)	827	827	827	827	827	

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.
Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report.
The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

TGP - Outage Impact Report
April 2025 (updated 01/23/25)

-Primary impact restrictions may be necessary

-Major impact restrictions may be necessary

-Minor impact restrictions may be necessary depending on flow conditions

-Little to no impact, though minor outages may cause incremental reductions

Station # / Lateral	Est Nominal Operating Capacity (Thousand Dth)	Week 1	Week 2	Week 3	Week 4	Primary Outage(s)
		(3/31 - 4/6)	(4/7 - 4/13)	(4/14 - 4/20)	(4/21 - 4/27)	
Est. Operational Capacity (Operational Impact) - Thousand Dth						
Station 409A (Alamo) (segment 492 FH)	274	134 (140)	274	274	274	MLV 409A-901 to MLV 409A-902: Pig Run - Cleaning 4/1/25 (4/1/2025) MLV 409A-901 to MLV 409A-902: Pig Run - Cleaning 4/2/25 (4/2/2025) MLV 409A-901 to MLV 409A-902: Pig Run - MFL-A 4/3/25 (4/3/2025)
Station 409 (Donna Line) (segment 490 FH)	564	564	564	564	564	
Station 1 (segment 101 BH)	400	400	400	400	400	
Station 9 (segment 109 FH)	980	980	980	980	980	
Station 25 (segment 125 FH)	714	704 (10)	704 (10)	704 (10)	704 (10)	MLV 26-1 Relocation: Highway 59 Widening (3/10/2025 - 4/6/2025) MLV 26-2 Relocation: Highway 59 Widening (4/7/2025 - 5/4/2025)
Station 47 (segment 143 FH)	1,184	1179 (5)	1079 (105)	929 (255)	1179 (5)	MLV 40-3 to MLV 47-3: Pig Run - Chem Cleaning 4/7/25 to 4/11/25 (4/7/2025 - 4/11/2025) MLV 40-3 to MLV 47-3: Pig Run - EMAT 4/17/25 (4/17/2025) MLV 40-3 to MLV 47-3: Pig Run - MFL-C 4/15/25 (4/15/2025) MLV 47-1AT to MLV 49-1: Anomaly Remediation (1/6/2025 - 10/31/2025) MLV 47-3D TO MLV 53-3: Pig Runs - Cleaning / Gauge 4/15/25 (4/15/2025) MLV 47-3D TO MLV 53-3: Pig Runs - MDS 4/17/25 (4/17/2025) Sta 47: Unti 1E - Annual Turbine Maintenance (4/14/2025 - 4/18/2025)
Station 63 (segment 163 FH)	1,233	1,233	1,233	845 (388)	845 (388)	MLV 71-3S to MLV 63-3D: Pig Runs - Caliper / IMU 4/17/25 (4/17/2025) MLV 71-3S TO MLV 63-3D: Pig Runs - Cleaning / Gauge 4/15/25 (4/15/2025) MLV 71-3S to MLV 63-3D: Pig Runs - EMAT 4/24/25 (4/24/2025) MLV 71-3S to MLV 63-3D: Pig Runs - MFL-C 4/22/25 (4/22/2025)
Station 823 (segment 823 BH)	686	686	686	686	686	
Station 834 (segment 834 BH)	679	664 (15)	670 (9)	670 (9)	670 (9)	Sta 834: Unit 6A - Overhaul (3/3/2025 - 11/3/2025)
MLV 548 (segment 542 BH)	1,597	1350 (247)	1382 (215)	1382 (215)	1,597	Sta 542: Unit 3A - Overhaul (2/12/2024 - 3/31/2025) Sta 546: Unit 1B - Turbine Exchange (3/3/2025 - 4/18/2025)
Station 860 (segment 548 BH)	1,516	1,516	920 (596)	1,516	1,516	MLV 550-2 TO MLV 546-2: Pig Runs - Cleaning / Gauge 4/7/25 (4/7/2025) MLV 550-2 TO MLV 546-2: Pig Runs - EMAT 4/11/25 (4/11/2025) MLV 550-2 TO MLV 546-2: Pig Runs - MFL-C 4/9/25 (4/9/2025)
Station 860 North (Segment 860 BH)	1,793	1693 (100)	1693 (100)	1693 (100)	1520 (273)	MLV 565-1 TO MLV 559-1: Pig Runs - AFD 4/25/25 (4/25/2025) MLV 565-1 TO MLV 559-1: Pig Runs - Caliper 4/23/25 (4/23/2025) MLV 565-1 TO MLV 559-1: Pig Runs - Cleaning / Gauge 4/21/25 (4/21/2025) Sta 860: Force Majeure (8/18/2023 - TBD)
Station 110 (segment 187 BH) (south thru Kentucky)	2,645	2,645	2,645	2,645	2,645	
Station 114 (segment 114 BH)	920	685 (235)	685 (235)	920	920	MLV 121-1 to MLV 118-1: Pig Runs - AFD Combo 4/3/25 (4/3/2025) MLV 121-1 to MLV 118-1: Pig Runs - Cleaning / Gauge 4/1/25 (4/1/2025) MLV 121-1 to MLV 118-1: Pig Runs - EMAT 4/8/25 (4/8/2025)

TGP - Outage Impact Report
April 2025 (updated 01/23/25)

-Primary impact restrictions may be necessary

-Major impact restrictions may be necessary

-Minor impact restrictions may be necessary depending on flow conditions

-Little to no impact, though minor outages may cause incremental reductions

Station # / Lateral	Est Nominal Operating Capacity (Thousand Dth)	Week 1 (3/31 - 4/6)	Week 2 (4/7 - 4/13)	Week 3 (4/14 - 4/20)	Week 4 (4/21 - 4/27)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth				
Station 204 (Segment 204 BH)	1,827	1541 (286)	1541 (286)	1741 (86)	1664 (163)	MLV 204-2 to MLV 200-2: Pig Runs - Cleaning / Gauge 4/15/25 (M) (4/15/2025) MLV 204-2 to MLV 200-2: Pig Runs - MFL-A Combo 4/17/25 (M) (4/17/2025) MLV 204-2 to MLV 200-2: Pig Runs - MFL-C 4/24/25 (M) (4/24/2025) MLV 204-2 to MLV 200-2: Pig Runs - Residual 4/22/25 (M) (4/22/2025) MLV 209-3 to MLV 204-3: Pig Runs - EMAT 1/21/25 (4/22/2025) MLV 219-4 to MLV 214-4: Pig Runs - Cleaning / Gauge 4/1/25 (4/1/2025) MLV 219-4 to MLV 214-4: Pig Runs - EMAT 4/8/25 (4/8/2025) MLV 219-4 to MLV 214-4: Pig Runs - MFL-A Combo 4/3/25 (4/3/2025)
Station 245 (segment 245 FH)	997	997	997	997	997	
Station 261 Discharge East (segment 261 FH)	941	941	941	941	941	
Fitchburg Lat to Gloucester (segment 268 FH)	202	140 (62)	202	202	202	MLV 267-2 TO MLV 273-2A: Pig Runs - Cleaning / Gauge 4/1/25 (M) (4/1/2025) MLV 267-2 TO MLV 273-2A: Pig Runs - MFL-A / Cal / IMU Combo 4/2/25 (M) (4/2/2025)
Station 307 (segment 307 BH)	1,150	1,150	1,150	1,150	1,150	
Station 315 (segment 315 BH)	1,854	1,854	1,854	1,854	1,854	
Station 321 (segment 321 FH)	2,102	2,102	2,102	1238 (864)	2,102	Sta 323: Electric Company Maintenance (4/14/2025 - 4/16/2025) MLV 319-2 TO MLV 321-2: Pig Runs - Caliper & MFL-A Combo 4/16/25 (4/16/2025) MLV 319-2 TO MLV 321-2: Pig Runs - Cleaning / Gauge 4/14/25 (4/14/2025)
MLV 324 (segment 324 FH)	1,767	1,767	1,767	1,767	1,767	
Station 405 HC Line (segment 299 FH)	803	803	803	803	803	

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.
 Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report.
 The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

TGP - Outage Impact Report May 2025 (updated 01/23/25)							-Primary impact restrictions may be necessary
							-Major impact restrictions may be necessary
							-Minor impact restrictions may be necessary depending on flow conditions
							-Little to no impact, though minor outages may cause incremental reductions
Station # / Lateral	Est Nominal Operating Capacity (Thousand Dth)	Week 1 (4/28 - 5/4)	Week 2 (5/5 - 5/11)	Week 3 (5/12 - 5/18)	Week 4 (5/19 - 5/25)	Week 5 (5/26 - 6/1)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth					
Station 409 (Donna Line) (segment 490 FH)	564	564	564	564	564	564	
Station 1 (segment 101 BH)	400	400	400	400	400	400	
Station 9 (segment 109 FH)	980	980	980	980	980	980	
Station 25 (segment 125 FH)	714	704 (10)	609 (105)	609 (105)	559 (155)	609 (105)	MLV 17-1D to MLV 20-1A: Anomaly Remediation (5/20/2025 - 6/7/2025) MLV 20-1A to MLV 24-1A: Anomaly Remediation (4/29/2025 - 5/17/2025) MLV 26-1 to MLV 27-1: Install Road Casing (5/19/2025 - 5/24/2025) MLV 26-2 Relocation: Highway 59 Widening (4/7/2025 - 5/4/2025) MLV 26-3 Relocation: Highway 59 Widening (M) (5/5/2025 - 6/1/2025)
Station 47 (segment 143 FH)	1,181	1176 (5)	1171 (10)	1176 (5)	1176 (5)	1176 (5)	MLV 47-1AT to MLV 49-1: Anomaly Remediation (1/6/2025 - 10/31/2025) MLV 54-2D TO MLV 63-2S: Pig Runs - Cleaning / Gauge 5/06/25 (5/6/2025) MLV 54-2D TO MLV 63-2S: Pig Runs - MFL-A 5/08/25 (5/8/2025)
Station 63 (segment 163 BH)	1,164	1,164	1,164	1,164	1,164	1,164	MLV 69-2 to MLV 63-2D: Pig Runs - Caliper / UMU 5/1/25 (5/1/2025) MLV 69-2 to MLV 63-2D: Pig Runs - Cleaning / Gauge 4/29/25 (4/29/2025)
Station 63 (segment 163 FH)	1,233	948 (285)	910 (323)	1,233	1,233	1,233	MLV 69-2 to MLV 63-2D: Pig Runs - EMAT 5/8/25 (5/8/2025) MLV 69-2 to MLV 63-2D: Pig Runs - MFL-C 5/6/25 (5/6/2025) Sta 71 Middleton: Annual ESD Test (5/7/2025 - 5/8/2025) Sta 79 Lobelville: Annual ESD Test (5/6/2025)
Station 823 (segment 823 BH)	686	686	686	686	686	686	
Station 834 (segment 834 BH)	679	670 (9)	670 (9)	670 (9)	670 (9)	670 (9)	Sta 834: Unit 6A - Overhaul (3/3/2025 - 11/3/2025)
Station 847 (segment 847 BH)	284	284	284	210 (74)	210 (74)	284	MLV 843-1 TO MLV 847-1: Pig Runs - AFD 5/20/25 (5/20/2025) MLV 843-1 TO MLV 847-1: Pig Runs - Caliper 5/15/25 (5/15/2025) MLV 843-1 TO MLV 847-1: Pig Runs - Cleaning / Gauge 5/13/25 (5/13/2025) MLV 843-1 TO MLV 847-1: Pig Runs - EMAT 5/22/25 (5/22/2025)
MLV 548 (segment 542 BH)	1,597	1,597	1,597	1,597	1,597	1,597	
Station 860 (segment 548 BH)	1,516	1,516	1,516	1,516	1,516	1,516	
Station 860 North (Segment 860 BH)	1,793	1693 (100)	1693 (100)	1693 (100)	1693 (100)	1693 (100)	MLV 565-1 TO MLV 559-1: Pig Runs - EMAT 4/29/25 (4/29/2025) Sta 860: Force Majeure (8/18/2023 - TBD)
Station 110 (segment 187 BH) (south thru Kentucky)	2,645	2,645	2620 (25)	2620 (25)	2,645	2210 (435)	Sta 110 Morehead: Annual ESD Test & Substation Inspection (5/27/2025 - 5/30/2025) Sta 871: Unit 1A - Engine Inspection (5/13/2025) Sta 871: Unit 2A - Engine Inspection (5/5/2025) Sta 871: Unit 2A - Compressor Unloaders (5/5/2025 - 5/9/2025) Sta 96 Campbellsville: Annual ESD Test (5/28/2025 - 5/29/2025) Sta 96 Campbellsville: Annual Substation Inspection (5/28/2025 - 5/30/2025)
Station 114 (segment 114 BH)	920	920	920	920	700 (220)	920	Sta 114 Catlettsburg: Annual ESD Test & Substation Inspection (5/20/2025 - 05/23/2025)
Station 204 (Segment 204 BH)	1,827	1741 (86)	1412 (415)	1566 (261)	1,827	1,827	MLV 204-2 to MLV 200-2: Pig Runs - EMAT 4/29/25 (M) (4/29/2025) Sta 204: Annual ESD Test & Maintenance (5/5/2025 - 5/9/2025) Sta 209 Cambridge: Annual ESD Test & Maintenance (5/12/2025 - 5/16/2025)

TGP - Outage Impact Report May 2025 (updated 01/23/25)

-Primary impact restrictions may be necessary

-Major impact restrictions may be necessary

-Minor impact restrictions may be necessary depending on flow conditions

-Little to no impact, though minor outages may cause incremental reductions

Station # / Lateral	Est Nominal Operating Capacity (Thousand Dth)	Week 1 (4/28 - 5/4)	Week 2 (5/5 - 5/11)	Week 3 (5/12 - 5/18)	Week 4 (5/19 - 5/25)	Week 5 (5/26 - 6/1)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth					
Station 230C (segment 296 FH)	743	743	743	743	390 (353)	743	MLV 230B-201 to MLV 230B-207: Pig Run - Maintenance Cleaning 5/20 - 5/22 (5/20/2025 - 5/22/2025)
Station 245 (segment 245 FH)	997	997	480 (517)	997	997	997	MLV 245-2 TO MLV 249-2: Pig Runs - Cleaning / Gauge 5/6/25 (M) (5/6/2025) MLV 245-2 TO MLV 249-2: Pig Runs - MFL-A / Cal / IMU Combo 5/7/25 (M) (5/7/2025)
MLV 256 West (segment 249 FH)	1,213	680 (533)	1,213	1,213	1,213	1,213	Sta 249 Carlisle: Filter Inspection (4/28/2025 - 4/29/2025) Sta 254 Nassau: Annual ESD Test (5/1/2025) Sta 254 Nassau: Filter Inspection (4/30/2025)
Station 261 Discharge East (segment 261 FH)	941	941	941	941	941	941	
Station 307 (segment 307 BH)	1,149	1,149	1,149	1,149	1,149	1,149	
Station 315 (segment 315 BH)	1,854	1,854	1,854	1,854	1,854	1,854	
MLV 324 (segment 324 FH)	1,767	1,767	1,767	1,767	1,767	1,767	
Station 405 HC Line (segment 299 FH)	803	803	803	803	803	803	
Station 224 (segment 224 FH)	389	389	389	220 (169)	389	389	Sta 229: Annual ESD Test & Maintenance (5/14/2025 - 5/15/2025)

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses.
Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report.
The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.