

TGP - Outage Impact Report
Seven Day Forecast (updated 11/13/25)

-Primary impact restrictions may be necessary

-Major impact restrictions may be necessary

-Minor impact restrictions may be necessary depending on flow conditions

-Little to no impact, though minor outages may cause incremental reductions

TGP - Outage Impact Report Seven Day Forecast (updated 11/13/25)									-Primary impact restrictions may be necessary
									-Major impact restrictions may be necessary
									-Minor impact restrictions may be necessary depending on flow conditions
									-Little to no impact, though minor outages may cause incremental reductions
Station / Seg	Est Nominal Operating Capacity (Thousand Dth)	Monday (11/17)	Tuesday (11/18)	Wednesday (11/19)	Thursday (11/20)	Friday (11/21)	Saturday (11/22)	Sunday (11/23)	Primary Outage(s) that may Impact Throughput
		Est. Operational Capacity (Operational Impact) - Thousand Dth							
Station 409A (Alamo) (segment 492 FH)	295	295	145 (150)	145 (150)	295	295	295	295	MLV 409A-901 to MLV 409A-902: Pig Run - Cleaning 11/18/25 (M) (11/18/2025) MLV 409A-901 to MLV 409A-902: Pig Run - MFL-A 11/19/25 (M) (11/19/2025)
Station 409 (Donna Line) (segment 490 FH)	585	585	585	585	585	585	585	585	
Station 1 (segment 101 BH)	438	438	418 (28)	418 (28)	418 (28)	418 (28)	438	438	MLV 1-2BL to MLV 1-2A: GCX Expansion Hot Tap/Tie in (M) (11/18/2025 - 11/21/2025)
Station 9 (segment 109 BH)	1,066	1,066	1,066	1,066	1,066	1,066	1,066	1,066	
Station 17 (segment 117 FH)	1,143	1130 (13)	1130 (13)	1130 (13)	1130 (13)	1130 (13)	1,143	1,143	MLV 17-1D to MLV 18-1: Anomaly Remediation (11/3/2025 - 11/21/2025)
Station 25 (segment 125 FH)	1,101	1085 (16)	1085 (16)	1085 (16)	1085 (16)	1085 (16)	1085 (16)	1085 (16)	Sta 25: Unit 1C - VFD Replacement (7/16/2025 - 10/31/2026)
Station 40 South (segment 132 FH)	1,299	1090 (209)	1,299	1,299	1,299	1,299	1,299	1,299	MLV 36-1LA to MLV 40-1S: Pig Run - Maintenance (11/17/2025)
Station 47 (segment 143 FH)	1,354	890 (464)	890 (464)	890 (464)	890 (464)	890 (464)	890 (464)	890 (464)	MLV 47-1A to MLV 48-1: Class Change (9/1/2025 - 12/31/2025) MLV 47-4A to MLV 48-4: Pipe Replacement (M) (11/13/2025 - 11/24/2025) MLV 53-3BR to MLV 54-3BL: HydroTest (11/12/2025 - 12/16/2025) Sta 54: Unit 6B - Power Overhaul (10/1/2025 - 11/24/2025) Sta 54: Unit 8B - Power Overhaul (10/1/2025 - 11/24/2025)
Station 63 (segment 163 FH)	1,287	1135 (152)	1135 (152)	1135 (152)	1135 (152)	1135 (152)	1135 (152)	1135 (152)	MLV 65-2 to MLV 66-2: Immediate Anomaly Remediation (11/17/2025 - 11/30/2025) MLV 66-2 to MLV 67-2: Immediate Anomaly Remediation (11/17/2025 - 11/30/2025)
Station 823 (segment 823 BH)	759	759	759	759	759	759	759	759	
Station 834 (segment 834 BH)	733	720 (13)	720 (13)	720 (13)	720 (13)	720 (13)	720 (13)	720 (13)	Sta 834: Unit 6A - Overhaul (3/3/2025 - 1/2/2026)
Station 527 (segment 527 BH)	2,477	2,477	2300 (177)	2300 (177)	2300 (177)	2,477	2,477	2,477	Sta 529: Solar Inspection & Safety Devices (11/18/2025 - 11/20/2025)
Station 534 South of Pool (segment 530 BH)	1,632	1294 (338)	1294 (338)	1294 (338)	1294 (338)	1294 (338)	1294 (338)	1294 (338)	Sta 530: Unit 1A - Bearings (8/25/2025 - 3/31/2026) Sta 530: Unit 2A - Bearings (8/26/2025 - 12/31/2025) Sta 530: Unit 3A - Crankshaft Replacement (6/9/2025 - 12/31/2026) Sta 530: Unit 5A - Top-End Overhaul (6/9/2025 - 12/31/2026) Sta 530: Unit 6A - Bearings (10/6/2025 - 3/31/2026) Sta 530: Unit 7A - Bearings (10/6/2025 - 3/31/2026) Sta 530: Unit 8A - Power Cylinders (9/23/2025 - 12/31/2025) Sta 534: Unit 6A - Piston Liner & Unloader Replacements (3/25/2025 - 12/31/2025) Sta 534: Unit 7A - Piston / Liner (5/20/2025 - 12/5/2025)
Station 542 (segment 539 BH)	1,905	1825 (80)	1825 (80)	1870 (35)	1870 (35)	1870 (35)	1870 (35)	1870 (35)	Sta 542: Unit 2A - Crankcase Pressure Investigation (11/11/2025 - 11/28/2025) Sta 542: Unit 4A - Cooler Fan (11/17/2025 - 11/18/2025)
MLV 548 (segment 542 BH)	1,771	1735 (36)	1735 (36)	1735 (36)	1735 (36)	1735 (36)	1735 (36)	1735 (36)	Sta 546: Unit 4A - Engine and Compressor Overhaul (11/3/2025 - 12/12/2025) Sta 546: Unit 7A - Metal in Oil (7/14/2025 - 12/31/2025)
Station 860 (segment 548 BH)	1,697	1680 (17)	1680 (17)	1680 (17)	1680 (17)	1680 (17)	1680 (17)	1680 (17)	Sta 550: Unit 2A - Compressor Overhaul (8/25/2025 - 12/5/2025)
Station 860 North (Segment 860 BH)	2,028	1715 (313)	1710 (318)	2000 (28)	1715 (313)	2000 (28)	2000 (28)	2000 (28)	MLV 565-1 to MLV 559-1: Pig Run - Brush / Gauge 11/17 (11/17/2025) MLV 565-1 to MLV 559-1: Pig Run - CLP / IMU 11/18 (11/18/2025) MLV 565-1 to MLV 559-1: Pig Run - MFL-C 11/20 (11/20/2025) Sta 860: Unit 1A - Aftercooler Jacket Water Inspection (6/17/2025 - 12/31/2026) Sta 860: Unit 1C - Solar Engine Maintenance (11/18/2025) Sta 860: Unit 2C - Solar Engine Maintenance (11/19/2025)

TGP - Outage Impact Report November 2025 (updated 11/13/25)						-Primary impact restrictions may be necessary
						-Major impact restrictions may be necessary
						-Minor impact restrictions may be necessary depending on flow conditions
						-Little to no impact, though minor outages may cause incremental reductions
Station # / Lateral	Est Nominal Operating Capacity (Thousand Dth)	Week 1 (11/3 - 11/9)	Week 2 (11/10 - 11/16)	Week 3 (11/17 - 11/23)	Week 4 (11/24 - 11/30)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth				
Station 409 (Donna Line) (segment 490 FH)	585				585	
Station 1 (segment 101 BH)	438				438	
Station 9 (segment 109 BH)	1,066				1,066	
Station 25 (segment 125 FH)	1,101				1085 (16)	Sta 25: Unit 1C - VFD Replacement (7/16/2025 - 10/31/2026)
Station 47 (segment 143 FH)	1,354				890 (464)	MLV 47-1A to MLV 48-1: Class Change (9/1/2025 - 12/31/2025) MLV 47-3A to MLV 48-3: Pipe Replacement (11/25/2025 - 12/10/2025) MLV 47-4A to MLV 48-4: Pipe Replacement (M) (11/13/2025 - 11/24/2025) MLV 53-3BR to MLV 54-3BL: HydroTest (11/12/2025 - 12/16/2025) Sta 54: Unit 6B - Power Overhaul (10/1/2025 - 11/24/2025) Sta 54: Unit 8B - Power Overhaul (10/1/2025 - 11/24/2025)
Station 63 (segment 163 FH)	1,287				1135 (152)	MLV 65-2 to MLV 66-2: Immediate Anomaly Remediation (11/17/2025 - 11/30/2025) MLV 66-2 to MLV 67-2: Immediate Anomaly Remediation (11/17/2025 - 11/30/2025)
Station 823 (segment 823 BH)	759				759	
Station 834 (segment 834 BH)	733				720 (13)	Sta 834: Unit 6A - Overhaul (3/3/2025 - 1/2/2026)
Station 527 (segment 527 BH)	2,477				2000 (477)	Sta 527: Units 1B & 2B - Replace Witch's Hat (11/24/2025 - 11/25/2025)
Station 534 South of Pool (segment 530 BH)	1,632				1294 (338)	Sta 530: Unit 1A - Bearings (8/25/2025 - 3/31/2026) Sta 530: Unit 2A - Bearings (8/26/2025 - 12/31/2025) Sta 530: Unit 3A - Crankshaft Replacement (6/9/2025 - 12/31/2026) Sta 530: Unit 5A - Top-End Overhaul (6/9/2025 - 12/31/2026) Sta 530: Unit 6A - Bearings (10/6/2025 - 3/31/2026) Sta 530: Unit 7A - Bearings (10/6/2025 - 3/31/2026) Sta 530: Unit 8A - Power Cylinders (9/23/2025 - 12/31/2025) Sta 534: Unit 6A - Piston Liner & Unloader Replacements (3/25/2025 - 12/31/2025) Sta 534: Unit 7A - Piston / Liner (5/20/2025 - 12/5/2025)
Station 542 (segment 539 BH)	1,905				1870 (35)	Sta 542: Unit 2A - Crankcase Pressure Investigation (11/11/2025 - 11/28/2025)
MLV 548 (segment 542 BH)	1,771				1735 (36)	Sta 546: Unit 4A - Engine and Compressor Overhaul (11/3/2025 - 12/12/2025) Sta 546: Unit 7A - Metal in Oil (7/14/2025 - 12/31/2025)
Station 860 (segment 548 BH)	1,697				1680 (17)	Sta 550: Unit 2A - Compressor Overhaul (8/25/2025 - 12/5/2025)

- Primary impact restrictions may be necessary
- Major impact restrictions may be necessary
- Minor impact restrictions may be necessary depending on flow conditions
- Little to no impact, though minor outages may cause incremental reductions

Primary Outage(s)

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses. Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report. The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

TGP - Outage Impact Report December 2025 (updated 11/13/25)						-Primary impact restrictions may be necessary
						-Major impact restrictions may be necessary
						-Minor impact restrictions may be necessary depending on flow conditions
						-Little to no impact, though minor outages may cause incremental reductions
Station # / Lateral	Est Nominal Operating Capacity (Thousand Dth)	Week 1 (12/1 - 12/7)	Week 2 (12/8 - 12/14)	Week 3 (12/15 - 12/21)	Week 4 (12/22 - 12/28)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth				
Station 409 (Donna Line) (segment 490 FH)	585	585	585	585	585	
Station 1 (segment 101 BH)	438	438	438	438	438	
Station 9 (segment 109 BH)	1,066	1,066	1,066	1,066	1,066	
Station 25 (segment 125 FH)	1,101	1085 (16)	1085 (16)	1085 (16)	1085 (16)	Sta 25: Unit 1C - VFD Replacement (7/16/2025 - 10/31/2026)
Station 40 South (segment 132 FH)	1,299	910 (389)	1286 (13)	1,299	1,299	MLV 32-2D TO MLV 40-2S: Pig Runs - Maintenance (12/2/2025) MLV 32-3D to MLV 40-3S: Pig Runs - Maintenance (12/10/2025)
Station 40 KN South (segment 501 FH)	285	285	285	100 (185)	285	Sta 500-1 to Sta 823 (MLV 507-1): Pig Run - Maintenance (M) (12/16/2025)
Station 47 (segment 143 FH)	1,354	895 (459)	895 (459)	950 (404)	1349 (5)	MLV 47-1A to MLV 48-1: Class Change (9/1/2025 - 12/31/2025) MLV 47-3A to MLV 48-3: Pipe Replacement (11/25/2025 - 12/10/2025) MLV 53-3BR to MLV 54-3BL: HydroTest (11/12/2025 - 12/16/2025) Sta 47: Unit 1D - Flush & Clean Cooling Systems (12/1/2025 - 12/6/2025) Sta 47: Unit 2D - Flush & Clean Cooling Systems (12/1/2025 - 12/6/2025)
Station 63 (segment 163 FH)	1,287	1,287	1,287	1,287	1,287	
Station 823 (segment 823 BH)	759	759	759	759	759	
Station 834 (segment 834 BH)	733	720 (13)	720 (13)	720 (13)	720 (13)	Sta 834: Unit 6A - Overhaul (3/3/2025 - 1/2/2026)
Station 847 (segment 847 BH)	338	200 (138)	200 (138)	338	338	MLV 856-1 to MLV 860-1: Pig Runs - Cal / IMU 12/9/25 (12/9/2025) MLV 856-1 to MLV 860-1: Pig Runs - Cleaning / Gauge 12/4/25 (12/4/2025) MLV 856-1 to MLV 860-1: Pig Runs - MFL-C 12/11/25 (12/11/2025)
Station 534 South of Pool (segment 530 BH)	1,632	1294 (338)	1400 (232)	1400 (232)	1400 (232)	Sta 530: Unit 1A - Bearings (8/25/2025 - 3/31/2026) Sta 530: Unit 2A - Bearings (8/26/2025 - 12/31/2025) Sta 530: Unit 3A - Crankshaft Replacement (6/9/2025 - 12/31/2026) Sta 530: Unit 5A - Top-End Overhaul (6/9/2025 - 12/31/2026) Sta 530: Unit 6A - Bearings (10/6/2025 - 3/31/2026) Sta 530: Unit 7A - Bearings (10/6/2025 - 3/31/2026) Sta 530: Unit 8A - Power Cylinders (9/23/2025 - 12/31/2025) Sta 534: Unit 6A - Piston Liner & Unloader Replacements (3/25/2025 - 12/31/2025) Sta 534: Unit 7A - Piston / Liner (5/20/2025 - 12/5/2025)
MLV 548 (segment 542 BH)	1,771	1735 (36)	1735 (36)	1750 (21)	1750 (21)	Sta 546: Unit 4A - Engine and Compressor Overhaul (11/3/2025 - 12/12/2025) Sta 546: Unit 7A - Metal in Oil (7/14/2025 - 12/31/2025)
Station 860 (segment 548 BH)	1,697	1680 (17)	1680 (17)	1680 (17)	1,697	Sta 550: Unit 2A - Compressor Overhaul (8/25/2025 - 12/5/2025) Sta 550: Unit 3A - Turbocharger Exchange (12/8/2025 - 12/19/2025)

TGP - Outage Impact Report January 2026 (updated 11/13/25)							-Primary impact restrictions may be necessary
							-Major impact restrictions may be necessary
							-Minor impact restrictions may be necessary depending on flow conditions
							-Little to no impact, though minor outages may cause incremental reductions
Station # / Lateral	Est Nominal Operating Capacity (Thousand Dth)	Week 1 (12/29 - 1/4)	Week 2 (1/5 - 1/11)	Week 3 (1/12 - 1/18)	Week 4 (1/19 - 1/25)	Week 5 (1/26 - 2/1)	Primary Outage(s)
		Est. Operational Capacity (Operational Impact) - Thousand Dth					
Station 409 (Donna Line) (segment 490 FH)	585	585	585	585	585	585	
Station 1 (segment 101 BH)	438	438	438	438	438	438	
Station 9 (segment 109 BH)	1,066	1,066	1,066	1,066	1,066	1,066	
Station 25 (segment 125 FH)	1,101	1085 (16)	1085 (16)	1085 (16)	1085 (16)	1085 (16)	MLV 26-1 Relocation: Highway 59 Widening (1/19/2026 - 2/19/2026) Sta 25: Unit 1C - VFD Replacement (7/16/2025 - 10/31/2026)
Station 47 (segment 143 FH)	1,354	1349 (5)	1,354	1,354	1,354	1,354	MLV 47-1A to MLV 48-1: Class Change (9/1/2025 - 12/31/2025)
Station 63 (segment 163 FH)	1,287	1,287	1,287	1,287	1,287	1,287	
Station 823 (segment 823 BH)	759	759	759	759	759	759	
Station 834 (segment 834 BH)	733	720 (13)	733	733	733	733	Sta 834: Unit 6A - Overhaul (3/3/2025 - 1/2/2026)
Station 534 South of Pool (segment 530 BH)	1,632	1400 (232)	1610 (22)	1610 (22)	1610 (22)	1610 (22)	Sta 530: Unit 1A - Bearings (8/25/2025 - 3/31/2026) Sta 530: Unit 2A - Bearings (8/26/2025 - 12/31/2025) Sta 530: Unit 3A - Crankshaft Replacement (6/9/2025 - 12/31/2026) Sta 530: Unit 5A - Top-End Overhaul (6/9/2025 - 12/31/2026) Sta 530: Unit 6A - Bearings (10/6/2025 - 3/31/2026) Sta 530: Unit 7A - Bearings (10/6/2025 - 3/31/2026) Sta 530: Unit 8A - Power Cylinders (9/23/2025 - 12/31/2025) Sta 534: Unit 6A - Piston Liner & Unloader Replacements (3/25/2025 - 12/31/2025)
MLV 548 (segment 542 BH)	1,771	1750 (21)	1,771	1,771	1,771	1,771	Sta 546: Unit 7A - Metal in Oil (7/14/2025 - 12/31/2025)
Station 860 (segment 548 BH)	1,697	1,697	1,697	1,697	1,697	1,697	
Station 860 North (Segment 860 BH)	2,028	2000 (28)	2000 (28)	2000 (28)	2000 (28)	2000 (28)	Sta 860: Unit 1A - Aftercooler Jacket Water Inspection (6/17/2025 - 12/31/2026)
Station 110 (segment 187 BH) (south thru Kentucky)	2,775	2535 (240)	2645 (130)	2645 (130)	2645 (130)	2645 (130)	Sta 871: Unit 1A - 3Q Engine Inspection (12/31/2025) Sta 871: Unit 2A - 3Q Engine Inspection (12/31/2025) Sta 871: Unit 3A - Engine Crankshaft Inspection (8/22/2025 - 1/30/2026)
Station 114 (segment 114 BH)	948	948	948	785 (163)	948	948	Sta 114: Unit 1D - Solar Turbine Inspection (1/13/2026)
Station 204 (Segment 204 BH)	1,895	1,895	1,895	1,895	1,895	1,895	
Station 245 (segment 245 FH)	1,063	1,063	1,063	1,063	1,063	1,063	

- Primary impact restrictions may be necessary
- Major impact restrictions may be necessary
- Minor impact restrictions may be necessary depending on flow conditions
- Little to no impact, though minor outages may cause incremental reductions

Primary Outage(s)

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses. Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates on this report. The impacts sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.